
μ μ :
 μ :
 μ :
 μ μ : 14/08/1967
 : μ ,
 : μ 8, 151 27
 : 210. 61. 32. 208
Email : valais@teiath.gr, ioannisvalais@gmail.com
 : μ

I.

2005 – 2008:

	(PhD)	μ μ	μ μ
μ μ	, .	μ μ	, μ
<hr/> 18MV)	: μ μ	μ μ	μ μ
		(Ce ³⁺)	, μ (20kV-

1991 - 1992:

	(Master of Science)
μ μ	, μ μ , .
<hr/> Bioengineering).	(Medical Physics and
	. μ (energy correction in Gamma Cameras).

1986 - 1991:

	,
μ μ	. .
<hr/> 7.42 "	(" 1987,1988 1989)
	. . (μ)
<hr/> "	". "
	μ

II.

$\mu\mu$:

III.

III-1.

J.G. Webster. μ “ ” (μ “ ”), 1 - μ : . , 2004, 3 , 2011,
 μ , 751, ISBN: 960-286-824-4.

III-2.

- 1) μ μ 111In – (Somatostatin Receptor Detection Radionuclides for Receptors with 111In - Pentetreotide), μ) G.S. Limouris, S.K. Shukla, H.I. Biersack (editors) Mediterra, (1995, ISBN 960-85227-4-9.
- 2) Efficiency of Gd₂O₂S:Eu Powder Phosphor as X-ray to Light Converter under Radiographic Imaging Conditions, C. M. Michail, **I. G. Valais**, A. Toutountzis, I. Seferis, M. Georgousis, G. Fountos, A. Samartzis, P. Liaparinos, I. S. Kandarakis and G.S. Panayiotakis, , WC 2009, IFMBE Proceedings 25/II, pp. 794-797, **2009**, (Eds) O. Dossel and W.C. Schegel.
- 3) Light Emission Efficiency of Gd₃Al₂Ga₃O₁₂:Ce (GAGG:Ce) Single Crystal Under X-ray Radiographic Conditions, I.E. Seferis, C.M. Michail, S.L. David, A. Bakas, N.I. Kalivas, G.P. Fountos, G.S. Panayiotakis, K. Kourkoutas, I.S. Kandarakis and **I.G. Valais**, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings 41, pp. 455-458, 2013 (Eds) L.M. Roa Romero. DOI: 10.1007/978-3-319-00846-2_113
- 4) Calcification Detection Optimization in Dual Energy Mammography: Influence of the X-Ray Spectra, V. Koukou, N. Martini, G. Fountos, P. Sotiropoulou, C. Michail, **I. Valais**, I. Kandarakis, and G. Nikiforidis, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings 41, pp. 459-462, 2013 (Eds) L.M. Roa Romero. DOI: 10.1007/978-3-319-00846-2_114
- 5) X-Ray Spectra for Bone Quality Assessment Using Energy Dispersive Counting and Imaging Detectors with Dual Energy Method, P. Sotiropoulou, G. Fountos, N. Martini, V. Koukou, C. Michail, **I. Valais**, I. Kandarakis, and G. Nikiforidis, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings 41, pp. 463-466, 2013 (Eds) L.M. Roa Romero. DOI: 10.1007/978-3-319-00846-2_115
- 6) Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, C.M. Michail, **I.G. Valais**, I.E. Seferis, F. Stromatia, E. Kounadi, G.P. Fountos and I.S. Kandarakis, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings 41, pp. 471-474, 2013 (Eds) L.M. Roa Romero. DOI: 10.1007/978-3-319-00846-2_117
- 7) Optimization of breast cancer detection in Dual Energy X-ray Mammography using a CMOS imaging detector, V. Koukou, G. Fountos, N. Martini, P. Sotiropoulou, C. Michail, N. Kalyvas, **I. Valais**, A. Bakas, E. Kounadi, I. Kandarakis and G. Nikiforidis, IC-MSQUARE 2014, Journal of Physics: Conference Series 574 (2015) 012076, doi:10.1088/1742-6596/574/1/012076.
- 8) Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications, N. Martini, V. Koukou, N. Kalyvas, P. Sotiropoulou, C. Michail, **I. Valais**, A. Bakas, I. Kandarakis, G. Nikiforidis and G. Fountos, IC-MSQUARE 2014, Journal of Physics: Conference Series 574 (2015) 012075, doi:10.1088/1742-6596/574/1/012075.
- 9) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, **I G Valais**, I S Kandarakis and G S Panayiotakis (2014), A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, Journal of Physics: Conference Series 490 (2014) 012139, doi:10.1088/1742-6596/490/1/012139
- 10) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031

- 11) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, Journal of Physics: Conference Series 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
- 12) C. M. Michail, G. E. Karpetas, G. P. Fountos, **I. G. Valais**, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, Journal of Physics: Conference Series 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019
- 13) I. Stathopoulos, K. Skouroliakou, C. and **I. Valais**, (2015), Dynamic Infrared Thermography Study of Blood Flow Relative to Lower Limb Position, Journal of Physics: Conference Series 637 (2015) 012027, doi:10.1088/1742-6596/637/1/012027
- 14) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
- 15) N Kalyvas, N Martini, V Koukou, C Michail, P Sotiropoulou, **I Valais**, I Kandarakis and G Fountos (2015), A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012095, doi:10.1088/1742-6596/633/1/012095
- 16) S L David, **I G Valais**, C M Michail and I S Kandarakis, X-ray Luminescence Efficiency of GAGG:Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems (2015) J. Phys.: Conf. Ser. 637 012004.
- 17) C M Michail, I E Seferis, T Sideras, **I G Valais**, G P Fountos, A Bakas, G S Panayiotakis and I S Kandarakis, Image Quality Assessment of a CMOS/Gd₂O₂S:Pr,Ce,F X-ray Sensor, (2015) J. Phys.: Conf. Ser. 637 012018
- 18) P I Sotiropoulou, G P Fountos, N D Martini, V N Koukou, C M Michail, **I G Valais**, I S Kandarakis and G C Nikiforidis, X-ray dual energy spectral parameter optimization for bone Calcium/Phosphorus mass ratio estimation, (2015) J. Phys.: Conf. Ser. 637 012025.
- 19) Kalyvas, N., Martini, N., Koukou, V., Michail, C., Sotiropoulou, P., Valais, I., Kandarakis, I., Fountos, G. A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications (Conference Paper, IC-MSquare 2015), Journal of Physics: Conference Series, Volume 633, 2015, Article number 012095

III-3.

/

-
1. e- μ & (e-Journal of Science & Technology, e-JST), 2 , μ
5, 2010, URL: http://e-jst.teiath.gr/dekapente_teuxos.htm
 2. e- μ & (e-Journal of Science & Technology, e-JST), 3 , μ
7, 2012, URL: http://e-jst.teiath.gr/eikosiexi_teuxos.htm
 3. e- μ & (e-Journal of Science & Technology, e-JST), 3 , μ
9, 2014, URL: http://e-jst.teiath.gr/triantaexi_teuxos.htm
 4. e- μ & (e-Journal of Science & Technology, e-JST), 4 , μ
9, 2014, URL: http://e-jst.teiath.gr/triantaepeta_teuxos.htm

IV.**IV-1.**

-
- 1) C. Hornberger, P. Knoop, W. Nahm, H. Matz, E. Konecny, H. Gehring, R. Bonk, H. Frankenberger, G. Meyfroid, J. Gil-Rodriguez, P. Wouters, L. Ponz, K. Benekos, **J. Valais**, J. Avgerinos, A. Karoutis, A. Ikiades and S. Weininger: A Prototype Device for Standardized Calibration of Pulse Oximeters, Journ. Clin. Monit. and Comp.; 16: 3: 161-169, 2000.
 - 2) C. Hornberger, H. Matz, E. Konecny, H. Frankenberger, R. Bonk, J. Avgerinos, K. Benekos, **J. Valais**, A. Ikiades, J. Gil-Rodriguez, P. Wouters, G. Meyfroid, L. Ponz, H. Gehring: Design and Validation of a Pulse Oxymeter Calibrator. Anesth. Analg.; 94: S8-S12, 2002.

- 3) P.F. Wouters, H. Gehring, G. Meyfroid, L. Ponz, J. Gil-Rodriguez, C. Hornberger, R. Bonk, H. Frankenberger, K. Benekos, J. Valais, J. Avgerinos and E. Konecny: Accuracy of Pulse Oximeters: The European Multi-Center Trial, Anesth. Analg.; 94: S13-S16, 2002.
- 4) D. Cavouras, I. Kandarakis, D. Nikolopoulos, I. Kalatzis, A. Episkopakis, G. Kagadis, N. Kalivas, D. Linardatos, M. Roussou, E. Nurgianaki, D. Margetis, I. Valais, I. Sianoudis, K. Kourkoutas, N. Dimitropoulos, A. Louizi, C. Nomicos, G. Panayiotakis.: Light emission efficiency and imaging performance of $Y_2Al_5O_{12}$: Ce (YAG: Ce) powder screens under diagnostic radiology conditions. Applied Physics B (Lasers and Optics), 80 pp. 923-933, 2005.
- 5) I. Valais, A. Konstantinidis, G. Salemis, D. Nikolopoulos , N. Dimitropoulos, G. Panayiotakis , D. Cavouras, and I. Kandarakis. Evaluation of cerium doped Yttrium Aluminum Oxide (YAG and YAP) powder scintillating screens for use in x-ray imaging. Biomedizinische Technik, Vol. 50, (part 1), pp. 11-12, 2005.
- 6) I. Valais, I. Kandarakis, D. Nikolopoulos, G. Loudos, N. Giokaris, C. Karagiannis, A. Episkopakis, and G.S. Panayiotakis. Experimental determination of luminescence emission properties of CsI:Tl, Lu₂SiO₅:Ce (LYSO:Ce) and Gd₂SiO₅:Ce (GSO:Ce) single crystal scintillators under x-ray exposure for use in medical imaging. Biomedizinische Technik, Vol. 50, (part 2), pp. 1112-1113, 2005
- 7) D. Nikolopoulos, I. Kandarakis, I. Valais, A. Gaitanis, D. Cavouras:X-ray absorption and X-ray fluorescence of medical imaging scintillating screens via application of Monte Carlo methods. Biomedizinische Technik, Vol. 50, (part 2), pp. 1124-1125, 2005.
- 8) X. Tsantilas, A. Louizi, J. Valais, D. Nikolopoulos, N. Sakellios, N. Karakatsanis, G. Loudos, K. Nikita, J. Malamitsi, I. Kandarakis: Simulation of commercial PET scanners with GATE Monte Carlo simulation package. Biomedizinische Technik, Vol. 50, (part 1), pp. 114-115, 2005
- 9) I. Valais, I. Kandarakis, D. Nikolopoulos, I. Sianoudis, N. Dimitropoulos, D. Cavouras, C. Nomicos, G. Panayiotakis.: Luminescence efficiency of Gd₂SiO₅: Ce scintillator under x-ray excitation. IEEE Trans Nucl. Sc. Vol. 52, No 5, pp. 1830-1835, Oct. 2005.
- 10) D. Nikolopoulos, I. Valais, I. Kandarakis, D. Cavouras, D. Linardatos, I. Sianoudis, A. Louizi, N. Dimitropoulos, D. Vattis, A. Episkopakis, C. Nomicos and G. Panayiotakis Evaluation of GSO:Ce scintillator in the X-ray energy range from 40 to 140 kV for possible applications in medical X-ray imaging. Nucl Inst. Meth. Res. A, 560, pp. 587-583, 2006.
- 11) Valais, I. Kandarakis, D. Nikolopoulos, A. Konstantinidis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. Nomicos, G.S. Panayiotakis: Evaluation of light emission efficiency of LYSO: Ce scintillator under x-ray excitation for possible applications in medical imaging, Nucl. Inst. Meth. Res. A, 569 (2), pp. 201-204, 2006.
- 12) N. Kalivas, I. Valais, G. Salemis, C. Karagiannis, A. Konstantinidis, D. Nikolopoulos, G. Loudos, N. Sakelios, N. Karakatsanis, K. Nikita, V.L. Geyshan, A.V. Gektin, I. Sianoudis, N. Giokaris, C,D. Nomicos, N. Dimitropoulos, D. Cavouras, G. Panayiotakis and I. Kandarakis: Imaging properties of cerium doped Yttrium Aluminum Oxide (YAP:Ce) powder scintillating screens under x-ray excitation, Nucl. Inst. Meth. Res. A, 569 (2), pp. 210-214, 2006.
- 13) D. Nikolopoulos, I Kandarakis, X. Tsantilas, I. Valais. D. Kavouras, A. Louizi: Comparative study of the Radiation Detection efficiency of LSO, LuAP, GSO and YAP scintillators for use in positron emission imaging (PET) via Monte-Carlo Methods, Nucl. Inst. Meth. Res. A, 569 (2), pp. 350-354, 2006.
- 14) N. Karakatsanis, N. Sakellios, X. Tsantilas, N. Dikaios, C. Tsoumpas, K. Nikita, D. Lazaros. G. Loudos, A. Louizi, I. Valais, D. Nikolopoulos, J. Malamitsi, I. Kandarakis: A comparative evaluation of two commercial PET scanners using GATE. Nucl. Inst. Meth. Res. A, 569 (2), pp. 368-372, 2006.
- 15) D. Nikolopoulos, I. Kandarakis, D. Cavouras, I.Valais, D. Linardatos, C. Michail, S. David, A. Gaitanis, C. Nomicos, A. Louizi (2006) Investigation of radiation absorption and X-ray fluorescence properties of medical imaging scintillators by Monte Carlo methods Nucl. Instrum. Meth. Phys. Res. A 565:821-832. doi:10.1016/j.nima.2006.05.170.
- 16) I. Kandarakis, D. Cavouras, D. Nikolopoulos, A. Episkopakis, N. Kalivas, P. Liaparinos, I. Valais, G. Panayiotakis.: A theoretical model evaluating the angular distribution of luminescence emission in X-ray scintillating screens. Appl. Rad. Isot. 64(4), pp. 508-519, 2006.
- 17) D. Nikolopoulos, D. Linardatos, I. Valais, C. Michail, S. David, P. Gonias, N. Bertsekas, D. Cavouras, A. Louizi, I. Kandarakis: Monte Carlo validation in the diagnostic radiology range. Nucl Inst. Meth. Res. A, 571, pp. 267-269, 2007
- 18) I. Valais, D. Nikolopoulos, N. Kalivas, A. Gaitanis, G. Loudos, I. Sianoudis, N. Giokaris, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, I. Kandarakis and G. S. Panayiotakis: A systematic study of the performance of the CsI:Tl single crystal scintillator under x-ray excitation. Nucl Inst. Meth. Res. A, 571, pp. 343-345, 2007.

- 19)** N. Kalivas, **I. Valais**, D. Nikolopoulos, A. Konstantinidis, A. Gaitanis, D. Cavouras, C.D. Nomicos, G. Panayiotakis, I. Kandarakis: Light emission efficiency and imaging properties of YAP:Ce granular phosphor screens. *Appl. Phys. A*, 89 (2), p. 443-449, 2007
- 20)** S. David, C. Michail, **I. Valais**, D. Nikolopoulos, P. Liaparinos, N. Kalivas, I. Kalatzis, N. Efthimiou, A. Toutountzis, G. Loudos, I. Sianoudis, D. Cavouras, C.D. Nomicos, I. Kandarakis: Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions. *Nucl Inst. Meth. Res. A*, 571, pp. 346-349, 2007. doi:[10.1016/j.nima.2006.10.106](https://doi.org/10.1016/j.nima.2006.10.106).
- 21)** N. Efthimiou, N. Kalivas, G. Patatoukas, A. Konstantinidis, **I. Valais**, D. Nikolopoulos, A. Gaitanis, S. David, C. Michail, G. Loudos, D. Cavouras, G.S. Panayiotakis, I. Kandarakis: Investigation of the effect of the scintillator material on the overall X-ray detection system performance by application of analytical models. *Nucl Inst. Meth. Res. A*, 571, pp. 270-273, 2007. doi:[10.1016/j.nima.2006.10.080](https://doi.org/10.1016/j.nima.2006.10.080).
- 22)** A. Karatopis, O. Benekos, E. Efstatopoulos, **I. Valais**, I. Kandarakis, N. Kelekis: Molecular imaging through ¹H MRS and MRSI in everyday routine: Improvements in various clinical applications and parameter optimization of spectroscopic imaging sequences. *Nucl Inst. Meth. Res. A*, 571, pp. 502-505, 2007
- 23)** C. Michail, S. David, P. Liaparinos, **I. Valais**, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, K. Kourkoutas, I. Kandarakis, G. S. Panayiotakis (2007) Evaluation of the imaging performance of LSO powder scintillator for use in x-ray mammography *Nucl. Instrum. Meth. Phys. Res. A* 580:558-561 doi:[10.1016/j.nima.2007.05.234](https://doi.org/10.1016/j.nima.2007.05.234).
- 24)** **I. Valais**, S. David, C. Michail, D. Nikolopoulos, P. Liaparinos, D. Cavouras, I. Kandarakis and G. S. Panayiotakis (2007) Comparative study of luminescence properties of LuYAP:Ce and LYSO:Ce single crystal scintillators for use in medical imaging, *Nucl. Instrum. Methods Phys. Res. A* 580(1):614-616. doi:[10.1016/j.nima.2007.05.023](https://doi.org/10.1016/j.nima.2007.05.023).
- 25)** **I. Valais**, S. David, C. Michail, A. Konstantinidis, I. Kandarakis and G. S. Panayiotakis (2007) Investigation of luminescence properties of the LSO:Ce, LYSO:Ce and GSO:Ce crystal scintillators under low-energy X-ray excitation used in nuclear imaging. *Nucl. Instrum. Meth. Phys. Res. A* 581:99-102. doi:[10.1016/j.nima.2007.07.037](https://doi.org/10.1016/j.nima.2007.07.037).
- 26)** **I. G. Valais**, I. S. Kandarakis, D. N. Nikolopoulos, C. M. Michail, S. L. David, G. K. Loudos, D. A. Cavouras and G. S. Panayiotakis (2007) Luminescence properties of (Lu,Y)₂SiO₅:Ce and Gd₂SiO₅:Ce single crystal scintillators under x-ray excitation, for use in medical imaging systems *Trans. Nucl. Sci.* 54(1):11-18.
C. Michail, S. David, **I. Valais**, D. Nikolopoulos, I. Sianoudis, C. Nomicos, N. Dimitropoulos, G. Panayiotakis, D. Cavouras and I. Kandarakis (2007) Investigation of the radiation absorption and light emission properties of a 25 mg/cm² Lu₂SiO₅:Ce (LSO) scintillating screen for use in x-ray digital mammography detectors *e-Journal of Science & Technology, (e-JST)* 2(1):72-80
- 27)** C. M. Michail, **I. G. Valais**, A. E. Toutountzis, N. E. Kalyvas, G. P. Fountos, S. L. David, I. S. Kandarakis, G. S. Panayiotakis (2008) Light emission efficiency of Gd₂O₂S:Eu (GOS:Eu) powder screens under X-ray mammography conditions, *Trans. Nucl. Sci.* 55(6):3703-3709.
- 28)** **I. G. Valais**, C. M. Michail, S. L. David, A. Konstantinidis, D. A. Cavouras, I. S. Kandarakis and G. S. Panayiotakis (2008) Luminescence emission properties of (Lu,Y)₂SiO₅:Ce (LYSO:Ce) and (Lu,Y)AlO₃:Ce (LuYAP:Ce) single crystal scintillators under x-ray medical image conditions *Trans. Nucl. Sci.* 55(2):785-789.
- 29)** **I. Valais**, C. Michail, S. David, L. Costaridou, C.D. Nomicos, G.S. Panayiotakis, I. Kandarakis, (2008) A Comparative Study of the Luminescence Properties of LYSO:Ce, LSO:Ce, GSO:Ce and BGO Single Crystal Scintillators for Use in Medical X-Ray Imaging, *Physica Medica* 24:122-125.
- 30)** S. David, C. Michail, **I. Valais**, A.Toutountzis, D.Cavouras, I.Kandarakis, G. Panayiotakis (2008) Investigation of luminescence properties of Lu₂SiO₅:Ce (LSO) powder scintillator in the x-ray radiography energy range *Trans. Nucl. Sci.* 55(6):3684-3691.
- 31)** A. Petropoulou, N. Kalyvas, I. Kandarakis, **I. Valais** and G.S. Panayiotakis: "The influence of software filtering in digital mammography image quality" *JINST* 4 P06016, 2009, doi:[10.1088/1748-0221/4/06/P06016](https://doi.org/10.1088/1748-0221/4/06/P06016)
- 32)** N. Kalyvas, **I. Valais**, L. Costaridou, I. Kandarakis, D. Cavouras, C.D. Nomicos and G. Panayiotakis: "Evaluating optical spectral matching of phosphor-photodetector combinations" *JINST* 4 P07003, 2009, doi:[10.1088/1748-0221/4/07/P07003](https://doi.org/10.1088/1748-0221/4/07/P07003)
- 33)** C. M. Michail, G. P. Fountos, S. L. David, **I. G. Valais**, A. E. Toutountzis, N. E. Kalyvas, I. S. Kandarakis, G. S. Panayiotakis (2009) A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu powder scintillators for use in x-ray mammography detectors *Meas. Sci. Technol.* 20: 104008.
- 34)** C. Michail, A. Toutountzis, S. David, N. Kalivas, **I. Valais**, I. Kandarakis, G. S. Panayiotakis (2009) Imaging performance and light emission efficiency of Lu₂SiO₅:Ce (LSO:Ce) powder scintillator under x-ray mammographic conditions *Appl Phys B* 95:131-139.

- 35) C. Michail, V. Spyropoulou, N. Kalyvas, **I. Valais**, N. Dimitropoulos, G. Fountos, I. Kandarakis and G. Panayiotakis (2009) [The influence of software filtering in digital mammography image quality](#) *J. Inst.* 4:P05018.
- 36) **I. G. Valais**, S. David, C. Michail, C. D. Nomicos, G. S. Panayiotakis and I. S. Kandarakis (2009) [Comparative evaluation of single crystal scintillators under x-ray imaging conditions](#) *J. Inst.* 4:P06013.
- 37) A. Toutountzis, C. Michail, **I. Valais**, S. David, G. Nikiforidis and I. Kandarakis (2009) [Light emission efficiency of \$\text{GdAlO}_3:\text{Ce}\$ \(GAP:Ce\) powder screens under X-ray radiography conditions](#) *e-Journal of Science & Technology, (e-JST)* 4(3):23-29. ([P038](#))
- 38) C. M. Michail, G. P. Fountos, P. F. Liaparinos, N. E. Kalyvas, **I. Valais** and I. S. Kandarakis, G. S. Panayiotakis (2010) [Light emission efficiency and imaging performance of \$\text{Gd}_2\text{O}_3:\text{Eu}\$ powder scintillator under X-ray Radiography conditions](#) *Med. Phys.* 37(7):3694-3703.
- 39) C. M. Michail, A. Toutountzis, **I. G. Valais**, I. Seferis, M. Georgousis, G. Fountos, I. S. Kandarakis and G. S. Panayiotakis (2010) [Luminescence Efficiency of \$\text{Gd}_2\text{O}_3:\text{Eu}\$ Powder Phosphors as X-ray to Light Converter](#) *e-Journal of Science & Technology, (e-JST)* 5(2):25-32. ([P040](#))
- 40) **I. G. Valais**, C. M. Michail, S. L. David, P. F. Liaparinos, G. P. Fountos, T. V. Paschalidis, I. S. Kandarakis and G. S. Panayiotakis (2010) [Comparative Investigation of \$\text{Ce}^{3+}\$ doped Scintillators in a wide Range of Photon Energies covering X-ray CT, Nuclear Medicine and Megavoltage Radiation Therapy Portal Imaging applications](#), *Trans. Nucl. Sci.* 57(1):3-7.
- 41) S. L. David, C. M. Michail, M. Roussou, E. Nirgianaki, A. E. Toutountzis, **I. G. Valais**, G. Fountos, P. F. Liaparinos, I. Kandarakis, G. Panayiotakis (2010) [Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detector](#) *Trans. Nucl. Sci.* 57(3):951-957.
- 42) S. L. David, C. M. Michail, **I. G. Valais**, I. Seferis, G. Varaboutis, S. Gatsos, A. E. Toutountzis, G. Fountos, I. S. Kandarakis, G. S. Panayiotakis (2010) [Luminescence Efficiency of fast Yttrium Aluminum Garnet Phosphor Screens for use in Digital Breast Tomosynthesis](#) *e-Journal of Science & Technology, (e-JST)* 5(2):63-73.
- 43) **I. G. Valais**, P.C. Xydias (2010) [Detectors for Imaging in Radiation Therapy](#) *e-Journal of Science & Technology, (e-JST)* 5(2):75-86. ([P044](#))
- 44) C. M. Michail, V. A. Spyropoulou, G. P. Fountos, N. E. Kalyvas, **I. G. Valais**, I. S. Kandarakis and G. S. Panayiotakis (2011) [Experimental and theoretical evaluation of a high resolution CMOS based detector under X-ray imaging conditions](#), *Trans. Nucl. Sci.* 58(1):314-322.
- 45) C. M. Michail, G. P. Fountos, **I. G. Valais**, N. Kalyvas, P. Liaparinos, I. S. Kandarakis, G. S. Panayiotakis (2011) [Evaluation of the red emitting \$\text{Gd}_2\text{O}_3:\text{Eu}\$ powder scintillator for use in indirect X-ray digital mammography detectors](#), *Trans. Nucl. Sci.* 58(5):2503-2511.
- 46) D. Nikolopoulos, N. Kalyvas, **I. Valais**, X. Argyriou, E. Vlamakis, T. Sevvos and I. Kandarakis: "A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators" *JINST* 12 P0712, 2012, 28 Oct.2012.
- 47) **Ioannis Valais**, Christos M. Michail, Ioannis Seferis, George Fountos, Nektarios Kalyvas, Ioannis Kandarakis and George S. Panayiotakis (2012), [Scintillation screen preparation for use in digital medical systems](#) *e-Journal of Science & Technology, (e-JST)* 7(3):1-5.
- 48) Christoforos Ntales, Nikolaos Kynatidis, **Christos Michail**, Ioannis Seferis, **Ioannis Valais**, Nektarios Kalyvas, George Fountos and Ioannis Kandarakis (2012), [Image quality assessment in cmos and cr medical imaging systems](#), *e-Journal of Science & Technology, (e-JST)* 7(3):7-13.
- 49) Nektarios Kalyvas, Anna Dimou, Kostas Tsinoukas, George Fountos, Christos Michail, **Ioannis Valais** and Ioannis Kandarakis (2012), [Effect of film digitization on mammographic image quality](#), *e-Journal of Science & Technology, (e-JST)* 7(3):23-28.
- 50) Ioannis E. Seferis, Christos M. Michail, **Ioannis G. Valais**, George G. Fountos, Nektarios I. Kalyvas, Fotini Stromatia, Ioannis S. Kandarakis, and George S. Panayiotakis, (2012), [X-ray image degradation passing through thin glass substrate](#), *e-Journal of Science & Technology, (e-JST)* 7(3):29-31.
- 51) Vaia N. Koukou, Niki D. Martini, Panagiota I. Sotiropoulou, George G. Fountos, Christos M. Michail, **Ioannis G. Valais**, Ioannis S. Kandarakis and George C. Nikiforidis, (2012) [Modified polyenergetic x-ray spectra for dual energy method](#), *e-Journal of Science & Technology, (e-JST)* 7(3):79-85.
- 52) Panagiotis L. Tsialios, Ioannis. Loukos, Christos Nicolopoulos, Grigoris Kououras and **Ioannis Valais**, (2012) [Assessment of the pressure developed between scoliosis brace and patient's body and evaluation of the effective time of treatment](#), *e-Journal of Science & Technology, (e-JST)* 7(3):79-85.
- 53) C. Michail, N. Kalyvas, **I. Valais**, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (2013) [On the response of \$\text{GdAlO}_3:\text{Ce}\$ powder scintillators](#), *J Lumin.* 144:45-52.

- 54) I. E. Seferis, C. M. Michail, **I. G. Valais**, G. P. Fountos, N. I. Kalyvas, F. Stromatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis (2013) [On the response of a europium doped phosphor-coated CMOS digital imaging detector](#), *Nucl. Instrum. Meth. Phys. Res. A*. 729:307-315.
- 55) I. Seferis, C. Michail, **I. Valais**, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (2014) [Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu](#), *J Lumin.* 151:229-234.
- 56) Christos M. Michail, Nektarios E. Kalyvas, **Ioannis G. Valais**, Ioannis P. Fudos, George P. Fountos, Nikos Dimitropoulos, Grigoris Koumouras, Dionisis Kandris, Maria Samarakou, and Ioannis S. Kandarakis, [Figure of Image Quality and Information Capacity in Digital Mammography](#), (2014) *Biomed Research International* 2014:634856.
- 57) N. Kalyvas, **I. Valais**, S. David, Ch. Michail, G. Fountos, P. Liaparinos, and I. Kandarakis, [Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under x-ray excitation](#) (2014) *Optics and Spectroscopy*. 116(5):95-99.
- 58) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, **I G Valais**, I S Kandarakis, G S Panayiotakis, [A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator](#), (2014) *J. Phys.: Conf. Ser.* 490 012139.
- 59) C. Michail, **I. Valais**, I. Seferis, N. Kalyvas, S. David, G. Fountos and I. Kandarakis, [Measurement of the Luminescence properties of Gd₂O₂S:Pr,Ce,F Powder Scintillators under X-ray radiation](#), (2014) *Radiat Meas.* 70:59-64.
- 60) Nektarios Kalyvas, Panagiotis Liaparinos, **Ioannis Valais**, Christos Michail, Stratos David and Ioannis Kandarakis, [Scintillators in X-Ray Imaging:The Miscirlu Project](#) (2014) *e-Journal of Science & Technology, (e-JST)* 9(4):1-8.
- 61) Panagiota I. Sotiropoulou, George G. Fountos, Niki D. Martini, Vaia N. Koukou, Christos M. Michail, **Ioannis G. Valais**, Ioannis S. Kandarakis and George C. Nikiforidis, [Dual Energy Inverse Mapping Technique to Estimate Calcium to-Phosphorus Mass Ratio in Bone Quality Assessment](#) (2014) *e-Journal of Science & Technology, (e-JST)* 9(4):15-24.
- 62) **I. Valais**, G. Koumouras, G. Fountos, C. Michail, D. Kandris and S. Athinaios, [Design and Construction of a Prototype ECG Simulator](#) (2014) *e-Journal of Science & Technology, (e-JST)* 9(3):11-18.
- 63) A.S. Skouroliakou, I. Seferis, I. Sianoudis, **I. Valais**, A.F. Fragopoulou, L.H. Margaritis, [Infrared Thermography Imaging: Evaluating surface emissivity and skin](#) (2014) *e-Journal of Science & Technology, (e-JST)* 9(4):9-14.
- 64) Stefanos C. Angelakis, Giorgos Saatsakis, Dimitris Prionas and **Ioannis Valais**, [Electrical Safety of Medical Equipment: An Experimental Approach](#) (2014) *e-Journal of Science & Technology, (e-JST)* 9(4):25-30.
- 65) D. Nikolopoulos, C. Michail, **I. Valais**, P. Yannakopoulos, S. Kottou, G. Karpetas, G. Panayiotakis, [GATE Simulation of the Biograph 2 PET/CT Scanner](#), (2014) *J Nucl Med Radiat Ther* 5:201.
- 66) N. Kalyvas, **I. Valais**, C. Michail, G. Fountos, I. Kandarakis, D. Cavouras, [A theoretical study of CsI:TI columnar scintillator image quality parameters by analytical modeling](#), (2015) *Nucl. Instrum. Meth. Phys. Res. A*. 779:18-24.
- 67) N. Martini, V. Koukou, N. Kalyvas, P. Sotiropoulou, C. Michail, **I. Valais**, A. Bakas, I. Kandarakis, G. Nikiforidis and G. Fountos, Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications, (2015) *J. Phys.: Conf. Ser.* 574 01207.
- 68) V. Koukou, G. Fountos, N. Martini, P. Sotiropoulou, C. Michail, N. Kalyvas, **I. Valais**, A. Bakas, E. Kounadi, I. Kandarakis and G. Nikiforidis, Optimization of breast cancer detection in Dual Energy X-ray Mammography using a CMOS imaging detector (2015) *J. Phys.: Conf. Ser.* 574 012076.
- 69) C. Michail, **I. Valais**, I. Seferis, N. Kalyvas, G. Fountos and I. Kandarakis, [Experimental Measurement of a High Resolution CMOS Detector Coupled to CsI Scintillators under X-ray Radiation](#), (2015) *Radiat Meas.* 74:39-46.
- 70) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis, **I. Valais**, [Luminescence Efficiency of \(Lu,Gd\)₂SiO₅:Ce \(LGSO:Ce\) crystals under X-ray radiation](#), (2015) *Radiat Meas.* 80:1-9.
- 71) N. Kalyvas, N. Martini, V. Koukou, C. Michail, P. Sotiropoulou, **I. Valais**, I. Kandarakis and G. Fountos [A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications](#) (2015) *J. Phys.: Conf. Ser.* 633 012095.
- 72) C M Michail, G E Karpetas, G P Fountos, N I Kalyvas, Niki Martini, Vaia Koukou, **I G Valais** and I S Kandarakis, [Medical Imaging Image Quality Assessment with Monte Carlo Methods](#) (2015) *J. Phys.: Conf. Ser.* 633 012096.
- 73) S L David, **I G Valais**, C M Michail and I S Kandarakis, [X-ray Luminescence Efficiency of GAGG:Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems](#) (2015) *J. Phys.: Conf. Ser.* 637 012004.

- 74) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D Nikolopoulos, I S Kandarakis and G S Panayiotakis, Influence of Iterative Reconstruction Algorithms on PET Image Resolution, (2015) *J. Phys.: Conf. Ser.* 637 012011.
- 75) C M Michail, I E Seferis, T Sideras, **I G Valais**, G P Fountos, A Bakas, G S Panayiotakis and I S Kandarakis, Image Quality Assessment of a CMOS/Gd₂O₃:Pr,Ce,F X-ray Sensor, (2015) *J. Phys.: Conf. Ser.* 637 012018.
- 76) C M Michail, G E Karpetas, G P Fountos, **I G Valais**, D Nikolopoulos, I S Kandarakis and G S Panayiotakis, Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, (2015) *J. Phys.: Conf. Ser.* 637 012019.
- 77) P I Sotiropoulou, G P Fountos, N D Martini, V N Koukou, C M Michail, **I G Valais**, I S Kandarakis and G C Nikiforidis, X-ray dual energy spectral parameter optimization for bone Calcium/Phosphorus mass ratio estimation, (2015) *J. Phys.: Conf. Ser.* 637 012025.
- 78) I Stathopoulos, K Skouroliakou, C Michail and **I Valais**, Dynamic Infrared Thermography Study of Blood Flow Relative to Lower Limb Position, (2015) *J. Phys.: Conf. Ser.* 637 012027.
- 79) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis, Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, (2015) *J. Phys.: Conf. Ser.* 637 012031.
- 80) S. David, C. Michail, I. Seferis, **I. Valais**, G. Fountos, P. Liaparinos, I. Kandarakis and N. Kalyvas, Evaluation of Gd₂O₃:Pr granular phosphor properties for X-ray mammography imaging, (2016) *J Lumin.* 169:706-710.
- 81) I. E. Seferis, J. Zeler, C. Michail, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych, On the response of semitransparent nanoparticulated films of LuPO₄:Eu in polyenergetic X-ray imaging applications (2016) *Appl Phys A* 122:526
- 82) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos, Determination of the Detective Quantum Efficiency (DQE) of CMOS/CsI Imaging Detectors following the novel IEC 62220-1-1:2015 International Standard (2016) *Radiat Meas.* 94:8-17.
- 83) D. Nikolopoulos, **I. Valais**, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis, Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. (2016). *Radiat Meas.* 92:19-31.
- 84) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. I. Kalyvas, **I. G. Valais**, C. Fountzoula, A. Zanglis, I. S. Kandarakis, G. S. Panayiotakis (2016) A novel method for the Optimization of Positron Emission Tomography Scanners Imaging Performance, *Hell J Nucl Med.* 19(3):231-240.
- 85) I. E. Seferis, J. Zeler, C. Michail, S. David, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych, G. S. Panayiotakis (2017) Grains size and shape dependence of light efficiency of Lu₂O₃:Eu thin screens, *Result. Phys.* 7:980-981.
- 86) George E. Karpetas, Christos M. Michail, George P. Fountos, Nektarios I. Kalyvas, **Ioannis G. Valais**, Ioannis S. Kandarakis and George S. Panayiotakis (2017) Detective Quantum Efficiency (DQE) in PET Scanners: A Simulation Study *Appl. Radiat. Isot.* 125:154-162.
- 87) I. Valais, C. Michail, C. Fountzoula, D. Tseles, P. Yannakopoulos, D. Nikolopoulos, A. Bakas, G. Fountos, G. Saatsakis, I. Sianoudis, I. Kandarakis and G Panayiotakis. On the response of alloyed ZnCdSeS Quantum Dot films, *Res. Phys.*, 2017, doi: <http://dx.doi.org/10.1016/j.rinp.2017.05.011>

IV-2.

- 1) Hornberger C., Knoop P., Nahm W., Konecny E., Langer D., Sauer N., Gehring H., Bonk R., Frankenberger H., Meyfroid G., Gil-Rodriguez J., Wouters P., Ponz L., Benekos K., **Valais J.**, Avgerinos J., and Ikiades A. A New Concept for a Pulse Oximeter Calibrator. Congress of the American Society of Anesthesiologists ASA, Florida, Tampa, USA, 20.10.98.
- 2) Hornberger C., Knoop P., Nahm W., Konecny E., Langer D., Sauer N., Gehring H., Bonk R., Frankenberger H., Meyfroid G., Gil-Rodriguez J., Wouters P., Ponz L., Benekos K., **Valais J.**, Avgerinos J., and Ikiades A. A New Concept for Pulse Oximeter Calibrator. 10th European Congress of Anaesthesiologists ECA, PP-E460.32, Munich, Germany, September 1998.
- 3) E. Moralidis, T. Spyridonidis, G. Arsol, **I. Valais**, P. Tsiklas, W. Martin. Quantitative TL-201 Gated Spect. European Congress of Nuclear Medicine, Vol .27, No. 8, PS. 46, Paris, France, August 2000, pp1022.

- 4) V. Voliotopoulos, G. S. Limouris, A. Stavraka, I. Ioannovits, D.T. Soutsos, **I. Valais**, L. Kokoves, L. Vlachos. The Use of Preoperative Lymphoscintigraphy and Intraoperative Gamma Probe Guidance in the Diagnosis Sentinel Lymph Node in Malignant Melanoma. Nuclear Oncology Congress, Capri, Italy, 3-4 April 2000.
- 5) V. Voliotopoulos, G. S. Limouris, F. Scopinaro, O. Schillaci, **I. Valais**, A. Stavraka. The Use of Technetium-99m Human Immunoglobulin (HIG) in the Scintigraphic Detection of Bone Infections. European Radiology, Suppl.1, Vol.10 (10-076), SS605,449, 2000, European Congress of Radiology (ECR2000), Vienna, Austria, 5-10 March 2000.
- 6) V. Voliotopoulos, G. S. Limouris, **I. Valais**, L. Vlachos, A. Stavraka-Kakavaki. The Use of Technetium-99m Human Immunoglobulin (HIG) in the Scintigraphic Detection of Bone Infections.Oral Presentation. First Egyptian International Nuclear Medicine Meeting, Hurghada 25-27 Feb. 2000.
- 7) V. Voliotopoulos, A. Stavraka-Kakavaki, **I. Valais**, I. Ioannovits, L. Vlachos, G.S. Limouris. Sentinel Node Imaging Oral Presentation. First Egyptian International Nuclear Medicine Meeting, Hurghada 25-27 Feb. 2000.
- 8) M. Roussou, E. Nirgianaki, **I. Valais**, D. Linardatos, D. Margetis, D. Nikolopoulos, A. Episkopakis, P. Mellisaropoulos, I. Sianoudis, N. Dimitropoulos, C.D. Nomicos,G.S. Panayiotakis, D. Cavouras and I. Kandarakis. Evaluation of $Y_3Al_5O_{12}:Ce$ (YAG:Ce) Powder Phosphor as X-Ray to Light Converter for Application in Digital Mammography Detectors. Oral Presentation. II Mediterranean Conference on Medical Physics (EFOMP), Limassol, Cyprus 28-30 Apr. 2004.
- 9) A. Episkopakis, **I. Valais**, M. Roussou, E. Nirgianaki, D. Nikolopoulos, I. Sianoudis, K. Kourkoutas, N. Dimitropoulos, D. Cavouras, C.D. Nomicos and G.S. Panayiotakis. Modeling MTF and DQE of Rare Earth Phosphors for Medical Imaging Applications. Oral Presentation. II Mediterranean Conference on Medical Physics (EFOMP), Limassol, Cyprus 28-30 Apr. 2004.
- 10) D. Nilokopoulos, P. Liaparinos, D. Cavouras, A. Louizi, **I. Valais**, G. Panayiotakis, C. Nomikos and I. Kandarakis. Computational Evaluation of Radiation Detection Efficiency of Various Scintillators by the Monte-Carlo Technique. Oral Presentation. II Mediterranean Conference on Medical Physics (EFOMP), Limassol, Cyprus 28-30 Apr. 2004.
- 11) **I. Valais**, I. Kandarakis, M. Rousou, E. Nirgianaki, D. Nikolopoulos, A. Episkopakis, I. Sianoudis, C.D. Nomicos, N. Kalivas and G.S. Panayiotakis. Evaluating the Luminescence of $Gd_2SiO_5:Ce$ (GSO(Ce)) Single Crystal Scintillator for Medical Imaging Applications Using Absolute Integrating Sphere (AIS) Method. Oral Presentation. II Mediterranean Conference on Medical Physics (EFOMP), Limassol, Cyprus 28-30 Apr. 2004.
- 12) **I. Valais**, I. Kandarakis, D. Nilokopoulos, A. Episkopakis, I. Sianoudis, N. Dimitropoulos, D. Cavouras, C.D. Nomicos and G.S. Panayiotakis Experimental Investigation of Radiation Detection Characteristics of GSO:Ce Crystal Scintillator. Oral-Poster Presentation. 4th European Symposium on Biomedical Engineering. Patra, Ellas 25-27 Jun 2004.
- 13) **I. Valais**, D. Nilokopoulos, I. Kandarakis, H. Delis, N. Dimitropoulos, D. Cavouras, C.D. Nomicos and G. Panayiotakis. Evaluation of $Gd_2SiO_5:Ce$ (GSO(Ce)) Single Crystal Scintillator Under Diagnostic X-ray Excitation. Poster presentation. MEDICON 2004, 10th Mediterranean Conference of IFMBE, Naples, Italy 31/7-5/8 2004.
- 14) P. Liaparinos, I. Kandarakis, D. Cavouras, D. Nilokopoulos, **I. Valais** and G. S. Panayiotakis. Simulating the Emission Efficiency and Resolution Properties of Fluorescent Screens By Monte Carlo Methods. Poster Presentation in Medical Imaging Conference of 2004 IEEE NSS-MIC Conference, Rome 16-22 Oct, 2004.
- 15) **I. Valais**, I. Kandarakis, D. Nilokopoulos, I. Sianoudis, N. Dimitropoulos, D. Cavouras, C.D. Nomicos and G.S. Panayiotakis.: On the luminescence efficiency of $Gd_2SiO_5:Ce$ scintillator under x-ray excitation. Poster Presentation in Medical Imaging Conference of 2004 IEEE NSS-MIC Conference, Rome 16-22 Oct, 2004.
- 16) I. Loukos, N. Kontodimopoulos, **I. Valais** and I. Avgerinos, Introducing educational trends in an undergraduate biomedical engineering laboratory of medical equipment quality assurance, Proceedings of the 2005 WSEAS International Conference on Engineering Education, Vouliagmeni, Athens, Greece, July 8-10, 2005 Pa507-109.

- 17) P. Liaparinos, I. Kandarakis, D. Cavouras, **I. Valais** and G. Panayiotakis. Determination of the light parameters within phosphor screens using Mie theory. 1st International Conference on Experiments / Process / System Modelling / Simulation / Optimization, 6-9 July 2005, Athens.
- 18) **I. Valais**, I. Kandarakis, D. Nikolopoulos, G. Loudos, N. Giokaris, C. Karagiannis, A. Episkopakis, N. Dimitropoulos and G. Panayiotakis. Experimental determination of luminescence emission properties of LYSO: Ce and CsI: Tl single crystal scintillators under UV and x-ray exposures for use in medical imaging. 1st International Conference on Experiments / Process / System Modelling / Simulation / Optimization, 6-9 July 2005, Athens.
- 19) **I. Valais**, A. Konstantinidis, G. Salemis, D. Nikolopoulos , N. Dimitropoulos, G. Panayiotakis , and I. Kandarakis. Comparative evaluation of cerium doped Yttrium Aluminum Oxide (YAG, YAP) powder phosphor screens for medical imaging applications. 1st International Conference on Experiments / Process / System Modelling / Simulation / Optimization, 6-9 July 2005, Athens.
- 20) **I. Valais**, A. Konstantinidis, G. Salemis, D. Nikolopoulos , N. Dimitropoulos, G. Panayiotakis , D. Cavouras, and I. Kandarakis. Evaluation of cerium doped Yttrium Aluminum Oxide (YAG and YAP) powder scintillating screens for use in x-ray imaging. 14th International Conference of Medical Physics (IOMP), 14-17 Sept. 2005, Nuremberg, Germany.
- 21) **I. Valais**, I. Kandarakis, D. Nikolopoulos, G. Loudos, N. Giokaris, C. Karagiannis, A. Episkopakis, and G.S. Panayiotakis. Experimental determination of luminescence emission properties of CsI:Tl, Lu₂SiO₅:Ce (LYSO:Ce) and Gd₂SiO₅:Ce (GSO:Ce) single crystal scintillators under x-ray exposure for use in medical imaging. 14th International Conference of Medical Physics (IOMP), 14-17 Sept. 2005, Nuremberg, Germany.
- 22) **I. Valais**, I. Kandarakis, A. Konstantinidis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C. Nomicos and G.Panayiotakis. Evaluation of light emission efficiency of LYSO: Ce scintillator under x-ray excitation for possible applications in medical imaging. 3rd International Conference on Imaging Technologies in Biomedical Sciences (ITBS2005), 25-28 Sept. 2005, Milos Island, Greece.
- 23) **I. Valais**, I. Kandarakis, D. Nikolopoulos, I. Sianoudis, G. Loudos, N. Giokaris, K. Nikita, D. Cavouras, N. Dimitropoulos, C. D. Nomicos and G. S. Panayiotakis. Luminescence properties of LuYSiO₅: Ce, Gd₂SiO₅: Ce, and CsI: Tl single crystal scintillators under x-ray excitation, for use in medical imaging systems. Poster Presentation in Medical Imaging Conference of 2005 IEEE NSS-MIC Conference, Puerto Rico 23-29 Oct, 2005.
- 24) **I. Valais**, D. Nikolopoulos, N. Kalivas, A. Gaitanis, G. Loudos, I. Sianoudis, N. Giokaris, D. Cavouras, N. Dimitropoulos, C. D. Nomicos, I. Kandarakis and G. S. Panayiotakis: A systematic study of the performance of the CsI:Tl single crystal scintillator under x-ray excitation, Poster Presentation. 1st European Conference on Molecular Imaging Technology (EUROmedim 2006), 9-12 May 2006, Marseille, France
- 25) S. David, C. Michail, **I. Valais**, D. Nikolopoulos, P. Liaparinos, N. Kalivas, N. Efthimiou, A. Toutountzis, G. Loudos, I. Sianoudis, D. Cavouras, C.D. Nomicos, I. Kandarakis: Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions, Poster Presentation. 1st European Conference on Molecular Imaging Technology (EUROmedim 2006), 9-12 May 2006, Marseille, France
- 26) N. Kalivas, A. Konstantinidis, **I. Valais**, D. Nikolopoulos, A. Gaitanis, S. David, C. Michail, G. Loudos, D. Cavouras, K. Kourkoutas, C.D. Nomicos, I. Kandarakis, G.S. Panayiotakis: Investigation of the effect of the scintillator material on the overall X-ray detection system performance by application of analytical models, Poster Presentation. 1st European Conference on Molecular Imaging Technology (EUROmedim 2006), 9-12 May 2006, Marseille, France.
- 27) C. Michail, S. David, P. Liaparinos, **I. Valais**, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C.D. Nomicos, K. Kourkoutas, I. Kandarakis, G.S. Panayiotakis,: Evaluation of the imaging performance of LSO powder scintillator for use in X-ray mammography. Poster Presentation. 10th International Symposium on Radiation Physics (ISRP-10), 17-22 September, 2006, Coimbra, Portugal

- 28) **I. Valais**, S. David, C. Michail, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C.D. Nomicos, I. Kandarakis, G.S. Panayiotakis: Comparative study of luminescence properties of LYSO and LuYAP single crystal scintillators for use in medical imaging. Poster Presentation. 10th International Symposium on Radiation Physics (ISRP-10), 17-22 September, 2006, Coimbra, Portugal.
- 29) C. Michail, S. David, **I. Valais**, D. Nikolopoulos, P. Liaparinos, A. Toutountzis, D. Cavouras, N. Dimitropoulos, C.D. Nomicos, I. Kandarakis, G.S. Panayiotakis: Determination of the radiation absorption and light emission properties of Lu₂SiO₅:Ce (LSO) powder phosphor using computational model and experimental techniques. Oral presentation. 2nd IC-SCCE 2007, Athens, Greece
- 30) **I. Valais**, S. David, C. Michail, D. Nikolopoulos, D. Vattis, I. Sianoudis, D. Cavouras, C.D. Nomicos, I. Kandarakis and G.S. Panayiotakis: Comparative study of luminescence properties of Lu₂SiO₅:Ce and YAlO₃:Ce single crystal scintillators for use in medical imaging. Poster and Oral presentation. 5th ESBME, 5-7 July, 2006, Patras, Greece.
- 31) **I. Valais**, D. Nikolopoulos, S. David, C. Michail, I. Sianoudis, D. Cavouras, C.D. Nomicos, G.S. Panayiotakis, I. Kandarakis: Investigation of the luminescence properties of the LYSO: Ce, LSO: Ce and GSO: Ce single crystal scintillators under low energy X -ray excitation for nuclear imaging applications. Oral Presentation. European Nuclear Medicine Symposium 2006, 30 Sept.- 4 Oct., 2006, Athens, Greece
- 32) D. Nikolopoulos, **I. Valais**, P. Gonias, N. Bertsekas, S. David, C. Michail, D. Cavouras, G.S. Panayiotakis, I. Kandarakis: Monte Carlo study of the Detection Efficiency of various scintillators for use in positron emission imaging (PET), Oral Presentation. European Nuclear Medicine Symposium 2006, 30 Sept.- 4 Oct., 2006, Athens, Greece.
- 33) V. Voliotopoulos, C. Antypas, A. Filou-Giogi, E. Pantelis, **I. Valais**, A. Stavraka-Kakavaki: Thyroid cancer radioiodine therapy using recombinant human TSH. Poster Presentation. European Nuclear Medicine Symposium 2006, 30 Sept.- 4 Oct., 2006, Athens, Greece.
- 34) V. Voliotopoulos, C. Antypas, E. Pantelis, A. Filou-Giogi, **I. Valais**, A. Stavraka-Kakavaki: Radioiodine kinetic after the administration of recombinant human TSH for thyroid cancer therapy. Poster Presentation. European Nuclear Medicine Symposium 2006, 30 Sept.- 4 Oct., 2006, Athens, Greece.
- 35) V. Voliotopoulos, C. Antypas, E. Pantelis, A. Filou-Giogi, **I. Valais**, A. Stavraka-Kakavaki: Association between Hashimoto thyroiditis and thyroid cancer. Poster Presentation. European Nuclear Medicine Symposium 2006, 30 Sept.- 4 Oct., 2006, Athens, Greece.
- 36) **I. Valais**, S. David, C. Michail, D. Nikolopoulos, N. Kalivas, A. Toutountzis, I. Sianoudis, D. Cavouras, N. Dimitropoulos, C.D. Nomicos, I. Kandarakis and G.S. Panayiotakis: Investigation of luminescence emission properties of (Lu,Y)₂SiO₅:Ce (LYSO:Ce) and (Lu,Y)AlO₃:Ce (LuYAP:Ce) single crystal scintillators under x-ray exposure for use in medical imaging. Poster Presentation, N30-152, 2006 IEEE Nuclear Science Symposium (NSS), 30 Oct.- 4 Nov. 2006, San Diego, California, USA.
- 37) S. David, C. Michail, **I. Valais**, D. Nikolopoulos, N. Kalivas, I. Kalatzis, A. Karatopis, D. Cavouras, G. S. Panayiotakis, I. Kandarakis : Luminescence Efficiency of Lu₂SiO₅: Ce (LSO) Powder Scintillator for X-Ray Medical Radiography Applications. Poster Presentation, N30-148, 2006 IEEE Nuclear Science Symposium (NSS), 30 Oct.- 4 Nov. 2006, San Diego, California, USA.
- 38) **I. Valais**, D. Nikolopoulos, S. David, C. Michail, P. Liaparinos, I. Kandarakis and G. S. Panayiotakis: Investigation of luminescent properties of LSO:Ce, LYSO:Ce and GSO:Ce crystal scintillators under low energy X -ray excitation used in nuclear imaging. Poster Presentation, PB45, 2007 11th Vienna Conference on Instrumentation (VCI 2007), 19-24 Feb. 2007, Vienna, Austria.
- 39) V. Voliotopoulos, V. Gianakopoulos, **I. Valais** and I. Charalabidou : "False negative" results of Tg in patients with DTC (differentiated thyroid carcinoma). Poster Presentation, P342, European Congress of Endocrinology 2007 (ECE 2007), 28 Apr.-2 May 2007, Budapest, Hungary.
- 40) V. Voliotopoulos, V. Gianakopoulos and **I. Valais** : The incidence of Hashimoto's thyroiditis in the differentiated thyroid carcinoma. Poster Presentation, P343, European Congress of Endocrinology 2007 (ECE 2007), 28 Apr.-2 May 2007, Budapest, Hungary.

- 41) V. Voliotopoulos, V. Gianakopoulos and **I. Valais** : Thyroid cancer radiiodine therapy using recombinant human TSH. Poster Presentation, P344, European Congress of Endocrinology 2007 (ECE 2007), 28 Apr.-2 May 2007, Budapest, Hungary.
- 42) **I. Valais**, S. David, C. Michail, A. Konstantinidis, D. Cavouras, C. D. Nomicos, G. S. Panayiotakis and I. Kandarakis. "Comparative investigation of the luminescence properties of LYSO:Ce, LSO:Ce, GSO:Ce and BGO single crystal scintillators for use in x-ray imaging applications". Oral presentation, 2nd International Conference on Experiments/Process/System Modelling/Simulation & Optimization (2nd IC-EpsMsO) Athens, 4-7 July, 2007.
- 43) **I. Valais**, C. Michail, S. David, A. Konstantinidis, D. Cavouras, C. D. Nomicos, G. S. Panayiotakis and I. Kandarakis. "Comparative evaluation of scintillators under x-ray imaging conditions". Poster presentation, 4th International Conference Imaging Technologies in Biomedical Sciences (ITBS-2007), Milos, 22-28 September, 2007.
- 44) N. Kalivas, **I. Valais**, L. Costaridou, I. Kandarakis, D. Cavouras, G.S. Panayiotakis. "Evaluating optical spectral matching of phosphor-photodetector combinations". Poster presentation, 4th International Conference Imaging Technologies in Biomedical Sciences (ITBS-2007), Milos, 22-28 September, 2007.
- 45) A. Petropoulou, N. Kalivas, I. Kandarakis, **I. Valais** and G.S. Panayiotakis. "A theoretical model for single-crystal scintillators in the diagnostic energy range". Poster presentation, 4th International Conference Imaging Technologies in Biomedical Sciences (ITBS-2007), Milos, 22-28 September, 2007.
- 46) V. Spyropoulou, C. Michail, I. Kandarakis, **I. Valais**, N. Dimitropoulos, G.S. Panayiotakis. "The influence of software filtering in digital mammography image quality". Poster presentation, 4th International Conference Imaging Technologies in Biomedical Sciences (ITBS-2007), Milos, 22-28 September, 2007.
- 47) **I. Valais**, S. David, C. Michail, A. Konstantinidis, D. Cavouras, C. D. Nomicos, G. S. Panayiotakis and I. Kandarakis. "A Comparative study of the luminescence properties of LYSO:Ce, LSO:Ce, GSO:Ce and BGO single crystal scintillators for use in medical x-ray imaging". Poster presentation, 10th EFOMP Congress-First European Conference on Medical Physics, II Ciocco-Castelvecchio Pascoli (LU), Pisa, Italy, 20-22 Sept. 2007.
- 48) C. Michail, S. David, A. Toutountzis, N. Kalivas, **I. Valais**, I. Kandarakis and G. S. Panayiotakis. "Theoretical and Experimental Investigation of the Detective Quantum Efficiency (DQE) of LSO:Ce powder scintillator for X-ray Mammography Applications". Poster presentation, 10th EFOMP Congress-First European Conference on Medical Physics, II Ciocco-Castelvecchio Pascoli (LU), Pisa, Italy, 20-22 Sept. 2007.
- 49) V. Voliotopoulos, **I. Valais**, M. Margaritaki, V. Gianakopoulos. "Coexistence of Thyroid Carcinoma and Hyperthyroidism". Poster presentation, European Nuclear Medicine Symposium (EANM) 2007, 13 - 17 October., 2007, Copenhagen, Denmark.
- 50) **I. Valais**, S. David, C. Michail, G. Fountos, T. Paschalis, G.S. Panayiotakis and I. Kandarakis. "Investigation of the performance of Ce³⁺ doped single crystal scintillators covering radiotherapy and PET/CT imaging conditions". Oral presentation, 2008 IEEE International Workshop on Imaging Systems and Techniques (IST), Chania, Crete, Greece, 10-12 Sept. 2008.
- 51) C. Michail, G. Fountos, S. David, A. Toutountzis, **I. Valais**, N. Kalivas, I. Kandarakis and G.S. Panayiotakis, "A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu phosphor scintillators for use in a medical imaging detectors". Oral presentation, 2008 IEEE International Workshop on Imaging Systems and Techniques (IST), Chania, Crete, Greece, 10-12 Sept. 2008.
- 52) **I. Valais**, C. Michail, S. David, A. Toutountzis, G. Foundos, I. Kandarakis and G.S. Panayiotakis: "A Comparative Investigation of Ce³⁺ Doped Single Crystal Scintillators Covering Radiotherapy and PET/CT Imaging Conditions". Poster presentation, M10-188, 2008 IEEE Medical Imaging Conference (MIC), 19-25 Oct. 2008, Dresden, Germany.
- 53) S. David, C. Michail, M. Roussou, E. Nirgianaki, A. Toutountzis, N. Kalivas, **I. Valais**, G. Fountos, I. Kandarakis, G. Panagiotakis "Evaluation of the Luminescence Efficiency of YAG:Ce Powder Scintillating

Screens for Use in Digital Mammography Detectors". Poster presentation, M06-205 2008 IEEE Medical Imaging Conference (MIC), 19-25 Oct. 2008, Dresden, Germany.

- 54) C. Michail, S. David, A. Toutountzis, **I. Valais**, I. Kandarakis and G.S. Panayiotakis "Imaging Performance of LSO:Ce Powder Phosphor Screens in the X-Ray Mammography Energy Range", Medical Imaging Session II, Oral Presentation, 3rd International Conference "From Scientific Computing to Computational Engineering (IC-SCCE), Athens, 9-12 July, 2008.
- 55) V. Voliotopoulos, M. Margaritaki, V. Gianakopoulos, M. Lamprakos and **I. Valais**. "The use of recombinant Tsh in thyroid cancer iodine therapy in patients with Grave's disease". Poster presentation, 2009 SNM Annual Meeting, 13 - 17 June, 2009, Toronto, Canada
- 56) **I. Valais**, P. Xydias. "Detectors for imaging in Radiation Therapy". Invited Speech, 3rd International Conference on Experiments/Process/System Modelling/Simulation & Optimization (3rd IC-EpsMsO) Athens, 8-11 July, 2009.
- 57) S. L. David, C. M. Michail, **I. G. Valais**, I. Seferis, G. Varaboutis, S. Gatsos, A. E. Toutountzis, G. Fountos I. Kandarakis, G. Panayiotakis, "Luminescence Efficiency of fast Yttrium Aluminum Garnet phosphor screens for use in breast tomosynthesis detectors" Oral Presentation, 3rd International Conference on Experiments/Process/System Modelling/Simulation & Optimization (3rd IC-EpsMsO) Athens, 8-11 July, 2009.
- 58) **I. Valais**, C. Michail, S. David, G. Fountos, C.L. Melcher, T. Paschalidis, I. Kandarakis and G.S. Panayiotakis: "Evaluation of the co-doped LSO:Ce,Ca scintillator crystal for Nuclear Medicine imaging applications". Poster Walk Presentation, PW03, 2010 EANM Annual Congress, 9-13 Oct. 2010, Vienna, Austria.
- 59) Christos M. Michai, Vasiliki B. Spyropoulou, George P. Fountos, Nektarios E. Kalyvas, Alexandros K. Mytafidis, **Ioannis G. Valais**, Ioannis S. Kandarakis and George S. Panayiotakis "Imaging Performance of a high resolution CMOS sensor under Mammographic and Radiographic conditions" Digital Radiography Session, Oral Presentation, IEEE International Conference on Imaging Systems and Techniques (IST 2010), July 1-2, 2010, Thessaloniki, Greece.
- 60) S. David, C. Michail, G. Panagiotakis, **I. Valais**, G. Fountos, C. Nomicos and I. Kandarakis "Evaluation of the co-doped LSO:Ce,Ca scintillator crystal in the X-ray energy range from 50 to 140kVp for medical imaging applications", Emerging Radiation Detection Techniques Session, Oral Presentation, IEEE International Conference on Imaging Systems and Techniques (IST 2010), July 1-2, 2010, Thessaloniki, Greece .
- 61) **I. Valais**, G. Fountos, C. Michail, I. Seferis, N. Kalyvas, A. Mytafidis, I. Kandarakis and G.S. Panayiotakis: "Thin Substrate Powder Scintillator Screens for use in Digital X-ray Medical Imaging Applications", Poster presentation, 12M-103 2011 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS-MIC), 23-29 Oct. 2011, Valencia, Spain.
- 62) N. I. Kalyvas, C. Michail, G. Fountos, **I. Valais**, P. Liaparinos, I. Seferis, V. Spyropoulou, A. Mytafidis, G. Panayiotakis, I. Kandarakis. "Modeling Noise Properties of a High Resolution CMOS Detector for X-Ray Digital Mammography", Poster presentation, M9S-79 2011 IEEE Nuclear Science Symposium and Medical Imaging Conference (NSS-MIC), 23-29 Oct. 2011, Valencia, Spain.
- 63) I. E. Seferis, N. I. Kalyvas, **I. G. Valais**, C. M. Michail, P. F. Liaparinos, G. P. Fountos, E. Zych, I. S. Kandarakis and G. S. Panayiotakis. "Light emission efficiency of Lu₂O₃:Eu nanophosphor scintillating screen under x-ray radiographic conditions", Poster Presentation, Poster session: Detectors 86683P, SPIE Medical Imaging 2013, February 9, 2013, Lake Buena Vista (Orlando Area), Florida, USA.
- 64) George. E. Karpetas, Christos M. Michail, George P. Fountos, Nektarios I. Kalyvas, Ioannis G. Valais, Ioannis S.Kandarakis and George S. Panayiotakis, the effect of the scintillating crystal on pet imaging, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 65) E. Seferis, C. M. Michail, I. G. Valais, G. P. Fountos, N. I. Kalyvas, F. Stromatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis, Single index image quality evaluation of a high resolution cmos sensor

coupled to GdS:Eu phosphor screens, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.

- 66) I. E. Seferis, N. I. Kalyvas, I. G. Valais, C. M. Michail, P. F. Liaparinos, G. P. Fountos, E. Zych, I. S. Kandarakis and G. S. Panayiotakis, Lu₂O₃:Eu nanophosphor as a candidate for digital medical imaging 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 67) V. Koukou, N. Martini, G. Fountos, P. Sotiropoulou, C. Michail, I. Valais, I. Kandarakis and G. Nikiforidis, Dual energy mammography x-ray spectra optimization for the microcalcification detection, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 68) N. Martini, V. Koukou, G. Fountos, P. Sotiropoulou, C. Michail, A. Bakas, I. Kandarakis and G. Nikiforidis, X-ray spectra optimization for the hydroxyapatite/collagen ratio determination - a new approach in osteoporosis diagnosis, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 69) P. Sotiropoulou, G. Fountos, N. Martini, V. Koukou, C. Michail, I. Valais, I. Kandarakis and G. Nikiforidis, DualEnergy Inverse-Mapping Technique to Estimate Calcium-To-Phosphorous Mass Ratio in Bone Quality Assessment, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 70) George Fountos, Nektarios Kalyvas, Christos Michail, Ioannis Seferis, Ioannis Valais, Niki Martini, Vaia Koukou, Panagiotis Liaparinos, Stratos David, Ioannis Kandarakis, George Nikiforidis and George Panayiotakis, Considering Image Quality Metrics Calculation by Free Software, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 71) I. Stathopoulos, P. Kortidis, C. Michail, G. Fountos and I. Valais, Quality Assurance Protocols on Diagnostic Ultrasound Equipment, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 72) Nektarios Kalyvas, Liaparinos Panagiotis, Valais Ioannis, Fountos George, Michail Christos, David Stratos and Kandarakis Ioannis, Scintillators in x-ray imaging: the miscirlu project, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 73) Nektarios Kalyvas, George Fountos, Ioannis Valais, Panayiotis Liaparinos, Christos Michail, Stratos David, Ioannis Kandarakis, Phosphor Material Activator Type and Image Quality: Trading off Resolution, Noise and Sensitivity, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 74) Chatzisavvas Nickolaos, Argyriou Xenophon, Sevvos Theodoros, Nikolopoulos Dimitrios, Valais Ioannis, Kalyvas Nektarios, Michail Christos, Kottou Sofia, Yannakopoulos Panayiotis, Kandarakis Ioannis, GATE simulation of the Biograph 2 PET/CT scanner, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 75) A. S. Skouroliakou, I. Sianoudis, I. Valais, I. Seferis, A. F. Fragopoulou, G. Mitsou, C. Michail, L.H. Margaritis, Infrared Thermography Imaging: Skin Temperature Variations Caused by Exposure to Non Ionizing Radiation, 2nd International Conference on BioMedical Instrumentation and related Engineering and Physical Sciences, 21 and 22 June 2013, Athens, Greece.
- 76) C. M. Michail, **I. G. Valais**, I. E. Seferis, F. Stromatia, E. Kounadi, G. P. Fountos and I. S. Kandarakis, Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, XIII Mediterranean Conference on Medical and Biological Engineering and Computing - MEDICON 25-28 September Sevila Spain 2013.
- 77) I. E. Seferis, S. L. David, C. M. Michail, A. Bakas, N. I. Kalivas, G. P. Fountos, G. S. Panayiotakis, K. Kourkoutas, I. S. Kandarakis and **I. G. Valais**, Light emission efficiency of Gd₃Al₂Ga₃O₁₂:Ce (GAGG:Ce) single crystal under X-ray radiographic conditions, XIII Mediterranean Conference on Medical and Biological Engineering and Computing - MEDICON 25-28 September Sevila Spain 2013.
- 78) V. Koukou, N. Martini, G. Fountos, P. Sotiropoulou, C. Michail, **I. Valais**, E. Kounadi, I. Kandarakis and G. Nikiforidis, Calcification Detection Optimization in Dual Energy Mammography: Influence of the X-ray spectra, XIII Mediterranean Conference on Medical and Biological Engineering and Computing - MEDICON 25-28 September Sevila Spain 2013.

- 79) P. Sotiropoulou, G. Fountos, N. Martini, V. Koukou, C. Michail, **I. Valais**, I. Kandarakis and G. Nikiforidis, X-ray spectra for bone quality assessment using energy dispersive counting and imaging detectors with dual energy method, XIII Mediterranean Conference on Medical and Biological Engineering and Computing - MEDICON 25-28 September Sevila Spain 2013.
- 80) G Karpetas, C Michail, G Fountos, N Kalyvas, **I Valais**, I Kandarakis, G Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, International Conference on Mathematical Modeling in Physical Sciences September 1-5, 2013 Prague, Czech Republic.
- 81) N. Kalyvas, **I. Valais**, S. David, Ch. Michail, G. Fountos, P. Liaparinos, I. Kandarakis, Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under x-ray excitation, XV Feofilov International Symposium, Kazan, Russia in 16-20 September 2013
- 82) D. Nikolopoulos, N. Chatzisavvas, **I. Valais**, C. Michail, X. Argyriou, T. Sevvos, N. Kalyvas, S. Kottou, P. Yannakopoulos, I. Kandarakis, GATE Simulation of the Biograph 2 PET/CT Scanner, ERA-8 The Conference for International Synergy in Energy, Environment, Tourism and contribution of Information Technology in Science, Economy, Society and Education, 23-25/9/2013, Technological Educational Institute of Piraeus.
- 83) I. E. Seferis, C. M. Michail, **I. G. Valais**, Panagiotis F. Liaparinos, Nektarios I. Kalyvas, G. P. Fountos, Eugeniusz Zych, I. S. Kandarakis, George Panayiotakis, Imaging performance of a thin Lu₂O₃:Eu nanophosphor scintillating screen coupled to a high resolution CMOS sensor under X-ray radiographic conditions: comparison with Gd₂O₂S:Eu conventional phosphor screen. Proc. SPIE 9033, Medical Imaging 2014: Physics of Medical Imaging, 9033 (February 15-20, 2014), doi:10.1117/12.2042150
- 84) I. E. Seferis, C. M. Michail, J. Zeler, **I. G. Valais**, P. F. Liararinos, N. I. Kalyvas, G. P. Fountos, A. Bakas, I. S. Kandarakis, E. Zych, X-ray efficiency of LuPO₄:Eu nanophosphor screens, 15th International Meeting on Chemical Sensors (IMCS), March 16-19 2014 Buenos Aires, Argentina.
- 85) N. Martini, V. Koukou, N. Kalyvas, P. Sotiropoulou, C. Michail, I. Valais, I. Kandarakis, G. Nikiforidis, G. Fountos, Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications, 3rd International Conference on Mathematical Modeling in Physical Sciences (IC-MSQUARE), August 28-31, 2014, Madrid, Spain, pp 463-466.
- 86) V. Koukou, G. Fountos, N. Martini, P. Sotiropoulou, C. Michail, N. Kalyvas, I. Valais, I. Kandarakis, G. Nikiforidis, Optimization of breast cancer detection in Dual Energy X-ray Mammography using a CMOS imaging detector, 3rd International Conference on Mathematical Modeling in Physical Sciences (IC-MSQUARE), August 28-31, 2014, Madrid, Spain
- 87) C. Michail, I. Seferis, **I. Valais**, V. Koukou, N. Kalyvas, A. Bakas, G. Fountos and I. Kandarakis, Imaging performance of a Gd₂O₂S:Pr,Ce,F scintillator coated CMOS imaging sensor, 8th European Conference on Medical Physics (ECMP2014), Athens, Greece, September 11-13, 2014.
- 88) D. Nikolopoulos, I. Valais, C. Michail, S. Kottou, N. Chatzisavvas, P. Yannakopoulos, V. Malaxianakis. Modelling Biograph 2 PET/CT Scanner with GATE, 8th European Conference on Medical Physics (ECMP2014), Athens, Greece, September 11-13, 2014.
- 89) I. E. Seferis, C. M. Michail, J. Zeler, I. G. Valais, T. Sideras, P. F. Liaparinos, N. I. Kalyvas, G. P. Fountos, A. Bakas, I. S. Kandarakis, E. Zych, X-ray Luminescence Efficiency and Detector Quantum Gain of LuPO₄:Eu nanophosphor, 8th European Conference on Medical Physics (ECMP2014), Athens, Greece, September 11-13, 2014.
- 90) N. Kalyvas, C. Michail, G. Fountos, I. Valais, I. Kandarakis, D. Cavouras, Investigating columnar scintillators through analytical modeling. A semiempirical approach, 8th European Conference on Medical Physics (ECMP2014), Athens, Greece, September 11-13, 2014.
- 91) D. Nikolopoulos, I. Valais, C. Michail, S. Kottou, N. Chatzisavvas, P. Yannakopoulos, V. Malaxianakis, Modelling Biograph 2 PET/CT Scanner with GATE, 8th European Conference on Medical Physics (ECMP2014), Athens, Greece, September 11-13, 2014.
- 92) A. Skouroliakou, I. Seferis, C. Michail, I. Sianoudis, D. Mathes, I. Valais, Thermographic blood flow variation relative to lower limb position, 8th European Conference on Medical Physics (ECMP2014), Athens, Greece, September 11-13, 2014.
- 93) Kalyvas N., Martini N., Koukou V., Michail C., Sotiropoulou P., Valais I., Kandarakis I., Fountos G., A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy

applications, 4th International Conference on Mathematical Modeling in Physical Sciences (IC-MSQUARE), June 5-8, 2015, Mykonos, Greece.

- 94) Michail C., Karpetas G., Fountos G., Kalyvas N., Martini N., Koukou V., Valais I., Kandarakis I., Medical Imaging Image Quality Assessment with Monte Carlo Methods. 4th International Conference on Mathematical Modeling in Physical Sciences (IC-MSQUARE), June 5-8, 2015, Mykonos, Greece.

95) Ioannis E. Seferis, Justyna Zeler, Christos M. Michail, **Ioannis G. Valais**, George P. Fountos, Nektarios I. Kalyvas, Athanasios Bakas, Ioannis S. Kandarakis and Eugeniusz Zych, Preparation and imaging performance of nanoparticulated LuPO :Eu semitransparent films under x-ray radiation. Proc. SPIE 9668, Micro+Nano Materials, Devices, and Applications symposium 2015 (December 6-9, 2015, Sydney, Au), doi:10.1117/12.2042150

96) **I. Valais**, C. Michail, A. Bakas, N. Kalyvas, K. Kourkoutas, I. Seferis, I. Kandarakis, A. Gekton, and S. David, Luminescent and scintillation properties of LFS-3 and GAGG:Ce crystals, echnology and Instrumentation in Particle Physics 2014 (TIPP 2014), Amsterdam, Netherlands, June 2-6.

97) **I. Valais**, S. David, C. Michail, A. Bakas, N. Kalyvas, K. Kourkoutas, I. Seferis, I. Kandarakis, and P. Liaparinos, Light emission measurements of LFS-3 and GAGG:Ce single crystal samples under X-ray radiographic conditions, echnology and Instrumentation in Particle Physics 2014 (TIPP 2014), Amsterdam, Netherlands, June 2-6.

98) Stratos David, Christos Michail, **Ioannis Valais**, Nektarios Kalyvas, Athanasios Bakas, Alexander Gekton, Ioannis Kandarakis and Kostantinos Kourkoutas, Investigation of luminescence properties of Lutetium Fine Silicate (LFS-3) scintillation crystals under X-ray radiographic conditions, SCinTE 2015, 5-7 November, Athens, Greece, 162-A01-067.

99) **I. Valais**, C. Michail, S. Karfitsas, N. Kalyvas, G. Fountos and I. Kandarakis, Measurement of the Optical Response of a High Resolution CMOS Imaging Detector, SCinTE 2015, 5-7 November, Athens, Greece, 124-A06-069.

100) N. Kalyvas, C. Michail, G. Fountos, I. Seferis, **I. Valais**, P. Liaparinos, S. David, A. Bakas, G. Panayiotakis and I. Kandarakis, Modeling a CMOS based indirect imaging detector. Effect of bit depth and detector software, SCinTE 2015, 5-7 November, Athens, Greece, 111-A01-050.

101) I. Konstantinou, N. Kalyvas, G. Fountos, C. Michail, **I.Valais**, A. Bakas and I. Kandarakis, Studying the effect of digitization and quantization in noise power spectra of X-ray medical imaging detectors, SCinTE 2015, 5-7 November, Athens, Greece, 111-A06-047.

103) Stratos David, Christos Michail, **Ioannis Valais**, Nektarios Kalyvas, Ioannis Seferis, Athanasios Bakas, Alexander Gekton and Ioannis Kandarakis, Luminescent and scintillation properties of Gd₃Al₂Ga₃O₁₂:Ce (GAGG) crystals under X-ray excitation, SCinTE 2015, 5-7 November, Athens, Greece, 162-A01-066.

104) Ioannis Karachalios, Dimitrios Mathes, **Ioannis Valais** and Ioannis Sianoudis, Development of a circuitry for the automated control of a Q-switch pulsed Laser making it a useful tool for a variety of applications, SCinTE 2015, 5-7 November, Athens, Greece, 227-A02-147.

IV-3.

- 1) . . , . . , . . , . . , W. Martin.
μ TL-201 Gated Spect.. μ (poster), 7
, 12-14/5/2000.

2) . . , . . , . . , . . , . . μ μ
μ Gated Spect μ (poster), 7
μ , 12-14/5/2000.

3) N. . . , . . , . . , . . , . . , . . μ ,
μ : 1 μ 24-26 μ μ 2005

V.

μμ

- 1) 5 9-10 1996.

2) 6 4-5 , 1998.

3) μ 14 μ , 1998.

4) 7 12-14 , 2000.

5) 2-6 μ , 2000. (2000).

6) 2002-2003, μ μ " μ - μ .

7) 2 On Medical Physics), μ , 28-30 (II Mediterranean Conference , 2004.

8) 4 25-27 μ , 2004. ,

9) MEDICON 2004. , 31 -5 2004.

10) 2004 IEEE NSS/MIC/SNPS and RTSD, μ , 16-22 , 2004.

11) 2005 WSEAS International Conference on ENGINEERING EDUCATION, , 8-10 , 2005.

12) 14th International Conference of Medical Physics (IOMP), 14-17 2005, μ , μ .

13) μ , 20-22 2005, .

14) 1st European Conference on Molecular Imaging Technology (EUROmedim 2006), 9-12 2006, , .

15) 5 μ , - , 7-9 , 2006.

16) 19th Annual Congress of the European Association of Nuclear Medicine (EANM'06), 30 μ -4 2006, .

17) European Congress of Endocrinology 2007 (ECE 2007), 28 2007, - 02 , .

18) 4th International Conference Imaging Technologies in Biomedical Sciences (ITBS-2007), 22-28 μ 2007, , .

19) 2008 IEEE NSS/MIC/SNPS and RTSD, , μ 19-25 , 2008 , .

20) 2010 EANM Annual Congress, , 9-13 , 2010.

21) 2 27-29 2011, μ & μ , **& Chairman**

- 22) 4th EPSMSO International Conference, 6-9 , 2011, **Chairman**.
- 23) 2011 IEEE NSS/MIC, , 23-29 , 2011
- 24) μ - μ
 μ , . . . , μ , μ μ
 μ 6 2012, ,
& Chairman
- 25) [5th Panhellenic Conference on Biomedical Technology](#), Athens, Greece, 4-6 April 2013
- 26) μ μ Theranosis:
 μ μ « , μ », 18 2013
- 27) 2nd International Conference Bio-Medical Instrumentation and related Engineering and Physical Sciences (BIOME), Department of Biomedical Technology Engineering, Technological Educational Institute (TEI) of Athens, June 21 & 22, 2013, Secretary of the **Organizing Committee and Scientific Publication Committee**
- 28) XIII Mediterranean Conference on Medical and Biological Engineering and Computing (MEDICON 2013), , 25-28 μ 2013.

VI.**(CITATIONS 271 – h index 11 – scholar.google.gr)****(91 – h index 5 – Scopus.com)**

[1] Luminescence emission properties of (Lu, Y)2SiO5:Ce (LYSO:Ce) and (Lu, Y)AlO3:Ce (LuYAP:Ce) single crystal scintillators under medical imaging conditions

Valais, I.G., Michail, C.M., David, S.L., Konstantinidis, A., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. 2008 IEEE Transactions on Nuclear Science 55 (2), art. no. 4484243, pp. 785-789 (4)

(: 32)

- 1) [X-ray spectrometry](#) Tsuji, K., Nakano, K., Takahashi, Y., Hayashi, K., Ro, C.-U. **2010 Analytical Chemistry** 82 (12), pp. 4950-4987
- 2) [Comparative investigation of Ce³⁺ doped scintillators in a wide range of photon energies covering X-ray CT, nuclear medicine and megavoltage radiation therapy portal imaging applications](#), Valais, I.G., Michail, C.M., David, S.L., Liaparinos, P.F., Fountos, G.P., Paschalidis, T.V., Kandarakis, I.S., Panayiotakis, G.S. **2010 IEEE Transactions on Nuclear Science** 57 (1 PART 1), art. no. 5410009, pp. 3-7
- 3) [High-speed x-ray imaging of diesel injector needle motion](#) Kastengren, A.L., Powell, C.F., Liu, Z., Fezzaa, K., Wang, J. **2009 Proceedings of the Spring Technical Conference of the ASME Internal Combustion Engine Division**, pp. 247-258
- 4) [Physical properties of LYSO scintillator for NN-PET detectors](#) Du, J., Wang, Y., 571
- 5) , L., Zhou, Z., Xu, Z., Wang, X. **2009 Proceedings of the 2009 2nd International Conference on Biomedical Engineering and Informatics, BMEI 2009**, art. no. 5305107
- 6) [Lu₂SiO₅:Ce optical ceramic scintillator](#) Wang, Y., Rhodes, W.H., Baldoni, G., Van Loef, E., Glodo, J., Brecher, C., Nguyen, L., Shah, K.S. **2009 Proceedings of SPIE - The International Society for Optical Engineering** 7393, art. no. 73930H
- 7) [Structural characterization of Lu_{0.7}Y_{0.3}AlO₃ single crystal by Raman spectroscopy](#) Casu, A., Ricci, P.C., Anedda, A. **2009 Journal of Raman Spectroscopy** 40 (9), pp. 1224-1228
- 8) [Investigation of the performance of Ce³⁺ doped single crystal scintillators covering radiotherapy and PET/CT imaging conditions](#) Valais, I., Michail, C., David, S., Panayiotakis, G.S., Fountos, G., Kandarakis, I., Paschalidis, T. **2008 IST 2008 - IEEE Workshop on Imaging Systems and Techniques Proceedings**, art. no. 4659933, pp. 21-24

- 9) Optical ceramic scintillator for gamma-ray detection Wang, Y., Glodo, J., Rhodes, W.H., Van Loef, E., Brecher, C., Nguyen, L., Baldoni, G., (...), Shah, K.S. **2008** *IEEE Nuclear Science Symposium Conference Record*, art. no. 4774626, pp. 1227-1231
- 10) A comparative investigation of Ce³⁺ doped single crystal scintillators covering radiotherapy and PET/CT imaging conditions Valais, I.G., Michail, C.M., David, S.L., Toutountzis, A.E., Fountos, G.P., Paschalis, T.V., Kandarakis, I.S., Panayiotakis, G.S. **2008** *IEEE Nuclear Science Symposium Conference Record*, art. no. 4774335, pp. 4887-4890
- 11) Light emission efficiency of Gd₂O₂S:Eu (GOS:Eu) powder screens under X-ray mammography conditions Michail, C.M., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Fountos, G.P., David, S.L., Kandarakis, I.S., Panayiotakis, G.S. **2008** *IEEE Transactions on Nuclear Science* 55 (6), art. no. 4723824, pp. 3703-3709
- 12) Mejora de la identificación del cristal de interacción en escáneres PET de alta resolución mediante simulaciones, Trabajos académicamente dirigidos de la Licenciatura en Física, Autor: Catherine Murphy-O'Connor, Director : José Manuel Udiá Moinelo, Samuel España Palomares, Grupo de Física Nuclear, Departamento de Física Atómica, Molecular Y Nuclear, Facultad de Ciencias Físicas, Universidad Complutense de Madrid, Fecha, **2008**.
- 13) Raman and structural characterization of LuAlO₃, Alberto Casua, Pier Carlo Ricci, Journal of Solid State Chemistry, Vol. 184(11), **2011**, pp. 3028-3033
- 14) Edward S. Wilman, Sara H. Gardiner, Andrei Nomerotski, Renato Turchetta, Mark Brouard, and Claire Vallance, A new detector for mass spectrometry: Direct detection of low energy ions using a multi-pixel photon counter, Rev. Sci. Instrum. 83, 013304 (**2012**)
- 15) Murat Kurudirek, Alpdogan Celik, A simple method to determine effective atomic numbers of some compounds for multi-energetic photons, Nuclear Instruments and Methods in Physics Research A 689 (**2012**) 75-78.
- 16) Zhou Ri-feng, Chen Wei-min, and Duan Xiao-jiao, A new solid-conversion gas detector for high energy X-ray industrial computed tomography, Optoelectronics Letters, 7(5), 2011 337-340
- 17) Elisa Papa, Dr Andrei Nomerotski, *Positron emission tomography with silicon photomultipliers*, University of Oxford, Department of Physics, **2009**.
- 18) M. Aburto-Crespo, G.A. Hirata, J. McKittrick, Synthesis and characterization of (Lu_{1-x-y}Y_xCe_y)₂SiO₅ luminescent powders with fast decay time, Journal of Luminescence (2013) Volume 136, Pages 86-89.
- 19) Ane Etxebeste Barrena Caracterización y modelización de detectores basados en la tecnología Cristal Continuo/SiPM paraescáneres de tomografía por emisión de positrones, MSc Thesis, University of Valencia, Spain, 2012.
- 20) Ana Maria Barragan Montero, Optimization of the parameters in the electronics of a PET detector, PhD Thesis, University of Madrid, Spain, 2013.
- 21) G. E. Karpetas, C. M. Michail, G. P. Fountos, P. N. Valsamaki, I. S. Kandarakis, G. S. Panayiotakis, (2013) Towards the optimization of nuclear medicine procedures for better spatial resolution, sensitivity, scan image quality and quantitation measurements by using a new Monte Carlo model featuring PET imaging, Hell J Nucl Med. 16(2) :111-120.
- 22) C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (2013) On the response of GdAlO₃:Ce powder scintillators, J Lumin. 144:45-52.
- 23) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 24) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, Journal of Physics: Conference Series (JPCS) (2014).
- 25) V.C. Teixeiraa, P.J.R. Montesb, M.E.G. Valerio, Structural and optical characterizations of Ca₂Al₂SiO₇:Ce³⁺, Mn²⁺ nanoparticles produced via a hybrid route, Optical Materials (2014) Volume 36, Issue 9, Pages 1580-1590.
- 26) George E. Karpetas, Christos M. Michail, George P. Fountos, Ioannis S. Kandarakis and George S. Panayiotakis, A new PET resolution measurement method through Monte Carlo simulations, (2014) Nuclear Medicine Communications.
- 27) I.S. Kandarakis
Luminescence in Medical Image Science, J. Lumin. 2014, doi:10.1016/j.jlumin.2014.11.009
- 28) C. M. Michail, G. E. Karpetas, G. P. Fountos, I. G. Valais, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, Journal of Physics: Conference Series 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019

- 29) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
- 30) M. J. Oviedo, O. E. Contreras, Y. Rosenstein, R. Vazquez-Duhalt, Z. S. Macedo, G. G. Carbajal-Arizaga, and G. A. Hirata (2016), New Bismuth Germanate Oxide Nanoparticle Material for Biolabel Applications in Medicine, Journal of Nanomaterials (2016), <http://dx.doi.org/10.1155/2016/9782625>
- 31) A.F. Martins, J.F.C. Carreira, J. Rodrigues, N. Ben Sedrine, I.F.C. Castro, P.M.M. Correia, J.F.C.A. Veloso, L. Rino, T. Monteiro (2016), Spectroscopic analysis of LYSO:Ce crystals, Spectrochimica Acta Part A: Molecular and Biomolecular Spectroscopy, <doi:10.1016/j.saa.2016.04.019>
- 32) Renuka Krishnakumar, Scintillation Screen Materials for Beam Profile Measurements of High Energy Ion Beams, PhD Thesis, Technical University of Darmstadt, Germany, 2016

[2] Light emission efficiency and imaging properties of YAP:Ce granular phosphor screens
 Kalivas, N., Valais, I., Nikolopoulos, D., Konstantinidis, A., Gaitanis, A., Cavouras, D., Nomicos, C.D., (...), Kandarakis, I. 2007 Applied Physics A: Materials Science and Processing 89 (2), pp. 443-449

(: 9)

- 1) Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors
 David, S.L., Michail, C.M., Valais, I.G., Roussou, M., Nirgianaki, E., Toutountzis, A.E., Fountos, G., (...), Panayiotakis, G.S. **2008** IEEE Nuclear Science Symposium Conference Record, art. no. 4774148, pp. 3950-3953
- 2) Investigation of luminescence properties of Lu₂SiO₅:Ce (LSO) powder scintillator in the X-ray radiography energy range
 David, S.L., Michail, C.M., Valais, I.G., Toutountzis, A.E., Liaparinos, P.F., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. **2008** IEEE Transactions on Nuclear Science 55 (6), art. no. 4723823, pp. 3684-3691
- 3) Core-shell nanostructured nanopowders along (CeO_x)_x(Al₂O₃)_{1-x} tie-line by liquid-feed flame spray pyrolysis (LF-FSP)
 Kim, M., Hinklin, T.R., Laine, R.M. 2008 Chemistry of Materials 20 (16), pp. 5154-5162
- 4) Luminescence emission properties of (Lu, Y)2SiO₅:Ce (LYSO:Ce) and (Lu, Y)AlO₃:Ce (LuYAP:Ce) single crystal scintillators under medical imaging conditions
 Valais, I.G., Michail, C.M., David, S.L., Konstantinidis, A., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. **2008** IEEE Transactions on Nuclear Science 55 (2), art. no. 4484243, pp. 785-789
- 5) On the response of GdAlO₃:Ce powder scintillators
 C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (**2013**), J Lumin, available online 4/7/13
- 6) N. Kalyvas, **I. Valais**, S. David, C. Michail, G. Fountos, P. Liaparinos and I. Kandarakis (2014) Studying the Energy Dependence of Intrinsic Conversion Efficiency of Single Crystal Scintillators under X-ray Excitation, Optics and Spectroscopy, vol 116(5),pp. 805-809, 2014
- 7) I.S. Kandarakis
 Luminescence in Medical Image Science, J. Lumin. 2014, <doi:10.1016/j.jlumin.2014.11.009>
- 8) Janda J., Fiserova L., Sas D., The study of substitutability of liquid scintillation cocktail for YAP:Ce powder **2016** J Radioanal Nucl Chem. DOI 10.1007/s10967-016-4701-0
- 9) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18.
- 10)

[3] Evaluation of the imaging performance of LSO powder scintillator for use in X-ray mammography
 Michail, C., David, S., Liaparinos, P., Valais, I., Nikolopoulos, D., Kalivas, N., Toutountzis, A., (...), Panayiotakis, G. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 580 (1 SPEC. ISS.), pp. 558-561

(: 19)

- 1) [A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₃:Eu powder scintillators for use in x-ray mammography detectors](#) Michail, C.M., Fountos, G.P., David, S.L., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Kandarakis, I.S., Panayiotakis, G.S. **2009** *Measurement Science and Technology* 20 (10), art. no. 104008
- 2) [Imaging performance and light emission efficiency of Lu₂SiO₅:Ce \(LSO:Ce\) powder scintillator under X-ray mammographic conditions](#) Michail, C., Toutountzis, A., David, S., Kalyvas, N., Valais, I., Kandarakis, I., Panayiotakis, G.S. **2009** *Applied Physics B: Lasers and Optics* 95 (1), pp. 131-139
- 3) [A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₃:Eu phosphor scintillators for use in a medical imaging detectors](#) Michail, C., David, S., Toutountzis, A., Valais, I., Panayiotakis, G.S., Fountos, G., Valais, I., (...), Kandarakis, I. **2008** *IST 2008 - IEEE Workshop on Imaging Systems and Techniques Proceedings*, art. no. 4659934, pp. 25-28
- 4) [Investigation of luminescence properties of Lu₂SiO₅:Ce \(LSO\) powder scintillator in the X-ray radiography energy range](#) David, S.L., Michail, C.M., Valais, I.G., Toutountzis, A.E., Liaparinos, P.F., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. **2008** *IEEE Transactions on Nuclear Science* 55 (6), art. no. 4723823, pp. 3684-3691
- 5) R.K. Gartia a, Th. Tejkumar Singh a, Th. Basanta Singh Optically stimulated luminescence (OSL) of Lu₂SiO₅:Ce powder: A preliminary study, *Nuclear Instruments and Methods in Physics Research B* 269 (**2011**) 30-33
- 6) Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine Michail C. PhD Thesis, University of Patras, Greece, **2010**.
- 7) C. M. Michail, G. P. Fountos, I. G. Valais, N. Kalyvas, P. Liaparinos, I. S. Kandarakis, G. S. Panayiotakis (**2011**) [Evaluation of the red emitting Gd₂O₃:Eu powder scintillator for use in indirect X-ray digital mammography detectors](#), *Trans. Nucl. Sci.* 58(5):2503-2511.
- 8) Christos Michail, Stratos David, Adrianos Toutountzis, Ioannis Valais, Ioannis Kandarakis and George S. Panayiotakis, imaging performance of Iso:ce powder phosphor screens in the x-ray mammography energy range, 3rd International Conference "From Scientific Computing to Computational Engineering 3rd IC-SCCE, Athens, 9-12 July, **2008**
- 9) **C. Michail**, S. David, A. Toutountzis, I. Valais, G.S. Panayiotakis G. Fountos, N. Kalivas, I. Kandarakis, [A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₃:Eu phosphor scintillators for use in a medical imaging detectors](#) IEEE International Workshop on Imaging Systems and Techniques (IST) Chania, Island of Crete, Greece September 10-11 **2008**. pp: 25-28, ISBN: 978-1-4244-2496-2, DOI: [10.1109/IST.2008.4659934](https://doi.org/10.1109/IST.2008.4659934).
- 10) Adrianos Toutountzis, Nikolaos Stathonikos, Giorgos Fountos, Giorgos Nikiforidis, Ioannis Kandarakis, Dual energy mammography: evaluation of scintillators for x-ray detectors using a signal to noise ratio model, *e-Journal of Science & Technology* (e-JST), **2009** 4(1), 1-9
- 11) Investigation and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen, Seferis I, MSc Thesis, University of Patras, Greece, 2013.
- 12) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 13) Christos M. Michail, Nektarios E. Kalyvas, Ioannis G. Valais, Ioannis P. Fudos, George P. Fountos, Nikos Dimitropoulos, Grigoris Koulouras, Dionisis Kandris, Maria Samarakou, and Ioannis S. Kandarakis, Figure of Image Quality and Information Capacity in Digital Mammography, *Biomed Research International* (2014).
- 14) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, *Journal of Physics: Conference Series* (JPCS) (2014).
- 15) K. Nishimoto, Y. Yokota, S. Kurosawa, K. Kamada, A. Ymaji, A. Yoshikawa, Eu concentration dependence on scintillation properties of Eu doped SrI₂ single crystals grown by modified micro-pulling-down method, *Opt. Mater.* 36 (12), pp. 1946-49 (2014), DOI: [10.1016/j.optmat.2014.02.026](https://doi.org/10.1016/j.optmat.2014.02.026).
- 16) I.S. Kandarakis
Luminescence in Medical Image Science, *J. Lumin.* 2014, doi:[10.1016/j.jlumin.2014.11.009](https://doi.org/10.1016/j.jlumin.2014.11.009)
- 17) I Valais, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, *Journal of Physics: Conference Series* 637 (2015) 012031, doi:[10.1088/1742-6596/637/1/012031](https://doi.org/10.1088/1742-6596/637/1/012031)
- 18) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18
- 19) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence

properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>

20)

- [4] Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions
 David, S., Michail, C., Valais, I., Nikolopoulos, D., Liaparinos, P., Kalivas, N., Kalatzis, I., (...), Panayiotakis, G.S. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 571 (1-2 SPEC. ISS.), pp. 346-349 (5)
 (: 18)
- 1) [Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors](#) David, S.L., Michail, C.M., Roussou, M., Nirgianaki, E., Toutountzis, A.E., Valais, I.G., Fountos, G., (...), Panayiotakis, G. **2010** *IEEE Transactions on Nuclear Science* 57 (3 PART 1), art. no. 5485157, pp. 951-95
 - 2) [A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₃:Eu powder scintillators for use in x-ray mammography detectors](#) Michail, C.M., Fountos, G.P., David, S.L., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Kandarakis, I.S., Panayiotakis, G.S. **2009** *Measurement Science and Technology* 20 (10), art. no. 104008
 - 3) [Imaging performance and light emission efficiency of Lu₂SiO₅:Ce \(LSO:Ce\) powder scintillator under X-ray mammographic conditions](#) Michail, C., Toutountzis, A., David, S., Kalyvas, N., Valais, I., Kandarakis, I., Panayiotakis, G.S. **2009** *Applied Physics B: Lasers and Optics* 95 (1), pp. 131-139
 - 4) [A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₃:Eu phosphor scintillators for use in a medical imaging detectors](#) Michail, C., David, S., Toutountzis, A., Valais, I., Panayiotakis, G.S., Fountos, G., Valais, I., (...), Kandarakis, I. **2008** *IST 2008 - IEEE Workshop on Imaging Systems and Techniques Proceedings*, art. no. 4659934, pp. 25-28
 - 5) [Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors](#) David, S.L., Michail, C.M., Valais, I.G., Roussou, M., Nirgianaki, E., Toutountzis, A.E., Fountos, G., (...), Panayiotakis, G.S. **2008** *IEEE Nuclear Science Symposium Conference Record*, art. no. 4774148, pp. 3950-3953
 - 6) [Investigation of luminescence properties of Lu₂SiO₅:Ce \(LSO\) powder scintillator in the X-ray radiography energy range](#) David, S.L., Michail, C.M., Valais, I.G., Toutountzis, A.E., Liaparinos, P.F., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. **2008** *IEEE Transactions on Nuclear Science* 55 (6), art. no. 4723823, pp. 3684-3691
 - 7) [Evaluation of the imaging performance of LSO powder scintillator for use in X-ray mammography](#) Michail, C., David, S., Liaparinos, P., Valais, I., Nikolopoulos, D., Kalivas, N., Toutountzis, A., (...), Panayiotakis, G. **2007** *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* 580 (1 SPEC. ISS.), pp. 558-561
 - 8) Experimental evaluation of single-crystal and granular scintillators in medical imaging detectors: application in an experimental prototype imaging system, David S, PhD Thesis, University of Patras, Greece, **2010**.
 - 9) S. L. David, C. M. Michail, I. G. Valais, I. Seferis, G. Varaboutis, S. Gatsos, A. E. Toutountzis, G. Fountos, I. Kandarakis, G. Panayiotakis, luminescence efficiency of fast yttrium aluminum garnet phosphor screens for use in digital breast tomosynthesis detectors, 3rd International Conference on Experiments/Process/System Modeling/Simulation & Optimization 3rd IC-EpsMsO, Athens, 8-11 July, **2009**
 - 10) Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine Michail C. PhD Thesis, University of Patras, Greece, **2010**.
 - 11) Christos Michail, Stratos David, Adrianos Toutountzis, Ioannis Valais, Ioannis Kandarakis and George S. Panayiotakis, Imaging performance of Iso:ce powder phosphor screens in the x-ray mammography energy range, 3rd International Conference "From Scientific Computing to Computational Engineering 3rd IC-SCCE, Athens, 9-12 July, **2008**.
 - 12) S. L. David, **C. M. Michail**, I. G. Valais, I. Seferis, G. Varaboutis, S. Gatsos, A. E. Toutountzis, G. Fountos, I. S. Kandarakis, G. S. Panayiotakis (**2010**) [Luminescence Efficiency of fast Yttrium Aluminum Garnet Phosphor Screens for use in Digital Breast Tomosynthesis](#) e-Journal of Science & Technology, (e-JST) 5(2):63-73.
 - 13) **C. Michail**, S. David, A. Toutountzis, N. Kalivas, I. Valais, I. Kandarakis, G. Panayiotakis, [Modeling the Imaging Transfer Characteristics of LSO Powder Scintillator for Use in X-Ray Mammography](#) 2nd

International Conference on Experiments / Process / System Modeling /Simulation & Optimization (IC-EpsMsO) Athens, Greece 4-7 July, **2007**.

- 14) C. Michail, S. David, A. Toutounzis, N. Kalivas, I. Valais, G. Panayiotakis, I. Kandarakis [Theoretical and Experimental Investigation of the Detective Quantum Efficiency \(DQE\) of LSO:Ce Powder Scintillator for X-Ray Mammography Applications](#) Xth EFOMP European Federation of Organisations for Medical Physics Pisa, Italy 20-22/9/**2007**, P3-18.
- 15) Adrianos Toutountzis, Nikolaos Stathonikos, Giorgos Fountos, Giorgos Nikiforidis, Ioannis Kandarakis, Dual energy mammography: evaluation of scintillators for x-ray detectors using a signal to noise ratio model, *e-Journal of Science & Technology* (e-JST), **2009** 4(1), 1-9
- 16) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of (Lu,Gd)2SiO5:Ce (LGSO:Ce) crystals under X-ray radiation, *Rad Meas.*, 80 (2015), pp. 1-9, 2015 [doi:10.1016/j.radmeas.2015.06.008](https://doi.org/10.1016/j.radmeas.2015.06.008)
- 17) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18
- 18) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, *Rad Meas.* 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 19)

[5] Luminescence properties of (Lu, Y)2SiO5: Ce and Gd2SiO5: Ce single crystal scintillators under X-ray excitation for use in medical imaging systems

Valais, I.G., Kandarakis, I.S., Nikolopoulos, D.N., Michail, C.M., David, S.L., Loudos, G.K., Cavouras, D.A., Panayiotakis, G.S. 2007 IEEE Transactions on Nuclear Science 54 (1), pp. 11-18 (4)

(: 22)

- 1) [Comparative investigation of Ce³⁺ doped scintillators in a wide range of photon energies covering X-ray CT, nuclear medicine and megavoltage radiation therapy portal imaging applications](#) Valais, I.G., Michail, C.M., David, S.L., Liaparinos, P.F., Fountos, G.P., Paschalidis, T.V., Kandarakis, I.S., Panayiotakis, G.S. **2010** *IEEE Transactions on Nuclear Science* 57 (1 PART 1), art. no. 5410009, pp. 3-7
- 2) [A theoretical model describing the light emission efficiency of single-crystal scintillators in the diagnostic energy range](#) Petropoulou, A., Kalyvas, N., Kandarakis, I., Valais, I., Panayiotakis, G.S. **2009** *Journal of Instrumentation* 4 (6), art. no. P06016
- 3) [Comparative evaluation of single crystal scintillators under x-ray imaging conditions](#) Valais, I.G., David, S., Michail, C., Nomicos, C.D., Panayiotakis, G.S., Kandarakis, I.S. **2009** *Journal of Instrumentation* 4 (6)
- 4) [Lu₂SiO₅:Ce optical ceramic scintillator for PET](#) Wang, Y., Van Loef, E., Rhodes, W.H., Glodo, J., Brecher, C., Nguyen, L., Lempicki, A., ..., Shah, K.S. **2009** *IEEE Transactions on Nuclear Science* 56 (3), art. no. 5076121, pp. 887-891
- 5) [Investigation of the performance of Ce³⁺ doped single crystal scintillators covering radiotherapy and PET/CT imaging conditions](#) Valais, I., Michail, C., David, S., Panayiotakis, G.S., Fountos, G., Kandarakis, I., Paschalidis, T. **2008** *IST 2008 - IEEE Workshop on Imaging Systems and Techniques Proceedings*, art. no. 4659933, pp. 21-24
- 6) [A comparative investigation of Ce³⁺ doped single crystal scintillators covering radiotherapy and PET/CT imaging conditions](#) Valais, I.G., Michail, C.M., David, S.L., Toutountzis, A.E., Fountos, G.P., Paschalidis, T.V., Kandarakis, I.S., Panayiotakis, G.S. **2008** *IEEE Nuclear Science Symposium Conference Record*, art. no. 4774335, pp. 4887-4890
- 7) [Luminescence emission properties of \(Lu,Y\)₂SiO₅:Ce \(LYSO:Ce\) and \(Lu,Y\)AlO₃:Ce \(LuYAP:Ce\) single crystal scintillators under medical imaging conditions](#) Valais, I.G., Michail, C.M., David, S.L., Konstantinidis, A., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. **2008** *IEEE*
- 8) Signal fluctuations in crystal-APD systems, F. Kocak, I. Tapan and E. Pilicer, Nuclear Instruments and Methods in Physics Research Section A: Accelerators, Spectrometers, Detectors and Associated Equipment Vol. 648(1), **2011**, pp: S128-S130 *Transactions on Nuclear Science* 55 (2), art. no. 4484243, pp. 785-789
- 9) [Systematic study of the light emission efficiency and the corresponding intrinsic physical characteristics of single crystal scintillators, doped with the trivalent cerium \(Ce³⁺\) activator, in wide](#)

- [energy range](#) (from 20kV-18MV) for medical applications, I Valais, PhD Thesis, University of Patras, Greece, **2008**.
- 10) Experimental evaluation of single-crystal and granular scintillators in medical imaging detectors: application in an experimental prototype imaging system, David S, PhD Thesis, University of Patras, Greece, **2010**.
 - 11) I. G. Valais, **C. Michail**, S. David, A. Konstantinidis, D. Cavouras, C. D. Nomicos, G. S. Panayiotakis and I. S. Kandarakis, Comparative evaluation of scintillators under xray imaging conditions, 4th International Conference on Imaging Technologies in Biomedical Sciences, *From Medical Images to Clinical Information Bridging the Gap* 22-28 September **2007**, Conference Center George Eliopoulos Milos Island, Greece
 - 12) D. Nikolopoulos, N. Kalyvas, I. Valais, X. Argyriou, E. Vlamakis, T. Sevvos and I. Kandarakis, A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators, (**2012**) JINST 7 P11021.
 - 13) D. Hou, C. Liu, X. Kuang and H. Liang, Enhanced emission of Mn²⁺ via Ce³⁺-Mn²⁺ energy transfer in -Sr₂P2O₇, OPTICS EXPRESS **2012** 20(27), 28969.
 - 14) Tapan K. Gupta Device Fabrication (Scintillators/Radiation Detectors) Radiation, Ionization, and Detection in Nuclear Medicine **2013**, pp 315-365.
 - 15) Light output simulation of LYSO single crystal. Zafar U. Uslobov, arXiv:1305.3010v [physics.ins-det] 14 May **2013**.
 - 16) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013.
 - 17) C. M. Michail, I. G. Valais, I. E. Seferis, F. Stromatia, E. Kounadi, G. P. Fountos and I. S. Kandarakis, Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 471-474.
 - 18) N. Kalyvas, I. Valais, S. David, Ch. Michail, G. Fountos, P. Liaparinos, and I. Kandarakis, Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under x-ray excitation (2014) Optics and Spectroscopy. 116(5):95-99.
 - 19) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, Journal of Physics: Conference Series (JPCS) (2014)
 - 20) X. Zhang, Y. Chen, L. Zhou, Q. Pang, and M. Gong. (2014) Synthesis of a Broad-Band Excited and Multicolor Tunable Phosphor Gd₂SiO₅:Ce³⁺,Tb³⁺,Eu³⁺ for Near-Ultraviolet Light-Emitting Diodes. *Ind. Eng. Chem. Res.*, Article ASAP, DOI: 10.1021/ie404312n
 - 21) N. Kalyvas, **I. Valais**, S. David, C. Michail, G. Fountos, P. Liaparinos and I. Kandarakis (2014) Studying the Energy Dependence of Intrinsic Conversion Efficiency of Single Crystal Scintillators under X-ray Excitation, Optics and Spectroscopy, vol 116(5), pp. 805-809, **2014**
 - 22) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

[6] Monte Carlo validation in the diagnostic radiology range

Nikolopoulos, D., Linardatos, D., Valais, I., Michail, C., David, S., Gonias, P., Bertsekas, N., (...), Kandarakis, I. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 571 (1-2 SPEC. ISS.), pp. 267-269 (1)

(: 3)

- 1) [Reduction in patient skin dose during interventional radiology with the use of an air gap substitute Kawabe, A., Takeda, Y., Nakagiri, Y. 2008 British Journal of Radiology](#) 81 (966), pp. 474-478
- 2) D. Nikolopoulos, N. Kalyvas, I. Valais, X. Argyriou, E. Vlamakis, T. Sevvos and I. Kandarakis, A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators, (**2012**) JINST 7 P11021.
- 3) A. Zhou, Y. Yin, G. L White and R. Davidson. A new solution for radiation transmission in anti-scatter grids, Biomed. Phys. Eng. Express 2 (**2016**) 055011, doi:10.1088/2057-1976/2/5/055011
- 4)

[7] Comparative study using Monte Carlo methods of the radiation detection efficiency of LSO, LuAP, GSO and YAP scintillators for use in positron emission imaging (PET)

Nikolopoulos, D., Kandarakis, I., Tsantilas, X., Valais, I., Cavouras, D., Louizi, A. 2006 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 569 (2 SPEC. ISS.), pp. 350-354

(: 5)

- 1) Genetic analysis of the accompanying of (Lu,Y)3Al5O12:Ce in LuxY1-xAlO3:Ce single crystals
Ding, D.-Z., Lu, S., Pan, S.-K., Zhang, W.-D., Wang, G.-D., Ren, G.-H. **2008** Wuji Cailiao Xuebao/Journal of Inorganic Materials 23 (3), pp. 434-438
- 2) Spectroscopic Properties of Ce:YAP Scintillation Crystal Grown by Temperature Gradient Technique
Hongjun, L., Guangjun, Z., Liangbi, S., Yunxia, J., Guoqing, Z., Jun, X. **2007** Journal of Rare Earths 25 (5), pp. 596-600.
- 3) A GATE Simulation Study of the Siemens Biograph DUO PET/CT System
D. Nikolopoulos, S. Kottou, N. Chatzisavvas, X. Argyriou, E. Vlamakis, P. Yannakopoulos, A. Louizi, **(2013)** OJRad. Vol.3 (2), pp.56-65, DOI: 10.4236/ojrad.2013.32009.
- 4) Qualification test of a MPPC-based PET module for future MRI-PET scanners.
Y. Kureia, J. Kataokaa, T. Katoa, T. Fujitaa, H. Funamotoa, T. Tsujikawa, S. Yamamoto. Nucl. Inst. Meth. Phys. Res. A, 2014, DOI: <http://dx.doi.org/10.1016/j.nima.2014.04.040>
- 5) A. Autret, Amélioration qualitative et quantitative de reconstruction TEP sur plate-forme graphique (2015). PhD Thesis, Département Image et Traitement de l'Information, Laboratoire de Traitement de l'Information Médicale - INSERM UMR 1101, Université européenne de Bretagne.

[8] Evaluation of the light emission efficiency of LYSO:Ce scintillator under X-ray excitation for possible applications in medical imaging

Valais, I.G., Kandarakis, I.S., Konstantinidis, A., Nikolopoulos, D.N., Sianoudis, I., Cavouras, D.A., Dimitropoulos, N., (...), Panayiotakis, G.S. 2006 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 569 (2 SPEC. ISS.), pp. 201-204

(: 14)

- 1) The micro-imaging station of the TopoTomo beamline at the ANKA synchrotron light source
Rack, A., Weitkamp, T., Bauer Trabelsi, S., Modregger, P., Cecilia, A., dos Santos Rolo, T., Rack, T., (...), Baumbach, T. **2009** Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms 267 (11), pp. 1978-1988
- 2) Development of a type of a one-dimensional position-sensitive scintillator-fiber detector for X-ray backscatter imaging
Sun, G., Chen, X., Wei, L., Ma, C., Zhang, T., Li, K., Li, D., (...), Shuai, L. **2008** Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 594 (1), pp. 61-65
- 3) A comparative study of the luminescence properties of LYSO:Ce, LSO:Ce, GSO:Ce and BGO single crystal scintillators for use in medical X-ray imaging
Valais, I., Michail, C., David, S., Nomicos, C.D., Panayiotakis, G.S., Kandarakis, I. **2008** Physica Medica 24 (2), pp. 122-125
- 4) High resolution synchrotron-based radiography and tomography using hard X-rays at the BAMline (BESSY II)
Rack, A., Zabler, S., Müller, B.R., Riesemeier, H., Weidemann, G., Lange, A., Goebbels, J., (...), Görner, W. **2008** Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 586 (2), pp. 327-344
- 5) Measurement of ultimate tensile strength and Young modulus in LYSO scintillating crystals.
Scalise, L., Rinaldi, D., Davì, F., Paone, N., 2011. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 654 (1), **2011**, pp. 122 – 126.

- 6) High resolution phoswich gamma-ray imager utilizing monolithic MPPC arrays with submillimeter pixelized crystals
T Kato, J Kataoka, T Nakamori, A Kishimoto, S Yamamoto, K Sato, Y Ishikawa, K Yamamura, N Kawabata, H Ikeda and K Kamada, **2013** JINST, vol.8 P05022 doi:10.1088/1748-0221/8/05/P05022.
- 7) Two-dimensional diced scintillator array for innovative, fine-resolution gamma camera
T.Fujita, J.Kataoka, T.Nishiyama, S.Ohsuka, S.Nakamura, S.Yamamoto, **2014** Nucl. Instr. Meth.Phys.Res.A, <http://dx.doi.org/10.1016/j.nima.2014.04.060>.
- 8) Development of prototype PET scanner using dual-sided readout DOI-PET modules
T.Fujita, J.Kataoka, A. Kishimoto, Y. Kurei, T.Nishiyama, T. Ohshima and T. Taya, **2014** JINST 9, P12015, doi:10.1088/1748-0221/9/12/P12015
- 9) Development of a MPPC-based prototype gantry for future MRI-PET scanners
Y.Kurei, J.Kataoka, T.Fujita, T. Kato, T. Ohshima, T. Taya, and S.Yamamoto **2014** JINST 9, C12052, doi:10.1088/1748-0221/9/12/C12052
- 10) Structural, mechanical and light yield characterisation of heat treated LYSO:Ce single crystals for medical imaging applications
P. Mengucci, G. André, E. Auffray, G. Barucca, C. Cecchi, R. Chipaux, A. Cousson, F. Davì, N. Di Vara, D. Rinaldi, E. Santecchia, **2015** Nucl. Instr. Meth.Phys.Res.A, doi:10.1016/j.nima.2015.02.061
- 11) Improved light extraction of LYSO scintillator by the photonic structure from a layer of anodized aluminum oxide.
Z. Zhu, B. Liu, C. Cheng, H. Zhang, S. Wu, M. Gu, H. Chen, L. Chen, J. Liu, X. Ouyang, **2015** Nucl. Instr. Meth.Phys.Res.A, <http://dx.doi.org/10.1016/j.nima.2015.03.030>.
- 12) I. Piñera, C.M. Cruz, Y. Abreu, A. Leyva, P.Van Espen, A. Díaz, A.E. Cabal, N. Van Remortel, (2015) Gamma induced atom displacements in LYSO and LuYAP crystals as used in medical imaging applications. Nuclear Instruments and Methods in Physics Research B 356-357 (**2015**) 46–52, [doi:10.1016/j.nimb.2015.04.063](https://doi.org/10.1016/j.nimb.2015.04.063)
- 13) Mengucci, P., André, G., Auffray, E., Barucca, G., Cecchi, C., Chipaux, R., Cousson, A., Davì, F., Di Vara, N., Rinaldi, D., Santecchia, E., Structural, mechanical and light yield characterisation of heat treated LYSO:Ce single crystals for medical imaging applications, Nuclear Instruments and Methods in Physics Research A, 785, 110-116 (**2015**)
- 14) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

[9] Imaging properties of cerium doped Yttrium Aluminum Oxide (YAP:Ce) powder scintillating screens under X-ray excitation

Kalivas, N., Valais, I., Salemis, G., Karagiannis, C., Konstantinidis, A., Nikolopoulos, D., Loudos, G., (...), Kandarakis, I. 2006 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 569 (2 SPEC. ISS.), pp. 210-214

(: 4)

- 1) Light emission efficiency of Gd₂O₂S:Eu (GOS:Eu) powder screens under X-ray mammography conditions
Michail, C.M., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Fountos, G.P., David, S.L., Kandarakis, I.S., Panayiotakis, G.S. **2008** IEEE Transactions on Nuclear Science 55 (6), art. no. 4723824, pp. 3703-3709
- 2) Light emission efficiency and imaging properties of YAP:Ce granular phosphor screens
Kalivas, N., Valais, I., Nikolopoulos, D., Konstantinidis, A., Gaitanis, A., Cavouras, D., Nomicos, C.D., (...), Kandarakis, I. **2007** Applied Physics A: Materials Science and Processing 89 (2), pp. 443-449
- 3) Optical properties of Tb and Eu doped cubic YAlO₃ phosphors synthesized by sol-gel method
G. Zatryb, A. Podhorodecki, J. Serafi czuk, M. Motyka, M. Banski, J. Misiewicz, N.V. Gaponenko, (**2013**) Optical Materials, in press
- 4) On the response of GdAlO₃:Ce powder scintillators
C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (**2013**), J Lumin, available online 4/7/13

[10] Investigation of radiation absorption and X-ray fluorescence properties of medical imaging scintillators by Monte Carlo methods

Nikolopoulos, D., Kandarakis, I., Cavouras, D., Valais, I., Linardatos, D., Michail, C., David, S., (...), Louizi, A. 2006 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 565 (2), pp. 821-832

(: 2)

- 1) [Research progress of \$\(Y, Gd\)_2O_3:Eu\$ scintillator](#) Shen, S.-F., Ma, W.-M., Wen, L., Guo, Y.-F., Yin, K., Wang, H.-D. 2009 *Rengong Jingti Xuebao/Journal of Synthetic Crystals* 38 (2), pp. 465-470
- 2) D. Nikolopoulos, N. Kalyvas, I. Valais, X. Argyriou, E. Vlamakis, T. Sevvos and I. Kandarakis, A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators, (2012) JINST 7 P11021.

[11] Evaluation of the GSO:Ce scintillator in the X-ray energy range from 40 to 140 kV for possible applications in medical X-ray imaging

Nikolopoulos, D., Valais, I., Kandarakis, I., Cavouras, D., Linardatos, D., Sianoudis, I., Louizi, A., (...), Panayiotakis, G. 2006 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 560 (2), pp. 577-583

(: 4)

1. Design of an instrument to measure optical reflectance of scintillating crystal surfaces Janecek, M., Moses, W.W. 2008 IEEE Transactions on Nuclear Science 55 (3), art. no. 4545138, pp. 1381-1386
2. Reverse-type avalanche photodiode for scintillation detection and intrinsic energy resolution of BGO and GSO:Ce Sato, M., Yanagida, T., Yoshikawa, A., Yatsu, Y., Kataoka, J., Ishikawa, Y., Saito, F. 2007 IEEE Nuclear Science Symposium Conference Record 3, art. no. 4436550, pp. 2023-2032
3. YAlO₃:Ce³⁺ powders: Synthesis, characterization, thermoluminescence and optical studies Y. Parganiha, J. Kaur, V. Dubey, R. Shrivastava. 2015 Superlattices and Microstructures, 85, pp. 410-417, [doi:10.1016/j.spmi.2015.06.011](https://doi.org/10.1016/j.spmi.2015.06.011)
4. Janda J., Fiserova L., Sas D., The study of substitutability of liquid scintillation cocktail for YAP:Ce powder 2016 J Radioanal Nucl Chem. DOI 10.1007/s10967-016-4701-0
- 5.

[12] A theoretical model evaluating the angular distribution of luminescence emission in X-ray scintillating screens

Kandarakis, I., Cavouras, D., Nikolopoulos, D., Episkopakis, A., Kalivas, N., Liaparinos, P., Valais, I., (...), Panayiotakis, G. 2006 Applied Radiation and Isotopes 64 (4), pp. 508-519

(: 6)

1. Investigation of luminescence properties of Lu₂SiO₅:Ce (LSO) powder scintillator in the X-ray radiography energy range David, S.L., Michail, C.M., Valais, I.G., Toutountzis, A.E., Liaparinos, P.F., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. 2008 IEEE Transactions on Nuclear Science 55 (6), art. no. 4723823, pp. 3684-3691
2. Design and characterization of the I-ImaS multi-element X-ray detector system Griffith, J.A., Metaxas, M.G., Royle, G.J., Venanzi, C., Esbrand, C., Cavouras, D., Fant, A., (...), Speller, R.D. 2008 IEEE Transactions on Nuclear Science 55 (3), art. no. 4545127, pp. 827-832
3. Light emission efficiency and imaging properties of YAP:Ce granular phosphor screens Kalivas, N., Valais, I., Nikolopoulos, D., Konstantinidis, A., Gaitanis, A., Cavouras, D., Nomicos, C.D., (...), Kandarakis, I. 2007 Applied Physics A: Materials Science and Processing 89 (2), pp. 443-449
4. On the optimum resolution of transmission-electron backscattered diffraction (t-EBSD) R. van Bremen, D. R. Gomes, L.T.H. de Jeer, V. Ocelík, J.Th.M. De Hosson. 2015 Ultramicroscopy, doi:10.1016/j.ultramic.2015.10.025
5. P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

6. M. Saleh, K.G. Lynn, J.S. McCloy, Evaluation of undoped ZnS single crystal materials for x-ray imaging applications, Proc. of SPIE Vol. 10179 1017904-1, (2017) doi: 10.1117/12.2262187.
- [13] Luminescence efficiency of Gd₂SiO₅:Ce scintillator under X-ray excitation
 Valais, I.G., Kandarakis, I.S., Nikolopoulos, D.N., Sianoudis, I.A., Dimitropoulos, N., Cavouras, D.A., Nomicos, C.D., Panayiotakis, G.S. 2005 IEEE Transactions on Nuclear Science 52 (5 III), pp. 1830-1835
 (: 19)
- 1) Light emission efficiency of Gd₂O₂S:Eu (GOS:Eu) powder screens under X-ray mammography conditions
 Michail, C.M., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Fountos, G.P., David, S.L., Kandarakis, I.S., Panayiotakis, G.S. 2008 IEEE Transactions on Nuclear Science 55 (6), art. no. 4723824, pp. 3703-3709
 - 2) Investigation of luminescence properties of Lu₂SiO₅:Ce (LSO) powder scintillator in the X-ray radiography energy range
 David, S.L., Michail, C.M., Valais, I.G., Toutountzis, A.E., Liaparinos, P.F., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. 2008 IEEE Transactions on Nuclear Science 55 (6), art. no. 4723823, pp. 3684-3691
 - 3) A comparative study of the luminescence properties of LYSO:Ce, LSO:Ce, GSO:Ce and BGO single crystal scintillators for use in medical X-ray imaging
 Valais, I., Michail, C., David, S., Nomicos, C.D., Panayiotakis, G.S., Kandarakis, I. 2008 Physica Medica 24 (2), pp. 122-125
 - 4) Luminescence emission properties of (Lu, Y)₂SiO₅:Ce (LYSO:Ce) and (Lu, Y)AlO₃:Ce (LuYAP:Ce) single crystal scintillators under medical imaging conditions
 Valais, I.G., Michail, C.M., David, S.L., Konstantinidis, A., Cavouras, D.A., Kandarakis, I.S., Panayiotakis, G.S. 2008 IEEE Transactions on Nuclear Science 55 (2), art. no. 4484243, pp. 785-789
 - 5) Growth and spectral properties of Er:Gd₂SiO₅ crystal
 Xu, X., Zhao, G., Wu, F., Xu, W., Zong, Y., Wang, X., Zhao, Z., (...), Xu, J. 2008 Journal of Crystal Growth 310 (1), pp. 156-159
 - 6) Basic experiments on radiation imaging by using Pr:Lu₃Al₅O₁₂ (LuAG) small crystalline pixels with various reflector
 Kamada, K., Tsutsumi, K., Suzuki, C., Usuki, Y., Yanagida, T., Yoshikawa, A., Yamamoto, S., Saito, F. 2007 IEEE Nuclear Science Symposium Conference Record 2, art. no. 4437265, pp. 1417-1420
 - 7) Luminescence efficiency of Lu₂SiO₅:Ce (LSO) powder scintillator for X-ray medical radiography applications
 David, S., Michail, C., Valais, I., Nikolopoulos, D., Kalivas, N., Kalatzis, I., Karatopis, A., (...), Kandarakis, I. 2007 IEEE Nuclear Science Symposium Conference Record 2, art. no. 4179208, pp. 1178-1182
 - 8) Investigation of luminescent properties of LSO:Ce, LYSO:Ce and GSO:Ce crystal scintillators under low-energy -ray excitation used in nuclear imaging
 Valais, I., David, S., Michail, C., Konstantinidis, A., Kandarakis, I., Panayiotakis, G.S. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 581 (1-2 SPEC. ISS.), pp. 99-102
 - 9) Comparative study of luminescence properties of LuYAP:Ce and LYSO:Ce single-crystal scintillators for use in medical imaging
 Valais, I., David, S., Michail, C., Nikolopoulos, D., Liaparinos, P., Cavouras, D., Kandarakis, I., Panayiotakis, G.S. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 580 (1 SPEC. ISS.), pp. 614-616
 - 10) A systematic study of the performance of the CsI:Tl single-crystal scintillator under X-ray excitation
 Valais, I., Nikolopoulos, D., Kalivas, N., Gaitanis, A., Loudos, G., Sianoudis, I., Giokaris, N., (...), Panayiotakis, G.S. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 571 (1-2 SPEC. ISS.), pp. 343-345
 - 11) Luminescence properties of (Lu, Y)₂SiO₅: Ce and Gd₂SiO₅: Ce single crystal scintillators under X-ray excitation for use in medical imaging systems

- Valais, I.G., Kandarakis, I.S., Nikolopoulos, D.N., Michail, C.M., David, S.L., Loudos, G.K., Cavouras, D.A., Panayiotakis, G.S. **2007** IEEE Transactions on Nuclear Science 54 (1), pp. 11-18
- 12) Efficiency of Lu₂SiO₅:Ce (LSO) powder phosphor as X-ray to light converter under mammographic imaging conditions
 David, S., Michail, C., Valais, I., Nikolopoulos, D., Liaparinos, P., Kalivas, N., Kalatzis, I., (...), Panayiotakis, G.S. **2007** Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 571 (1-2 SPEC. ISS.), pp. 346-349
- 13) Comparative study using Monte Carlo methods of the radiation detection efficiency of LSO, LuAP, GSO and YAP scintillators for use in positron emission imaging (PET)
 Nikolopoulos, D., Kandarakis, I., Tsantilas, X., Valais, I., Cavouras, D., Louizi, A. **2006** Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 569 (2 SPEC. ISS.), pp. 350-354
- 14) Evaluation of the light emission efficiency of LYSO:Ce scintillator under X-ray excitation for possible applications in medical imaging
 Valais, I.G., Kandarakis, I.S., Konstantinidis, A., Nikolopoulos, D.N., Sianoudis, I., Cavouras, D.A., Dimitropoulos, N., (...), Panayiotakis, G.S. **2006** Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 569 (2 SPEC. ISS.), pp. 201-204
- 15) Evaluation of the GSO:Ce scintillator in the X-ray energy range from 40 to 140 kV for possible applications in medical X-ray imaging
 Nikolopoulos, D., Valais, I., Kandarakis, I., Cavouras, D., Linardatos, D., Sianoudis, I., Louizi, A., (...), Panayiotakis, G. **2006** Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 560 (2), pp. 577-583
- 16) Structural and Optical Properties of Gd₂SiO₅ prepared from hydrothermally synthesized powder.S. Shinde, M. Ghosh, S.G. Singh, S. Sen, S.C. Gadkari and S.K. Gupta, **2013**, Journal of Alloys and Compounds, doi: <http://dx.doi.org/10.1016/j.jallcom.2013.12.160>
- 17) N. Kalyvas, I. Valais, S. David, C. Michail, G. Fountos, P. Liaparinos and I. Kandarakis (2014) Studying the Energy Dependence of Intrinsic Conversion Efficiency of Single Crystal Scintillators under X-ray Excitation, Optics and Spectroscopy, vol 116(5),pp. 805-809, **2014**
- 18) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18
- 19) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 20)

[14] Simulating the emission efficiency and resolution properties of fluorescent screens by Monte Carlo Methods

Liaparinos, P.F., Kandarakis, I.S., Cavouras, D.A., Nikolopoulos, D.N., Valais, I.G., Panayiotakis, G.S. 2004 IEEE Nuclear Science Symposium Conference Record 2, pp. 874-878
 (: 2)

- 1) Simulation study of the role played by intensifying or support layers in scintillation screens
 Pistrui-Maximean, S.A., Freud, N., Létang, J.M., Walenta, A.H., Koch, A., Montarou, G., Babot, D. **2007** IEEE Transactions on Nuclear Science 54 (3), pp. 699-705
- 2) Finding an improved amorphous-silicon x-ray flat-panel detector configuration for the in-line geometry, M. F. Fast, A. Teymurazyan, G. Pang, U. Oelfke and J. A. Rowlands. Phys. Med. Biol. 58(7), 2305-24, **2013**. doi:10.1088/0031-9155/58/7/2305

[15] A systematic study of the performance of the CsI:Tl single-crystal scintillator under X-ray excitation
 Valais, I., Nikolopoulos, D., Kalivas, N., Gaitanis, A., Loudos, G., Sianoudis, I., Giokaris, N., (...), Panayiotakis, G.S. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 571 (1-2 SPEC. ISS.), pp. 343-345

(: 8)

- 1) Pulse height and timing characteristics of CsI(Tl)-Si(PIN) detector for -rays and fission fragments

- Gupta, Y.K., Biswas, D.C., Roy, P., Nayak, B.K., Thomas, R.G., Inkar, A.L., Vind, R.P., John, B., Saxena, A., Choudhury, R.K. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment Volume 629, Issue 1, 11 February **2011**, pp. 149-153
- 2) On the spectroscopic properties of highly doped CsI(Tl) scintillators.
Cruceru, M., Cruceru, I., Dului, O.G., **2011**, Romanian Reports on Physics 63 (3), pp. 693-699
- 3) Comparison between a silicon PIN diode and a CsI(Tl) coupled to a silicon PIN diode for dosimetric purpose in radiology.
L. Andreani, M. Bontempi, P.L. Rossi, L.P. Rignanese, M. Zuffa, G. Baldazzi, **(2014)** Nucl. Instr. Meth. Phys. Res. A, vol. 762, pp. 11-15. DOI: 10.1016/j.nima.2014.05.072
- 4) Double junction photodiode for X-ray CMOS sensor IC (2014)
X. Chaoqun, S. Ying, H. Yan and Z. Dazhong, J. Semicond., 35(7), pp.074011-6, DOI: 10.1088/1674-4926/35/7/074011
- 5) Ling Bing Kong, Y. Z. Huang, W. X. Que, T. S. Zhang, S. Li, J. Zhang, Z. L. Dong, D. Y. Tang, Transparent Ceramics, e-Book, Series: Topics in Mining, Metallurgy and Materials Engineering, Chapt. Other Applications, 675-734, Springer International Publishing, 2015, e-Book ISBN: 978-3-319-18956-7, DOI: 10.1007/978-3-319-18956-7
- 6) P. H. Yannakopoulos, D. Nikolopoulos, E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18
- 7) C. Michail, I. Valais, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, Rad Meas. 2016
<http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 8) K. Psichis, N. Kalyvas, I. Kandarakis and G.S. Panayiotakis. An analytical approach to the light transport in columnar phosphors. Detector Optical Gain, angular distribution and the CsI:Tl paradigm, Physica Medica. 2017, <http://dx.doi.org/10.1016/j.ejmp.2017.02.008>
- 9)

- [16] Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors.
David, S.L., Michail, C.M., Roussou, M., Nirgianaki, E., Toutountzis, A.E., Valais, I.G., Fountos, G., (...), Panayiotakis, G. (2010) *IEEE Transactions on Nuclear Science*, 57 (3 PART 1), art. no. 5485157, pp. 951-957.
(: 6)
- 1) Property of YAG: Ce phosphors powder prepared by mixed solvothermal method
[Jia, N., Zhang, X., He, W., Hu, W., Meng, X., Du, Y., Jiang, J., Du, Y. \(2011\)](#) Journal of Alloys and Compounds, 509 (5) , pp. 1848-1853.
- 2) [Initial results on SiPM performance for use in medical imaging](#),
[Efthimiou, N., Argyropoulos, G., Panayiotakis, G., Georgiou, M., Loudos, G. 2010 IEEE International Conference on Imaging Systems and Techniques, IST 2010 - Proceedings](#) , art. no. 5548492, pp. 256-260
- 3) Cerium-Doped Yttrium Aluminum Garnet Hollow Shell Phosphors Synthesized via the Kirkendall Effect.
M.J. Kim, J.H. Park, K.Y. Lee, S. Lee, G.S. Han, H.J. Song, H. Shin, T.K. Ahn, H.S. Jung. **(2013)**, ACS Appl. Mater. Interfaces, DOI: 10.1021/am404809s
- 4) I.S. Kandarakis
Luminescence in Medical Image Science, J. Lumin. 2014, <doi:10.1016/j.jlumin.2014.11.009>
- 4) M. V. dos S. Rezende, C. W. A. Paschoal., Radioluminescence enhancement in Eu³⁺-doped Y₃Al₅O₁₂ phosphors by Ga substitution, Opt. Mater. 2015, vol. 46, pp.530-535
doi:10.1016/j.optmat.2015.05.019

- 5) D.A. Hora, A.B. Andrade, N.S. Ferreira, V.C. Teixeira, M.V. dos S. Rezende, Effect of the PVA (polyvinyl alcohol) concentration on the optical properties of Eu-doped YAG phosphors, Opt. Mater. 2016, vol. 60, pp.495-500, <http://dx.doi.org/10.1016/j.optmat.2016.09.011>

6)

[17] Light emission efficiency and imaging performance of Gd₂O 2S:Eu powder scintillator under x-ray radiography conditions

Michail, C.M., Fountos, G.P., Liaparinos, P.F., Kalyvas, N.E., Valais, I., Kandarakis, I.S., Panayiotakis, G.S. (2010) *Medical Physics*, 37 (7), pp. 3694-3703.

(: 32)

- spectra, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014](#), pp 459-462.
- 17) C. M. Michail, I. G. Valais, I. E. Seferis, F. Stromatia, E. Kounadi, G. P. Fountos and I. S. Kandarakis, Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014](#), pp 471-474.
 - 18) I. Seferis, C. Michail, I. Valais, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (2014) Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu, *J Lumin.*
 - 19) C H Lima, S Kamb, J C Hanb, S Yunb, H Younb, M -K Moona, H Jeonc and H K Kim, Effect of the phosphor screen optics on the Swank noise performance in indirect-conversion x-ray imaging detectors, *JINST*, Vol.9, C05053, 2014.
 - 20) George E. Karpetas, Christos M. Michail, George P. Fountos, Ioannis S. Kandarakis and George S. Panayiotakis, [A new PET resolution measurement method through Monte Carlo simulations, \(2014\) Nuclear Medicine Communications.](#)
 - 21) C. Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos and I. Kandarakis, [Measurement of the Luminescence properties of Gd₂O₂S:Pr,Ce,F Powder Scintillators under X-ray radiation, \(2014\) Radiat Meas.](#)
 - 22) I.S. Kandarakis, Luminescence in Medical Image Science, *J. Lumin.* 2014, doi:[10.1016/j.jlumin.2014.11.009](https://doi.org/10.1016/j.jlumin.2014.11.009)
 - 23) G E Karpetas, C M Michail, G P Fountos, I G Valais, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, *Journal of Physics: Conference Series* 637 (2015) 012011, doi:[10.1088/1742-6596/637/1/012011](https://doi.org/10.1088/1742-6596/637/1/012011)
 - 24) C. M. Michail, G. E. Karpetas, G. P. Fountos, I. G. Valais, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, *Journal of Physics: Conference Series* 637 (2015) 012019, doi:[10.1088/1742-6596/637/1/012019](https://doi.org/10.1088/1742-6596/637/1/012019)
 - 25) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, I. G. Valais and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, *Journal of Physics: Conference Series* 633 (2015) 012096, doi:[10.1088/1742-6596/633/1/012096](https://doi.org/10.1088/1742-6596/633/1/012096)
 - 26) V Koukou, N Martini, C Michail, P Sotiropoulou, N Kalyvas, I Kandarakis, G Nikiforidis and G Fountos (2015), Optimum filter selection for Dual Energy X-ray Applications through Analytical Modeling, 4th IC-MSquare 2015, *Journal of Physics: Conference Series* 633 (2015) 012093, doi:[10.1088/1742-6596/633/1/012093](https://doi.org/10.1088/1742-6596/633/1/012093)
 - 27) S-L. Lin, T-Y. Liu, C-L. Lo, B-S. Wang, K-Y. Lin, C. A. Chang (2016), Synthesis, surface modification, and photophysical studies of Ln₂O₂S:Ln³⁺ (Ln=Gd, Tb, Eu; Ln=Tb and/ or Eu) nanoparticles for luminescence bioimaging, *J. Lumin.* 175, 2016, pp. 165-175. doi:[10.1016/j.jlumin.2016.01.037](https://doi.org/10.1016/j.jlumin.2016.01.037)
 - 28) I. E. Seferis, J. Zeler, C. Michail, I. Valais, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in poly-energetic X-ray imaging applications, *Appl. Phys. A*, (2016), 122:526, DOI: [10.1007/s00339-016-0081-0](https://doi.org/10.1007/s00339-016-0081-0)
 - 29) M.G. Matos, G.S. Freiria, L.R. Oliveira, E.H.Faria, P.S. Calefi, K.J. Ciuffi, L. A. Rocha, E.J. Nassar, M. Verelst, S.A. Osseni and S. Lechevallier (2016), Gadolinium Luminescent Materials obtained by Spray Pyrolysis, Coprecipitation, and Non-Hydrolytic Sol-Gel Route: Structure and Optical Properties (book chapter), , Lorrie P. Wilder (ed.) Gadolinium and Terbium: Chemical and Optical Properties, Sources and Applications, pp.127-162, ISBN: 978-1-63117-906-8
 - 30) V. Koukou, N. Martini, G. Fountos, C. Michail, P. Sotiropoulou, A. Bakas, N. Kalyvas, I. Kandarakis, R. Speller, G. Nikiforidis. Dual energy subtraction method for breast calcification imaging, *Nucl. Instr. Meth. Phys. Res. A*, 848, pp. 31-38, 2017, <http://dx.doi.org/10.1016/j.nima.2016.12.034>
 - 31) GE Karpetas, CM Michail, GP Fountos, NI Kalyvas, IG Valais, IS Kandarakis and GS Panayiotakis. Detective quantum efficiency (DQE) in PET scanners: A simulation study, *Appl. Rad. Isot.*, Vol.125, 2017 pp. 154-162
 - 32) Chouikrat, R., Baros, F., André, J.-C., Vanderesse, R., Viana, B., Bulin, A.-L., Dujardin, C., Arnoux, P., Verelst, M. and Frochot, C. (), A Photosensitizer Lanthanide Nanoparticle Formulation that Induces Singlet Oxygen With Direct Light Excitation, But Not By Photon or X-ray Energy Transfer. *Photochem Photobiol. Accepted Author Manuscript.* doi:[10.1111/php.12799](https://doi.org/10.1111/php.12799)
 - 33)
- [18] A comparative study of the luminescence properties of LYSO:Ce, LSO:Ce, GSO:Ce and BGO single crystal scintillators for use in medical X-ray

Valais, I., Michail, C., David, S., Nomicos, C.D., Panayiotakis, G.S., Kandarakis, I. (2008) *Physica Medica*, 24 (2), pp. 122-125.

(: 28)

- 1) [Evaluation of the co-doped LSO:Ce,Ca scintillator crystal in the X-ray energy range from 50 to 140kVp for medical imaging applications](#) , Stratos, D., Christos, M., George, P., Ioannis, V., George, F., Costantinos, N., Ioannis, K. 2010 *IEEE International Conference on Imaging Systems and Techniques, IST 2010 - Proceedings*, art. no. 5548542, pp. 253-255
- 2) [Measurement technology for multi-parameter spectral responsivity of X-ray scintillation crystals](#) , Li, R.-H., Han, Y.-P., Zhou, H.-C., Han, Y. 2010 *Guang Pu Xue Yu Guang Pu Fen Xi/Spectroscopy and Spectral Analysis* 30 (8), pp. 2184-2186
- 3) [Performance of a 511 keV gamma-ray imager using a LYSO \(Ce\) crystal array with wavelength shifter](#), Aogaki, S., Takeuchi, *IEEE Transactions on Nuclear Science* (2010) 57 (3 PART 2), art. no. 5485103, pp. 1502-1511
- 4) Cristaux et céramiques transparentes comme matériaux scintillateurs pour l'imagerie médicale, B. Viana, *UVX 2010* (2011) 153-159
- 5) Bonifacio, Daniel Alexandre Baptista, [Modeling of a detection system for positron emission mammography using monolithic scintillator detectors](#), PhD Thesis, University of São Paulo, Brazil, 2011.
- 6) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 7) Yoshiyuki Hirano, Munetaka Nitta, Naoko Inadama, Fumihiko Nishikido, Eiji Yoshida, Hideo Murayama, Taiga Yamaya, Performance evaluation of a depth-of-interaction detector by use of position-sensitive PMT with a super-bialkali photocathode, *Radiological Physics and Technology* 2014, Volume 7, [Issue 1](#), pp 57-66.
- 8) Seema Shinde, Manoranjan Ghosh, S.G. Singh, Shashwati Sen, S.C. Gadkari, S.K. Gupta, Structural and Optical Properties of Gd₂SiO₅ prepared from hydrothermally synthesized powder, *Journal of Alloys and Compounds*, [Vol 592](#), 15, 2014, 12-18.
- 9) G E Karpetas, **C M Michail**, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, *Journal of Physics: Conference Series (JPCS)* (2014).
- 10) C. H. Park, A. Lee, R. Kim, J.H. Moon, Evaluation of the detection efficiency of LYSO scintillator in the fiber-optic radiation sensor, *Science and Technology of Nuclear Installations* (2014) Volume 2014, 248403.
- 11) D. Ding, J. Yang, G. Ren, M. Nikl, S. Wang, Y. Wu and Z. Mao, Effects of anisotropy on structural and optical characteristics of LYSO:Ce crystal, *Phys. Status Solidi B* (2014) Volume 251, Issue 6, pages 1202-1211 <http://dx.doi.org/10.1002/pssb.201350338>
- 12) D. Dinga, B. Liub, Y. Wua, J. Yanga, G. Rena, J. Chen, Effect of yttrium on electron-phonon coupling strength of 5d state of Ce³⁺ ion in LYSO:Ce crystals, *Journal of Luminescence* (2014) [Volume 154](#), Pages 260-266.
- 13) X. Zhang, Y. Chen, S. Zeng, L. Zhou, J. Shi, M. Gong, Luminescence properties of novel Eu³⁺ doped NaCaBO₃ red phosphors, *Ceramics International* (2014) [Volume 40, Issue 9, Part A](#), Pages 14537-14541.
- 14) K. Kobayashi, T. Ikeda, N. Hiyoishi, and Y. Sakka, Discovery of a new crystalline phase: BiGeO₂(OH)₂(NO₃), *CrystEngComm*, 2014, DOI: 10.1039/C4CE01355G
- 15) Han Yueping, Li Ruihong, Study of Optical Performance Measurement Method for X-Ray Scintillation Crystals, *Laser & Optoelectronics Progress* Year 2014, Issue 6, Page 115-120
- 16) G. Annadurai, S. Masilla Moses Kennedy, Synthesis and Photoluminescence properties of Ba₂CaZn₂Si₆O₁₇:Eu³⁺ red Phosphors for white LED Applications, *J. Lumin.*, 2015, <http://dx.doi.org/10.1016/j.jlumin.2015.03.007>.
- 17) K. Kobayashi, T. Ikeda, S. Mihara, K. Hirai, T. Akashi, and Y. Sakka, Room-temperature synthesis of Bi₄Ge₃O₁₂ from aqueous solution, *Jap. J.Appl. Phys.* 54, 06FJ03 (2015), DOI: <http://dx.doi.org/10.7567/JJAP.54.06FJ03>
- 18) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of (Lu,Gd)2SiO₅:Ce (LGSO:Ce) crystals under X-ray radiation, *Rad Meas.*, 80 (2015), pp. 1-9, 2015 <doi:10.1016/j.radmeas.2015.06.008>

- 19) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, Journal of Physics: Conference Series 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
- 20) C. M. Michail, G. E. Karpetas, G. P. Fountos, **I. G. Valais**, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, Journal of Physics: Conference Series 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019
- 21) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
- 22) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
- 23) G. Annadurai, S. M. M. Kennedy (2016), Synthesis and photoluminescence properties of Ba₂CaZn₂Si₆O₁₇:Eu³⁺ red phosphors for white LED applications, J. Lumin. 169, pp. 690-94.
- 24) Q. Li, Z.P. Liu, X.J. Li, L.M. Dong (2016), Synthesis and Luminescence Properties of Sr₂CeO₄:Eu³⁺-Tb³⁺ Phosphors. J. Nanomat. Biostr. Vol.11(1), pp. 313-319, 2016.
- 25) T. Yanagida, M. Koshimizu, G. Okada, T. Kojima, J. Osada, N. Kawaguchi (2016), Comparative study of nondoped and Eu-doped SrI₂ scintillator. Opt. Mater..1-6, 2016. <http://dx.doi.org/10.1016/j.optmat.2016.05.030>
- 26) Q Li, ZP Liu, LM Dong, YF Zhang (2016), Facile Synthesis And Luminescene Properties of CePO₄:Tb³⁺ by Electrospinning. Dig. J. Nanomater. and Biostruct. Vol. 11, No. 4, 2016, p. 1311-1377, http://www.chalcogen.ro/1311_LiQ.pdf
- 27) K. Psichis, N. Kalyvas, I. Kandarakis and G.S. Panayiotakis. An analytical approach to the light transport in columnar phosphors. Detector Optical Gain, angular distribution and the CsI:Tl paradigm, Physica Medica. 2017, <http://dx.doi.org/10.1016/j.ejmp.2017.02.008>
- 28) GE Karpetas, CM Michail, GP Fountos, NI Kalyvas, **IG Valais**, IS Kandarakis and GS Panayiotakis. Detective quantum efficiency (DQE) in PET scanners: A simulation study, Appl. Rad. Isot., Vol.125, 2017 pp. 154-162.
- 29)

[19] Investigation of luminescent properties of LSO:Ce, LYSO:Ce and GSO:Ce crystal scintillators under low energy X -ray excitation used in nuclear imaging.

Valais I, D., David, S. Michail C., Konstantinidis A., Kandarakis I. and Panayiotakis G. S.,(2007) Nucl. Inst. Meth. Phys. Res. A, 581, pp. 99-102.

(: 11)

- 1) Simulating gamma-ray energy resolution in scintillators due to electron-hole pair statistics. Narayan, R.D., Miranda, R., Rez, P., Nuclear Instruments and Methods in Physics Research, Section B: Beam Interactions with Materials and Atoms 269, issue 22, **2011**, pp. 2667 – 2675
- 2) The Effect of Material Properties on Energy Resolution in Gamma-ray Detectors, Narayan, R.D ,(PhD Thesis), Approved March 2011, ARIZONA STATE UNIVERSITY May 2011.
- 3) Investigation of the performance of SiPM sensors with LiF-loaded ZnS scintillator for neutron detection Froso M.,(PhD Thesis), Department of Physics Faculty of Engineering and Physical Sciences University of Surrey, Aug. **2010**
- 4) Synthesis and characterization of (Lu_{1-x}Y_xCe_y)₂SiO₅ luminescent powders with fast decay time, Aburto-Crespo M., Hirata G.A. and McKittrick J. **2012** Journal of Luminescence, <http://dx.doi.org/10.1016/j.jlumin.2012.11.020>
- 5) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 6) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, Journal of Physics: Conference Series (JPCS) (2014)

- 7) Kei Nishimoto, Yuui Yokota, Shunsuke Kurosawa, Kei Kamada, Akihiro Ymaji, Akira Yoshikawa, Eu concentration dependence on scintillation properties of Eu doped SrI₂ single crystals grown by modified micro-pulling-down method, Optical Materials (2014) Volume 36, Issue 12, Pages 1946–1949.
 - 8) S. Kim, Scintillation Properties of Eu²⁺ ions doped LaCl₃ Crystal, Journal of the Korea Society for Academic Technology Vol. 12, (2) pp. 600-604, 2011
 - 9) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of (Lu,Gd)2SiO₅:Ce (LGSO:Ce) crystals under X-ray radiation, Rad Meas., 80 (2015), pp. 1-9, 2015 [doi:10.1016/j.radmeas.2015.06.008](https://doi.org/10.1016/j.radmeas.2015.06.008)
 - 10) A.M. Alonso, B.S. Cooper, A. Deller, D.B. Cassidy, Single-shot positron annihilation lifetime spectroscopy with LYSO scintillators, Nucl. Inst. Meth. Phys. Res. A 828 (2016) 163–169
 - 11) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, Rad Meas. 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 12)

[19] A comparative investigation of Lu₂SiO₅:Ce and Gd₂O₂S:Eu powder scintillators for use in x-ray mammography detectors.
Michail, C.M., Fountos, G.P., David, S.L., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Kandarakis, I.S., (...), Panayiotakis, G.S.(2009) Measurement Science and Technology, 20 (10), doi: 10.1088/0957-0233/20/10/104008.

(: 18)

- 1) [Light emission efficiency and imaging performance of Gd₂O₂S:Eu powder scintillator under x-ray radiography conditions](#) Michail, C.M., Fountos, G.P., Liaparinos, P.F., Kalyvas, N.E., Valais, I., Kandarakis, I.S., Panayiotakis, G.S. **2010** *Medical Physics* 37 (7), pp. 3694-3703
- 2) [Initial results on SiPM performance for use in medical imaging](#), Efthimiou, N., Argyropoulos, G., Panayiotakis, G., Georgiou, M., Loudos, G. **2010** *IEEE International Conference on Imaging Systems and Techniques, IST 2010 - Proceedings*, art. no. 5548492, pp. 256-260
- 3) Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine Michail C. PhD Thesis, University of Patras, Greece, **2010**.
- 4) [Valais, I.G. Fountos, G.P. Michail, C.M. Seferis, I. Kalyvas, N.I. Mytafidis, A.K. Kandarakis, I.S. Panayiotakis, G.S.](#), Thin substrate powder scintillator screens for use in digital X-ray medical imaging applications, [Nuclear Science Symposium and Medical Imaging Conference \(NSS/MIC\), 2011 IEEE](#), pp. 2997 – 3000
- 5) Ioannis Valais, **Christos M. Michail**, Ioannis Seferis, George Fountos, Nektarios Kalyvas, Ioannis Kandarakis and George S. Panayiotakis (**2012**), [Scintillation screen preparation for use in digital medical systems e-Journal of Science & Technology, \(e-JST\) 7\(3\):1-5](#).
- 6) Z. Marton, H. B. Bhandari, C. Brecher, S.R. Miller, B. Singh, V.V. Nagarkar, Fabrication of high-resolution Lu₂O₃:Eu X-ray Scintillator by Physical Vapor deposition, IEEE Trans. Nucl. Sci. PP(99), (**2013**) Vol 60(2), pp. 983-987 DOI:[10.1109/TNS.2012.2232939](https://doi.org/10.1109/TNS.2012.2232939).
- 7) Light emission efficiency of Lu₂O₃:Eu nanophosphor scintillating screen under x-ray radiographic conditions, [I. E. Seferis ; N. I. Kalyvas ; I. G. Valais ; C. M. Michail ; P. F. Liaparinos ; G. P. Fountos ; E. Zych ; I. S. Kandarakis ; G. S. Panayiotakis](#) Proc. SPIE 8668, Medical Imaging (**2013**): Physics of Medical Imaging, 86683W (March 6, 2013); doi:10.1117/12.2015265.
- 8) **C. Michail**, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (**2013**) On the response of GdAlO₃:Ce powder scintillators, *J Lumin.* 144:45-52.
- 9) I. E. Seferis, **C. M. Michail**, I. G. Valais, G. P. Fountos, N. I. Kalyvas, F. Stamatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis (**2013**) On the response of a europium doped phosphor-coated CMOS digital imaging detector, *Nucl. Instrum. Meth. Phys. Res. A* 729:307-315.
- 10) [Investigation and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen](#), Seferis I, MSc Thesis, University of Patras, Greece, **2013**.
- 11) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, **2013**
- 12) I. E. Seferis, S. L. David, **C. M. Michail**, A. Bakas, N. I. Kalivas, G. P. Fountos, G. S. Panayiotakis, K. Kourkoutas, I. S. Kandarakis and I. G. Valais. Light emission efficiency of Gd₃Al₂Ga₃O₁₂:Ce

- (GAGG:Ce) single crystal under X-ray radiographic conditions, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings](#) Volume 41, **2014**, pp 455-458.
- 13) **C. M. Michail**, I. G. Valais, I. E. Seferis, F. Stromatia, E. Kounadi, G. P. Fountos and I. S. Kandarakis, Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings](#) Volume 41, **2014**, pp 471-474.
 - 14) I. Seferis, C. Michail, I. Valais, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (**2014**) Light emission efficiency and imaging performance of $\text{Lu}_2\text{O}_3:\text{Eu}$ nanophosphor under X-ray radiography conditions: Comparison with $\text{Gd}_2\text{O}_2\text{S}:\text{Eu}$, *J Lumin.*
 - 15) G E Karpetas, **C M Michail**, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, *Journal of Physics: Conference Series (JPCS)* (**2014**).
 - 16) Qinhua Wei, Guanghui Liu, Zhenzhen Zhou, Jieqiong Wan, Hua Yang, Qian Liu Preparation and spectroscopic properties of Ce-doped $\text{La}_2\text{Si}_2\text{O}_7$ as novel scintillator materials, *Materials Letters* (**2014**) [Volume 126](#), 1, Pages 178-180
 - 17) Q Wei, J Zhuang, G Liu, Z Zhou, H Yang, J Wang, Q Liu, Preparation and luminescence properties of $\text{SiO}_2/\text{Lu}_2\text{Si}_2\text{O}_7$: Ce composite starting from mesopore template *RSC Adv.*, 4, **2014**, pp. 33819-33825 DOI: 10.1039/C4RA04216F
 - 18) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, *Journal of Physics: Conference Series* 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
 - 19)
- [20] Light emission efficiency of $\text{Gd}_2\text{O}_2\text{S}:\text{Eu}$ (GOS:Eu) powder screens under X-ray mammography conditions.
 Michail, C.M., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Fountos, G.P., David, S.L., Kandarakis, I.S., (...), Panayiotakis, G.S.(2008) *IEEE Transactions on Nuclear Science*, 55 (6), art. no. 4723824, pp. 3703-3709. doi: 10.1109/TNS.2008.2007562
- (: 15)
- 1) [Pixel readout circuit for X-ray imagers](#) Rocha, J.G., Minas, G., Lanceros-Mendez, S. **2010** *IEEE Sensors Journal* 10 (11), art. no. 5483229, pp. 1740-1745
 - 2) [Light emission efficiency and imaging performance of \$\text{Gd}_2\text{O}_2\text{S}:\text{Eu}\$ powder scintillator under x-ray radiography conditions](#) Michail, C.M., Fountos, G.P., Liaparinos, P.F., Kalyvas, N.E., Valais, I., Kandarakis, I.S., Panayiotakis, G.S. **2010** *Medical Physics* 37 (7), pp. 3694-3703
 - 3) [A comparative investigation of \$\text{Lu}_2\text{SiO}_5:\text{Ce}\$ and \$\text{Gd}_2\text{O}_2\text{S}:\text{Eu}\$ powder scintillators for use in x-ray mammography detectors](#) Michail, C.M., Fountos, G.P., David, S.L., Valais, I.G., Toutountzis, A.E., Kalyvas, N.E., Kandarakis, I.S., Panayiotakis, G.S. **2009** *Measurement Science and Technology* 20 (10), art. no. 104008
 - 4) [Cathodoluminescence degradation of PLD thin films](#), Swart H.C., Coetsee E., Terblans J.J., Ntwaeborwa O.M., Nsimama P. D., Dejene F.B., Dolo J.J. *Appl Phys A* (**2010**) 101: 633–638
 - 5) Anna Dobrowolska and Eugeniusz Zych, Forcing Eu^{3+} into Different Positions in the BaHfO_3 Host and its Spectroscopic Consequences, *Chem. Mater.* **2010**, 22, 4652-4659
 - 6) I. G. Valais, G. P. Fountos, C. M. Michail, I. Seferis, N. I. Kalyvas, A. K. Mytafidis, I. S. Kandarakis and G.S. Panayiotakis, [Thin Substrate Powder Scintillator Screens for use in Digital X-ray Medical Imaging Applications](#), IEEE Nuclear Science Symposium and Medical Imaging Conference, Valencia, Spain 23-29 October **2011**.
 - 7) Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine Michail C. PhD Thesis, University of Patras, Greece, **2010**.
 - 8) **C. M. Michail**, G. P. Fountos, I. G. Valais, N. Kalyvas, P. Liaparinos, I. S. Kandarakis, G. S. Panayiotakis (**2011**) [Evaluation of the red emitting \$\text{Gd}_2\text{O}_2\text{S}:\text{Eu}\$ powder scintillator for use in indirect X-ray digital mammography detectors](#), *Trans. Nucl. Sci.* 58(5):2503-2511.
 - 9) Ioannis Valais, **Christos M. Michail**, Ioannis Seferis, George Fountos, Nektarios Kalyvas, Ioannis Kandarakis and George S. Panayiotakis (**2012**), [Scintillation screen preparation for use in digital medical systems](#) e-Journal of Science & Technology, (e-JST) 7(3):1-5.

- 10) On the response of GdAlO₃:Ce powder scintillators. C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (2013), J Lumin, available online 4/7/13.
- 11) I. E. Seferis, C. M. Michail, I. G. Valais, G. P. Fountos, N. I. Kalyvas, F. Stromatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis (2013) On the response of a europium doped phosphor-coated CMOS digital imaging detector, Nucl. Instrum. Meth. Phys. Res. A. 729:307-315.
- 12) Investigation and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen, Seferis I, MSc Thesis, University of Patras, Greece, 2013.
- 13) J. D. Kuttig, C. Steidling, D. Kolditz, M. Hupfer, M. Karolczak, W.A. Kalender, Comparative investigation of the detective quantum efficiency of direct and indirect conversion detector technologies in dedicated breast CT, Physica Medica, 31(4), pp. 406-413, 2015, doi:10.1016/j.ejmp.2015.03.007.
- 14) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, Journal of Physics: Conference Series 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
- 15) I. E. Seferis, J. Zeler, C. Michail, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in polyenergetic X-ray imaging applications, Appl. Phys. A, (2016), 122:526, DOI: 10.1007/s00339-016-0081-0
- 16)

[21] Experimental and theoretical evaluation of a high resolution CMOS based detector under X-ray imaging conditions

C. M. Michail, V. A. Spyropoulou, G. P. Fountos, N. I. Kalyvas, **I. G. Valais**, I. S. Kandarakis and G. S. Panayiotakis. . IEEE Transactions on Nuclear Science vol. 58(2), pp 314-322, Feb. 2011.

(: 40)

- 1) Anastasios C. Konstantinidis, Evaluation of digital X-ray detectors for medical imaging applications PhD Thesis, Department of Medical Physics and Bioengineering, UCL London 2011
- 2) I. G. Valais, G. P. Fountos, C. M. Michail, I. Seferis, N. I. Kalyvas, A. K. Mytafidis, I. S. Kandarakis and G.S. Panayiotakis, Thin Substrate Powder Scintillator Screens for use in Digital X-ray Medical Imaging Applications, IEEE Nuclear Science Symposium and Medical Imaging Conference, Valencia, Spain 23-29 October 2011.
- 3) N. I. Kalyvas, C. M. Michail, G. P. Fountos, I. G. Valais, P. Liaparinos, I. Seferis, V. Spyropoulou, A. K. Mytafidis, G.S. Panayiotakis and I. S. Kandarakis, Modelling Noise Properties of a High Resolution CMOS Detector for X-Ray Digital Mammography, IEEE Nuclear Science Symposium and Medical Imaging Conference, Valencia, Spain 23-29 October 2011.
- 4) Amit Jain, D. R. Bednarek, Ciprian Ionita, S. Rudin, A theoretical and experimental evaluation of the microangiographic fluoroscope: A high-resolution region-of-interest x-ray imager, Med. Phys. 38 (7), July 2011, 4112-4126
- 5) Ioannis Valais, Christos M. Michail, Ioannis Seferis, George Fountos, Nektarios Kalyvas, Ioannis Kandarakis and George S. Panayiotakis (2012), Scintillation screen preparation for use in digital medical systems e-Journal of Science & Technology, (e-JST) 7(3):1-5.
- 6) Christoforos Ntales, Nikolaos Kynatidis, Christos Michail, Ioannis Seferis, Ioannis Valais, Nektarios Kalyvas, George Fountos and Ioannis Kandarakis (2012), Image quality assessment in cmos and cr medical imaging systems, e-Journal of Science & Technology, (e-JST) 7(3):7-13.
- 7) Ioannis E. Seferis, Christos M. Michail, Ioannis G. Valais, George G. Fountos, Nektarios I. Kalyvas, Fotini Stromatia, Ioannis S. Kandarakis, and George S. Panayiotakis, (2012), X-ray image degradation passing through thin glass substrate, e-Journal of Science & Technology, (e-JST) 7(3):29-31.
- 8) Vaia N. Koukou, Niki D. Martini, Panagiota I. Sotiropoulou, George G. Fountos, Christos M. Michail, Ioannis G. Valais, Ioannis S. Kandarakis and George C. Nikiforidis, (2012) Modified polyenergetic x-ray spectra for dual energy method, e-Journal of Science & Technology, (e-JST) 7(3). 79-85.
- 9) Panagiota I. Sotiropoulou, George G. Fountos, Vaia N. Koukou, Niki D. Martini, Christos M. Michail, Ioannis S. Kandarakis and George C. Nikiforidis, Optimum energy selection for estimating calcium/phosphorus ratio in bones using dual energy x-ray, European Medical Physics and Engineering Conference EMPEC 18-20 October 2012 Sofia, Bulgaria.

- 10) Michael F. L'Annunziata, Handbook of Radioactivity Analysis (Third Edition), Chapter 16 – Solid Scintillation Analysis, 2012, Pages 1021-1115.
- 11) I. Kandarakis, G. Fountos, new developments in radiation detectors for medical imaging, European Medical Physics and Engineering Conference, Sofia, October 18-20, 2012.
- 12) P. Liaparinos, N. Kalyvas, I. Kandarakis, D. Cavouras, Analysis of the imaging performance in indirect digital mammography detectors by linear systems and signal detection models, Nuclear Instruments and Methods in Physics Research Section A, Vol. 697, (2013), pp. 87-98.
- 13) Light emission efficiency of Lu₂O₃:Eu nanophosphor scintillating screen under x-ray radiographic conditions, I. E. Seferis ; N. I. Kalyvas ; I. G. Valais ; C. M. Michail ; P. F. Liaparinos ; G. P. Fountos ; E. Zych ; I. S. Kandarakis ; G. S. Panayiotakis Proc. SPIE 8668, Medical Imaging (2013): Physics of Medical Imaging, 86683W (March 6, 2013); doi:10.1117/12.2015265.
- 14) C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (2013) On the response of GdAlO₃:Ce powder scintillators, J Lumin. 144:45-52.
- 15) I. E. Seferis, C. M. Michail, I. G. Valais, G. P. Fountos, N. I. Kalyvas, F. Stromatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis (2013) On the response of a europium doped phosphor-coated CMOS digital imaging detector, Nucl. Instrum. Meth. Phys. Res. A. 729:307-315.
- 16) Investigation and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen, Seferis I, MSc Thesis, University of Patras, Greece, 2013.
- 17) Park, Chun Joo, Optimizing Cone Beam Computed Tomography (CBCT) System for Image Guided Radiation Therapy, PhD Thesis, University of California, San Diego 2013.
- 18) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 19) Niki Martini, X-ray spectra optimization using lanthanide and non elements for bone quality assessment with dual energy method, MSc Thesis, University of Patras, Greece, 2013.
- 20) Vaia Koukou, Dual energy mammography: X-ray spectra optimization using lanthanide and non filters, MSc Thesis, University of Patras, Greece, 2013.
- 21) V. Koukou, N. Martini, G. Fountos, P. Sotiropoulou, C. Michail, I. Valais, E. Kounadi, I. Kandarakis and G. Nikiforidis, Calcification Detection Optimization in Dual Energy Mammography: Influence of the X-ray spectra, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 459-462.
- 22) I. E. Seferis, S. L. David, C. M. Michail, A. Bakas, N. I. Kalivas, G. P. Fountos, G. S. Panayiotakis, K. Kourkoutas, I. S. Kandarakis and I. G. Valais, Light emission efficiency of Gd₃Al₂Ga₃O₁₂:Ce (GAGG:Ce) single crystal under X-ray radiographic conditions, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 455-458.
- 23) P. Sotiropoulou, G. Fountos, N. Martini, V. Koukou, C. Michail, I. Valais, I. Kandarakis and G. Nikiforidis, X-ray spectra for bone quality assessment using energy dispersive counting and imaging detectors with dual energy method, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 463-466.
- 24) C. M. Michail, I. G. Valais, I. E. Seferis, F. Stromatia, E. Kounadi, G. P. Fountos and I. S. Kandarakis, Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 471-474.
- 25) Nektarios Kalyvas, Panagiotis Liaparinos, Ioannis Valais, Christos Michail, Stratos David and Ioannis Kandarakis, Scintillators in X-Ray Imaging:The Miscirlu Project (2014) e-Journal of Science & Technology, (e-JST) 9(4):1-8.
- 26) Chang-Won Jeong, Su-Chong Joo, Jong-Hyun Ryu, Jinseok Lee, Kyong-Woo Kim, Kwon-Ha Yoon, Development of a Mini-Mobile Digital Radiography System by Using Wireless Smart Devices (2014) Journal of Digital Imaging, Volume 27, Issue 4, pp 443-448.
- 27) Christos M. Michail, Nektarios E. Kalyvas, Ioannis G. Valais, Ioannis P. Fudos, George P. Fountos, Nikos Dimitropoulos, Grigoris Koulouras, Dionisis Kandris, Maria Samarakou, and Ioannis S. Kandarakis, Figure of Image Quality and Information Capacity in Digital Mammography, Biomed Research International (2014).
- 28) I. Seferis, C. Michail, I. Valais, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (2014) Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu, J Lumin.

- 29) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, Journal of Physics: Conference Series (JPCS) (2014).
- 30) E. Seferis, C. M. Michail, I. G. Valais, Panagiotis F. Liaparinos, Nektarios I. Kalyvas, G. P. Fountos, Eugeniusz Zych, I. S. Kandarakis, George Panayiotakis, Imaging performance of a thin Lu₂O₃:Eu nanophosphor scintillating screen coupled to a high resolution CMOS sensor under X-ray radiographic conditions: comparison with Gd₂O₂S:Eu conventional phosphor screen. Proc. SPIE 9033, Medical Imaging 2014: Physics of Medical Imaging, 9033W (February 15-20, 2014).
- 31) C. Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos and I. Kandarakis, Measurement of the Luminescence properties of Gd₂O₂S:Pr,Ce,F Powder Scintillators under X-ray radiation, (2014) Radiat Meas.
- 32) I.S. Kandarakis
Luminescence in Medical Image Science, J. Lumin. 2014, doi:10.1016/j.jlumin.2014.11.009
- 33) I.Vlachos, X. Tsantilas, N. Kalyvas, H. Delis, I. Kandarakis and G. Panayiotakis
Measuring Scatter Radiation In Diagnostic X Rays For Radiation Protection Purposes, Radiation Protection Dosimetry (2015), pp. 1–4, doi:10.1093/rpd/ncv093.
- 34) C. Michail. Image Quality Assessment of a CMOS/Gd₂O₂S:Pr,Ce,F X-ray Sensor, Journal of Sensors, vol. 2015, Article ID 874637, 6 pages, 2015. doi:10.1155/2015/874637
- 35) PVAL breast phantom for dual energy calcification detection (2015), V. Koukou, N. Martini, K. Velissarakos, D. Gkremos, C. Fountzoula, A. Bakas, C. Michail, I. Kandarakis and G. Fountos, Journal of Physics: Conference Series 637 (2015) 012013, doi:10.1088/1742-6596/637/1/012013
- 36) N Kalyvas, N Martini, V Koukou, C Michail, P Sotiropoulou, I Valais, I Kandarakis and G Fountos (2015), A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012095, doi:10.1088/1742-6596/633/1/012095
- 37) P Sotiropoulou, V Koukou, N Martini, C Michail, E Kounadi, I Kandarakis, G Nikiforidis and G Fountos (2015), Estimation of bone Calcium-to-Phosphorous mass ratio using dual-energy nonlinear polynomial functions, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012126, doi:10.1088/1742-6596/633/1/012126
- 38) P. H. Yannakopoulos, D. Nikolopoulos, E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18
- 39) V. Koukou, N. Martini, G. Fountos, C. Michail, P. Sotiropoulou, A. Bakas, N. Kalyvas, I. Kandarakis, R. Speller, G. Nikiforidis. Dual energy subtraction method for breast calcification imaging, Nucl. Instr. Meth. Phys. Res. A, 848, pp. 31-38, 2017, <http://dx.doi.org/10.1016/j.nima.2016.12.034>
- 40) SM Arnab, MZ Kabir. Impact of Lubberts Effect on Amorphous Selenium Indirect Conversion Avalanche Detector for Medical X-ray Imaging, IEEE TRPMS. Issue 99, April 2017, DOI: [10.1109/TRPMS.2017.2692752](https://doi.org/10.1109/TRPMS.2017.2692752)
- 41)

[22] Comparative Investigation of Ce³⁺ Doped Scintillators in a Wide Range of Photon Energies Covering X-ray CT, Nuclear Medicine and Megavoltage Radiation Therapy Portal Imaging Applications
I.G.Valais, C.M. Michail, S.L. David, P.F. Liaparinos, G.P. Fountos, T.V. Paschalidis, I.S. Kandarakis, G.S. Panayiotakis; IEEE Transactions on Nuclear Science, vol. 57 (1), pp 3-7, Feb. 2010.

(: 15)

- 1) [Rétot, H., Blahuta, S., Bessière, A., Viana, B., Lacourse, B., Mattmann, E., Improved scintillation time response in \(Lu_{0.5}Gd_{0.5}\)₂O₃:Eu³⁺ compared with Lu₂O₃:Eu³⁺ transparent ceramics 2011 Journal of Physics D: Applied Physics](#) 44 (23), art. no. 235101
- 2) D. Nikolopoulos, N. Kalyvas, I. Valais, X. Argyriou, E. Vlamakis, T. Sevvos and I. Kandarakis, A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators, (2012) JINST 7 P11021.
- 3) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 4) [Characterization of silicon photomultiplier readout designs for use in positron emission tomography systems, Liu, Chen-Y](#) MSc Thesis, Department of Physics and Astronomy, University of Manitoba, Canada, 2013.

- 5) P. J. Yadav, C. P. Joshi, and S. V. Moharil, Long Lasting Luminescence in Garnet Based Phosphors Prepared by Combustion Synthesis, International Journal of Self Propagating High Temperature Synthesis, **2013**, Vol. 22, No. 3, pp. 157-162.
- 6) N. Kalyvas, I. Valais, S. David, **Ch. Michail**, G. Fountos, P. Liaparinos, and I. Kandarakis, Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under x-ray excitation (**2014**) *Optics and Spectroscopy*. 116(5):95-99.
- 7) Nektarios Kalyvas, Panagiotis Liaparinos, Ioannis Valais, Christos Michail, Stratos David and Ioannis Kandarakis, [Scintillators in X-Ray Imaging: The Miscirlu Project](#) (**2014**) e-Journal of Science & Technology, (e-JST) 9(4):1-8.
- 8) G E Karpetas, **C M Michail**, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, *Journal of Physics: Conference Series (JPCS)* (**2014**).
- 9) N Efthimiou, P Papadimitroulas, T Kostou, G Loudos, Design considerations for a C-shaped PET system, dedicated to small animal brain imaging, using GATE Monte Carlo simulations, *Journal of Physics: Conference Series (JPCS)* 637, (**2015**) 012005, doi:10.1088/1742-6596/637/1/012005
- 10) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, *Journal of Physics: Conference Series* 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
- 11) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, *Journal of Physics: Conference Series* 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
- 12) C. M. Michail, G. E. Karpetas, G. P. Fountos, **I. G. Valais**, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, *Journal of Physics: Conference Series* 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019
- 13) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, *Journal of Physics: Conference Series* 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
- 14) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Rad Meas.*, 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 15) GE Karpetas, CM Michail, GP Fountos, NI Kalyvas, **IG Valais**, IS Kandarakis and GS Panayiotakis. Detective quantum efficiency (DQE) in PET scanners: A simulation study, *Appl. Rad. Isot.*, Vol.125, 2017 pp. 154-162.
- 16)

[23] Imaging performance and light emission efficiency of Lu₂SiO₅:Ce (LSO:Ce) powder scintillator under X-ray mammographic conditions.

Michail, C., Toutountzis, A., David, S., Kalyvas, N., Valais, I., Kandarakis, I., Panayiotakis, G.S. (2009) Applied Physics B: Lasers and Optics, 95 (1), pp. 131-139.

(: 22)

- 1) [The effect of scintillator response on signal difference to noise ratio in X-ray medical imaging](#) **Ninos, K., Cavouras, D., Fountos, G., Kandarakis, I.** **2010** *Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment* 622 (1), pp. 246-255
- 2) [Evaluation of the luminescence efficiency of YAG:Ce powder scintillating screens for use in digital mammography detectors](#) **David, S.L., Michail, C.M., Roussou, M., Nirgianaki, E., Toutountzis, A.E., Valais, I.G., Fountos, G., (...), Panayiotakis, G.** **2010** *IEEE Transactions on Nuclear Science* 57 (3 PART 1), art. no. 5485157, pp. 951-957
- 3) Investigation of optical and imaging characteristics of fluorescent screens for use in digital imaging detectors suitable for telemedicine Michail C. PhD Thesis, University of Patras, Greece, **2010**.
- 4) Geometrical MTF computation method based on the irradiance model, Lin P. - D., Liu C.-S., *Appl Phys B* (**2011**) 102: 243-249

- 5) Calculation of MTF for Object Brightness Distribution Function Oriented along Any Direction in Axis-Symmetrical Optical Systems Psang Dain Lin and Wei Wu Applied Optics, Vol. 50, Issue 17, pp. 2759-2772 (2011) doi:10.1364/AO.50.002759.
- 6) C. M. Michail, G. P. Fountos, I. G. Valais, N. Kalyvas, P. Liaparinos, I. S. Kandarakis, G. S. Panayiotakis (2011) [Evaluation of the red emitting \$\text{Gd}_2\text{O}_2\text{S:Eu}\$ powder scintillator for use in indirect X-ray digital mammography detectors](#), *Trans. Nucl. Sci.* 58(5):2503-2511.
- 7) Nektarios I. Kalyvas, Stratos David, Christos Michail, Panagiotis Liaparinos, George Fountos, Ioannis Valais and Ioannis Kandarakis, investigating the energy dependence of intrinsic conversion efficiency of phosphor materials through analytical models, 4th International Conference on Experiments/Process/System Modeling/Simulation/Optimization 4th IC-EpsMsO Athens, 6-9 July, 2011 © IC-EpsMsO
- 8) D. Wei, Y. Huang, S. Zhang, Y.M. Yu, H.J. Seo, Luminescence spectroscopy of Ce³⁺-doped ABaPO₄ ($A = \text{Li}, \text{Na}, \text{K}$) phosphors, *Appl Phys B* 2012, 108(2), 447-453.
- 9) Light emission efficiency of Lu₂O₃:Eu nanophosphor scintillating screen under x-ray radiographic conditions, [I. E. Seferis ; N. I. Kalyvas ; I. G. Valais ; C. M. Michail ; P. F. Liaparinos ; G. P. Fountos ; E. Zych ; I. S. Kandarakis ; G. S. Panayiotakis Proc. SPIE 8668, Medical Imaging \(2013\)](#): Physics of Medical Imaging, 86683W (March 6, 2013); doi:10.1117/12.2015265.
- 10) **C. Michail**, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (2013) On the response of GdAlO₃:Ce powder scintillators, *J Lumin.* 144:45-52.
- 11) [Investigation and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen](#), Seferis I, MSc Thesis, University of Patras, Greece, 2013.
- 12) Simulation of image formation in nuclear medicine imaging systems using Monte Carlo methods, Georgios E. Karpetas, PhD Thesis, University of Patras, Greece, 2013
- 13) I. E. Seferis, S. L. David, C. M. Michail, A. Bakas, N. I. Kalivas, G. P. Fountos, G. S. Panayiotakis, K. Kourkoutas, I. S. Kandarakis and I. G. Valais, Light emission efficiency of $\text{Gd}_3\text{Al}_2\text{Ga}_3\text{O}_{12}:\text{Ce}$ (GAGG:Ce) single crystal under X-ray radiographic conditions, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014](#), pp 455-458.
- 14) N. Kalyvas, I. Valais, S. David, Ch. Michail, G. Fountos, P. Liaparinos, and I. Kandarakis, Studying the energy dependence of intrinsic conversion efficiency of single crystal scintillators under x-ray excitation (2014) *Optics and Spectroscopy*. 116(5):95-99.
- 15) I. Seferis, C. Michail, I. Valais, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (2014) Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with $\text{Gd}_2\text{O}_2\text{S:Eu}$, *J Lumin.*
- 16) G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, I G Valais, I S Kandarakis, G S Panayiotakis, A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, *Journal of Physics: Conference Series (JPCS)* (2014).
- 17) [Gao, F., Zhu, Q., Zhou, Z., Zhao, H.](#), Accurate measurement of MTF based on interpolation floating method, [Nanotechnology and Precision Engineering](#), Vol. 12(2), 2014, pp. 107-116
- 18) Junhua Chen, Weiren Zhao, Jianming Zhong, Licai Lan, Jianqing Wang, Nenghuo Wang, Synthesis and luminescence properties of Ce³⁺ - doped RbBaPO₄, [Ceramics International Volume 40, Issue 9, Part B, 2014](#), Pages 15241-15248.
- 19) C. Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos and I. Kandarakis, [Measurement of the Luminescence properties of \$\text{Gd}_2\text{O}_2\text{S:Pr,Ce,F}\$ Powder Scintillators under X-ray radiation](#), (2014) *Radiat Meas.*
- 20) H. Ping, X-ray crystal optical properties of optoelectronic integrated test methods, *Laser & Optoelectronics Progress* (6), pp 111-116, (2014).
- 21) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, *Rad Meas.* 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 22) Z. Zhu, C. Cheng, H. Zhang, H. Chen, M. Gu, J. Liu, L. Chen, X. Ouyang, C. Xue, Y. Wu, 2017, Enhancement of directional broadband luminescence from a scintillation film via guided-mode resonance in a photonic crystal structure, *Appl. Phys. Lett.* 110, 051901 (2017), <http://doi:10.1063/1.4975363>
- 23)

[24] Comparative evaluation of single crystal scintillators under x-ray imaging conditions
 Valais, I.G., David, S., Michail, C., Nomicos, C.D., Panayiotakis, G.S., Kandarakis, I.S. (2009) Journal of Instrumentation, 4 (6) doi: 10.1088/1748-0221/4/06/P06013

(: 3)

- 1) Determination of scintillator PSF for measuring source transverse sizes of synchrotron radiations
 Lin, P.D., Wu, W..(2011) Applied Optics 50 (17), pp. 2759-2772
- 2) Eigenvector decomposition of full-spectrum x-ray computed tomography
 Brian J Gonzales and David S Lalush, Phys. Med. Biol. 57 (2012) 1309–1323
 doi:10.1088/0031-9155/57/5/1309
- 3) 122Determination of the point spread function of the synchrotron radiation source cross-section measurement scintillator.
 Yu Ying Ying Li (2011) "Nuclear Technology", Nuclear Techniques, 6, pp. 423-426, available in: <http://www.cqvip.com/QK/92722X/201106/38126312.html>

[25] Light emission efficiency and imaging performance of Y₂Al₅O₁₂: Ce (YAG: Ce) powder screens under diagnostic radiology conditions.

D. Cavouras, I. Kandarakis, D. Nikolopoulos, I.Kalatzis, A. Episkopakis, G. Kagadis, N. Kalivas, D. Linardatos, M. Roussou, E. Nirgianaki, D. Margetis, I. Valais, I. Sianoudis, K. Kourkoutas, N. Dimitropoulos, A. Louizi, C. Nomicos, G. Panayiotakis. (2005) Applied Physics B (Lasers and Optics), 80 pp. 923-933, doi:10.1007/s00340-005-1791-8

(: 4)

- 1) X-ray luminescence based spectrometer for investigation of scintillation properties
 Varney C.R., Khamehchi M.A., Jianfeng Ji, and Selima F.A., Review of Scientific Instruments, Vol. 83 (10) 2012, pp. 103112-1 to 4
- 2) Study of spatial resolution of YAG:Ce cathodoluminescent imaging screens
 Petr Schauer, Jan Bok, Nuclear Instruments and Methods in Physics Research, Section B: 2013. Beam Interactions with Materials and Atoms, vol. 308, pp.68-73 (2), <http://dx.doi.org/10.1016/j.nimb.2013.05.006>
- 3) Effect of oxidation annealing on optical properties of YAG:Ce single crystals
 J. Boka, P. Horodský, V. Krzyžáneka, Opt. Mat. 2015, doi:10.1016/j.optmat.2015.05.035
- 4) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

[26] Evaluation of the Luminescence Efficiency of YAG:Ce Powder Scintillating Screens for Use in Digital Mammography Detectors

S. David, C. Michail, M. Roussou, E. Nirgianaki, A. Toutountzis, N. Kalivas, I. Valais, G. Fountos, I. Kandarakis, G. Panayiotakis. Poster presentation, M06-205 2008 IEEE Medical Imaging Conference (MIC), 19-25 Oct. 2008, Dresden, Germany

(: 2)

- 1) [Initial results on SiPM performance for use in medical imaging, Efthimiou, N., Argyropoulos, G., Panayiotakis, G., Georgiou, M., Loudos, G. 2010 IEEE International Conference on Imaging Systems and Techniques, IST 2010 - Proceedings](#), art. no. 5548492, pp. 256-260.
- 2) C. R. Varney, M. A. Khamehchi, Jianfeng Ji, and F. A. Selim, X-ray luminescence based spectrometer for investigation of scintillation Properties, Rev. Sci. Instrum. 83, 103112 (2012); doi: 10.1063/1.4764772.

[27] C. Michail, G. Fountos, I. Valais, N. Kalyvas, P. Liaparinos,I. Kandarakis, G. Panayiotakis. "Evaluation of the red emitting Gd₂O₂S: Eu powder scintillator for use in indirect X-ray digital mammography detectors". IEEE Transactions on Nuclear Science vol. 58(5), pp 2503-2511, Feb. 2011.

(: 16)

- 1) . G. Valais, G. P. Fountos, C. M. Michail, I. Seferis, N. I. Kalyvas, A. K. Mytafidis, I. S. Kandarakis and G.S. Panayiotakis, Thin Substrate Powder Scintillator Screens for use in Digital X-ray Medical Imaging Applications, IEEE Nuclear Science Symposium and Medical Imaging Conference, Valencia, Spain 23-29 October **2011** DOI: [10.1109/NSSMIC.2011.6152537](https://doi.org/10.1109/NSSMIC.2011.6152537) pp: 2997-3000.
- 2) Ioannis Valais, **Christos M. Michail**, Ioannis Seferis, George Fountos, Nektarios Kalyvas, Ioannis Kandarakis and George S. Panayiotakis (**2012**), [Scintillation screen preparation for use in digital medical systems](#) e-Journal of Science & Technology, (e-JST) 7(3):1-5.
- 3) N. Kalyvas, I. Kandarakis, G. Fountos, I. Valais, P. Liaparinos, Ch. Michail, S. David, Studying the effect of the activator material on detective quantum efficiency of indirect digital detectors, [5th Panhellenic Conference on Biomedical Technology](#), Athens, Greece, 4-6 April **2013**.
- 4) Light emission efficiency of Lu₂O₃:Eu nanophosphor scintillating screen under x-ray radiographic conditions, [I. E. Seferis ; N. I. Kalyvas ; I. G. Valais ; C. M. Michail ; P. F. Liaparinos ; G. P. Fountos ; E. Zych ; I. S. Kandarakis ; G. S. Panayiotakis](#) Proc. SPIE 8668, Medical Imaging (**2013**): Physics of Medical Imaging, 86683W (March 6, 2013); doi:10.1117/12.2015265.
- 5) **C. Michail**, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (**2013**) On the response of GdAlO₃:Ce powder scintillators, *J Lumin.* 144:45-52.
- 6) I. E. Seferis, **C. M. Michail**, I. G. Valais, G. P. Fountos, N. I. Kalyvas, F. Stromatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis (**2013**) On the response of a europium doped phosphor-coated CMOS digital imaging detector, *Nucl. Instrum. Meth. Phys. Res. A* 729:307-315.
- 7) [Investigation and imaging characteristics of a CMOS sensor based digital detector coupled to a red emitting fluorescent screen](#), Seferis I, MSc Thesis, University of Patras, Greece, **2013**.
- 8) **C. M. Michail**, I. G. Valais, I. E. Seferis, F. Stromatia, E. Kounadi, G. P. Fountos and I. S. Kandarakis, Experimental Evaluation of a High Resolution CMOS Digital Imaging Detector Coupled to Structured CsI Scintillators for Medical Imaging Applications, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings](#) Volume 41, **2014**, pp 471-474.
- 9) Christos M. Michail, Nektarios E. Kalyvas, Ioannis G. Valais, Ioannis P. Fudos, George P. Fountos, Nikos Dimitropoulos, Grigoris Koulouras, Dionisis Kandris, Maria Samarakou, and Ioannis S. Kandarakis, Figure of Image Quality and Information Capacity in Digital Mammography, *Biomed Research International* (**2014**).
- 10) I. Seferis, C. Michail, I. Valais, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (**2014**) Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu, *J Lumin.*
- 11) L. C. Dixie, A. Edgar, C. M. Bartle (**2014**) Samarium doped calcium fluoride: A red scintillator and X-ray phosphor, *Nucl. Instrum. Meth. Phys. Res. A*. [Volume 753](#), 21, Pages 131-137.
- 12) C. Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos and I. Kandarakis, [Measurement of the Luminescence properties of Gd₂O₂S:Pr,Ce,F Powder Scintillators under X-ray radiation](#), (**2015**) *Radiat Meas.*74, pp.39-46, 2015 <http://dx.doi.org/10.1016/j.radmeas.2015.02.007>
- 13) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of (Lu,Gd)2SiO₅:Ce (LGSO:Ce) crystals under X-ray radiation, *Rad Meas.*, 80 (2015), pp. 1-9, 2015 doi:[10.1016/j.radmeas.2015.06.008](https://doi.org/10.1016/j.radmeas.2015.06.008)
- 14) P Sotiropoulou, V Koukou, N Martini, C Michail, E Kounadi, I Kandarakis, G Nikiforidis and G Fountos (2015), Estimation of bone Calcium-to-Phosphorous mass ratio using dual-energy nonlinear polynomial functions, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012126, doi:10.1088/1742-6596/633/1/012126
- 15) L. Wang, S. Yuan, Y. Yang, F. Chevire, F. Tessier, and G. Chen (2015), Luminescent properties of novel red-emitting phosphor: Gd₂O₂CN₂:Eu³⁺ Opt. Mater. Expr. Vol. 5, Issue 11, pp. 2616-2624 2015, doi: 10.1364/OME.5.002616.
- 16) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Rad Meas.*, 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 17)

[28] Luminescence Efficiency of fast Yttrium Aluminum Garnet Phosphor Screens for use in Digital Breast Tomosynthesis.

S. L. David, C. M. Michail, I. G. Valais, I. Seferis, G. Varaboutis, S. Gastos, A. E. Toutountzis, G. Fountos, I. S. Kandarakis, and G. S. Panayiotakis, (2010). e-J. Sci. Technol. 2, pp. 63-73.

(: 1)

- 1) X-ray luminescence based spectrometer for investigation of scintillation properties
Varney C.R., Khamehchi M.A., Jianfeng Ji, and Selima F.A., Review of Scientific Instruments, Vol. 83 (10) **2012**, pp. 103112-1 to 4

[29] Investigation of radiation absorption and X-ray fluorescence properties of medical imaging scintillators by Monte Carlo methods

Nikolopoulos, D., Kandarakis, I., Cavouras, D., Valais, I., Linardatos, D., Michail, C., David, S., (...), Louizi, A. 2006 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 565 (2), pp. 821-832

(: 2)

- 1) [Research progress of \(Y, Gd\)₂O₃:Eu scintillator](#) Shen, S.-F., Ma, W.-M., Wen, L., Guo, Y.-F., Yin, K., Wang, H.-D. **2009** *Rengong Jingti Xuebao/Journal of Synthetic Crystals* 38 (2), pp. 465-470
- 2) D. Nikolopoulos, N. Kalyvas, I. Valais, X. Argyriou, E. Vlamanis, T. Sevvos and I. Kandarakis, A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators, (**2012**) JINST 7 P11021.

[30] Comparative study of luminescence properties of LuYAP:Ce and LYSO:Ce single-crystal scintillators for use in medical imaging

Valais, I., David, S., Michail, C., Nikolopoulos, D., Liaparinos, P., Cavouras, D., Kandarakis, I., Panayiotakis, G.S. 2007 Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment 580 (1 SPEC. ISS.), pp. 614-616

(: 9)

- 1) Gamma-ray responses of Pr:LuYAP and Pr:YAP scintillators Yanagida, T., Kamada, K., Yokota, Y., Fujimoto, Y., Maeo, S., Yoshikawa, A. **2010** IEEE Transactions on Nuclear Science 57 (3 PART 2), art. no. 5485090, pp. 1316-1319
- 2) Yanagida T, Kamada K, Fujimoto Y, Sugiyama M, Furuya Y, Yamaji A, Yokota Y, Yoshikawa A, Growth and scintillation properties of Pr doped YAP with different Pr concentrations, Nuclear Instruments and Methods in Physics Research A 623 (**2010**) 1020–1023
- 3) Piñera I, Abreu Y, Van Espen P, Díaz A, Leyva A, Cruz C.M, Radiation damage evaluation on LYSO and LuYAP materials through dpa calculation assisted by Monte Carlo method (Conference Paper) **2012** IEEE Nuclear Science Symposium and Medical Imaging Conference, NSS/MIC 2011;Valencia
- 4) K. Nishimotoa, Y. Yokotab, S. Kurosawaa, K. Kamadab, A. Ymajia, A. Yoshikawa. (2014) Eu concentration dependence on scintillation properties of Eu doped SrI₂ single crystals grown by modified micro-pulling-down method, Optical Materials, doi: <http://dx.doi.org/10.1016/j.optmat.2014.02.026>
- 5) K. Nishimotoa, Y. Yokotab, S. Kurosawaa, J. Pejchala, K. Kamadab, V. Chania, A. Yoshikawa, (2014) Effects of La, Gd, or Lu co-doping on crystal growth and scintillation properties of Eu:SrI₂ single crystals. J. Crys. Growth, doi: <http://dx.doi.org/10.1016/j.jcrysGro.2014.02.022>
- 6) I. Piñera, C.M. Cruz, Y. Abreu, A. Leyva, P. Van Espen, A. Díaz, A.E. Cabal, N. Van Remortel, (2015) Gamma induced atom displacements in LYSO and LuYAP crystals as used in medical imaging applications. Nuclear Instruments and Methods in Physics Research B 356-357 (2015) 46–52, doi:[10.1016/j.nimb.2015.04.063](https://doi.org/10.1016/j.nimb.2015.04.063)
- 7) M.E. Bohem, N.-P. Pook, A. Adam, T.T. Tran, P.S. Halasyamani, M. Entenmann, T. Schleid, (**2015**) Luminescence and Scintillation Properties of La₂[Si₂O₇]:Ce³⁺Functional Pigment - A Concept for UV-Protection of Coatings. Dyes and Pigments, doi: doi:10.1016/j.dyepig.2015.08.016
- 8) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

- 9) Shi, Z., Cen, W., Xu, Y., Li, H., Li, D., Wang, J., (2016) Growth and characterization of high-lutetium component LuYAP:Ce single crystals, *Yadian Yu Shengguang/Piezoelectrics and Acoustooptics*, Vol. 38 (3) pp. 413-419

[31] Detectors for imaging in Radiation Therapy.

I. Valais, P. Xydias, e-Journal of Science & Technology (e-JST), 2009 5(2), 75-86.

(: 1)

- 1) Image-based 3D measurement of patient positioning for radiological cancer therapy.
Boris Peter Selby, PhD Thesis, Technical University of Munich, Germany, 21-1-2013

[32] Comparative Evaluation of Two Commercial PET Scanners, ECAT EXACT HR+ and Biograph 2, Using GATE

N. Karakatsanis, N. Sakellios, N. X. Tsantilas, N. Dikaios, C. Tsoumpas, D. Lazaro, G. Loudos, C. R. Schmidlein, A. Louizi, J. Valais, D. Nikolopoulos, J. Malamitsi, J. Kandarakis and K. Nikita, (2006) Nuclear Instruments and Methods in Physics Research Section A, Vol. 571, No. 2, pp. 368-372.
doi:10.1016/j.nima.2006.08.110

(: 2)

- 1) A GATE Simulation Study of the Siemens Biograph DUO PET/CT System
D. Nikolopoulos, S. Kottou, N. Chatzisavvas, X. Argyriou, E. Vlamakis, P. Yannakopoulos, A. Louizi, (2013) OJRad. Vol.3 (2), pp.56-65, DOI: 10.4236/ojrad.2013.32009
- 2) P. H. Yannakopoulos, D. Nikolopoulos, E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

[33] Simulation of Commercial PET Scanners with GATE Monte-Carlo Simulation Package

X. Tsantilas, A. Louizi, I. Valais, D. Nikolopoulos, N. Sakellios, N. Karakatsanis, G. Loudos, K. Nikita, J. Malamitsi and I. Kandarakis, (2005), Journal of Biomedicine and Biotechnology, Vol. 50, Suppl. 1, pp.114-115

(: 1)

- 1) A GATE Simulation Study of the Siemens Biograph DUO PET/CT System
D. Nikolopoulos, S. Kottou, N. Chatzisavvas, X. Argyriou, E. Vlamakis, P. Yannakopoulos, A. Louizi, (2013) OJRad. Vol.3 (2), pp.56-65, DOI: 10.4236/ojrad.2013.32009

[34] A semi-empirical Monte Carlo based model of the Detector Optical Gain of Nuclear Imaging scintillators
D. Nikolopoulos, N. Kalyvas, I. Valais, X. Argyriou, E. Vlamakis, T. Sevvos and I. Kandarakis, (2012) JINST 7 P11021

(: 5)

- 1) On the response of GdAlO₃:Ce powder scintillators.
C. Michail, N. Kalyvas, I. Valais, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (2013), J Lumin, available online 4/7/13
- 2) N. Kalyvas, I. Valais, S. David, C. Michail, G. Fountos, P. Liaparinos and I. Kandarakis (2014) Studying the Energy Dependence of Intrinsic Conversion Efficiency of Single Crystal Scintillators under X-ray Excitation, Optics and Spectroscopy, vol 116(5),pp. 805-809, 2014
- 3) J. C. Larsson, U. Lundström, and H. M. Hertz (2016), Characterization of scintillator-based detectors for few-ten-keV high-spatialresolution x-ray imaging, Med. Phys. 43(6), 2731-2740, 2016. <http://dx.doi.org/10.1118/1.4948687>
- 4) K. Psichis, N. Kalyvas, I. Kandarakis and G.S. Panayiotakis. An analytical approach to the light transport in columnar phosphors. Detector Optical Gain, angular distribution and the CsI:Tl paradigm, Physica Medica. 2017, <http://dx.doi.org/10.1016/j.ejmp.2017.02.008>
- 5) M. Saleh, K.G. Lynn, J.S. McCloy, Evaluation of undoped ZnS single crystal materials for x-ray imaging applications, Proc. of SPIE Vol. 10179 1017904-1, (2017) doi: 10.1117/12.2262187

[35] C. Michail, N. Kalyvas, **I. Valais**, S. David, I. Seferis, A. Toutountzis, A. Karabotsos, P. Liaparinos, G. Fountos, and I. Kandarakis (**2013**) On the response of GdAlO₃:Ce powder scintillators, J Lumin. 144:45-52.
(: 11)

- 1) Luminescent characteristics and energy transfer of a red-emitting YVO₄:Sm³⁺, Eu³⁺ phosphor, Feng Zhang, Weifeng Zhang, Zhiya Zhang, Yan Huang, Ye Tao, Journal of Luminescence <http://dx.doi.org/10.1016/j.jlumin.2013.11.047>, **2013**
- 2) Luminescent characteristics and energy transfer of a red-emitting YVO₄:Sm³⁺, Eu³⁺ phosphor F. Zhang, W. Zhang, Z. Zhang, Y. Huang, Y. Tao (2014), J. Lumin. Vol. 152, pp. 160-164, <http://dx.doi.org/10.1016/j.jlumin.2013.11.047>
- 3) I.S. Kandarakis
Luminescence in Medical Image Science, J. Lumin. 2014, <doi:10.1016/j.jlumin.2014.11.009>
- 3) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of (Lu,Gd)SiO₅:Ce (LGSO:Ce) crystals under X-ray radiation, Rad Meas., 80 (2015), pp. 1-9, 2015 <doi:10.1016/j.radmeas.2015.06.008>
- 4) V. Lojpur, S. ulubrk, M. Medi , M. Dramicanin. Luminescence Thermometry with Eu³⁺ doped GdAlO₃, J. Lumin., 2015 <http://dx.doi.org/10.1016/j.jlumin.2015.06.032>
- 5) S L David, I G Valais, C M Michail and I S Kandarakis. X-ray Luminescence Efficiency of GAGG:Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems, 2015 J. Phys.: Conf. Ser. 637, 012004, doi:10.1088/1742-6596/637/1/012004
- 6) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, Journal of Physics: Conference Series 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
- 7) C. M. Michail, G. E. Karpetas, G. P. Fountos, **I. G. Valais**, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, Journal of Physics: Conference Series 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019
- 8) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 9) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
- 10) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 11) Singh, V., Sivaramaiah, G., Mohapatra, M. et al. Journal of Elec Materi (2016). Probing the Thermodynamic and Magnetic Properties of UV-B-Emitting GdAlO₃ Phosphors by ESR and Optical Techniques, Journal of Elec. Mater., pp.1-8, doi:10.1007/s11664-016-5083-3
- 12)

[35] Experimental and theoretical evaluation of a high resolution CMOS based detector under x-ray imaging conditions.

Spyropoulou VA, Fountos GP, Kalyvas NI, **Valais IG**, Kandarakis IS, Panayiotakis GS (**2011**), IEEE Trans Nucl Sci 58(1):314–322, 2011.

(: 3)

- 1) Development of a Mini-Mobile Digital Radiography System by Using Wireless Smart Devices, Chang-Won Jeong, Su-Chong Joo, Jong-Hyun Ryu, Jinseok Lee, Kyong-Woo Kim, Kwon-Ha Yoon, J Digit Imaging, DOI 10.1007/s10278-013-9659-7, **2014**

- 2) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 3) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, Rad Meas. 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>

4)

[36] Comparative evaluation of single crystal scintillators under x-ray imaging conditions
I.G. Valais, S. David, C. Michail, C.D. Nomicos, G.S. Panayiotakis and I.S. Kandarakis, JINST 4 P06013, 2009, doi:[10.1088/1748-2214/4/06/P06013](https://doi.org/10.1088/1748-2214/4/06/P06013)

(: 3)

- 1) Mertens JCE, Williams JJ, Chawla Nikhilesh, Development of a Lab-scale, High-Resolution, Tube-Generated X-Ray Computed-Tomography System for Three-Dimensional (3D) Materials Characterization, Materials Characterization (2014), doi: 10.1016/j.matchar.2014.03.002.
- 2) Renuka Krishnakumar, Scintillation Screen Materials for Beam Profile Measurements of High Energy Ion Beams, PhD Thesis, Technical University of Darmstadt, Germany, 2016
- 3) M. Saleh, K.G. Lynn, J.S. McCloy, Evaluation of undoped ZnS single crystal materials for x-ray imaging applications, Proc. of SPIE Vol. 10179 1017904-1, (2017) doi: 10.1117/12.2262187

[37] On the response of a europium doped phosphor-coated CMOS digital imaging detector

I. E. Seferis, C. M. Michail, **I. G. Valais**, G. P. Fountos, N. I. Kalyvas, F. Stromatia, G. Oikonomou, I.S. Kandarakis, G. S. Panayiotakis (2013), Nucl. Instrum. Meth. Phys. Res. A. 729, pp. 307-315.

(: 12)

- 1) A. Gabrielli, Fast Readout Architectures for Large Arrays of Digital Pixels: Examples and Applications. The Scientific World Journal, Vol. 2014, Article ID 523429, 25 pages, <http://dx.doi.org/10.1155/2014/523429>
- 2) I.S. Kandarakis
 - a. Luminescence in Medical Image Science, J. Lumin. 2014, doi:[10.1016/j.jlumin.2014.11.009](https://doi.org/10.1016/j.jlumin.2014.11.009)
- 3) C. Michail. Image Quality Assessment of a CMOS/Gd₂O₃:Pr,Ce,F X-ray Sensor, Journal of Sensors, vol. 2015, Article ID 874637, 6 pages, 2015. doi:10.1155/2015/874637
- 4) PVAL breast phantom for dual energy calcification detection (2015), V. Koukou, N. Martini, K. Velissarakos, D. Gkremos, C. Fountzoula, A Bakas, C. Michail, I. Kandarakis and G. Fountos, Journal of Physics: Conference Series 637 (2015) 012013, doi:10.1088/1742-6596/637/1/012013
- 5) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 6) P Sotiropoulou, V Koukou, N Martini, C Michail, E Kounadi, I Kandarakis, G Nikiforidis and G Fountos (2015), Estimation of bone Calcium-to-Phosphorous mass ratio using dual-energy nonlinear polynomial functions, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012126, doi:10.1088/1742-6596/633/1/012126
- 7) V Koukou, N Martini, C Michail, P Sotiropoulou, N Kalyvas, I Kandarakis, G Nikiforidis and G Fountos (2015), Optimum filter selection for Dual Energy X-ray Applications through Analytical Modeling, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012093, doi:10.1088/1742-6596/633/1/012093
- 8) I. E. Seferis, J. Zeler, C. M. Michail, **I. G. Valais**, G. P. Fountos, N. I. Kalyvas, A. Bakas, I. S. Kandarakis and E. Zych, Preparation and imaging performance of nanoparticulated LuPO₄ :Eu semitransparent films under x-ray radiation. Proc. SPIE 9668, SPIE Micro+Nano Materials, Devices, and Systems, 96682H (December 22, 2015); doi:10.1117/12.2202535
- 9) I. E. Seferis, J. Zeler, C. Michail, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in poly-energetic X-ray imaging applications, Appl. Phys. A, (2016), 122:526, DOI: 10.1007/s00339-016-0081-0

- 10) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Rad Meas.*, 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 11) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, *Rad Meas.* 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 12) V. Koukou, N. Martini, G. Fountos, C. Michail, P. Sotiropoulou, A. Bakas, N. Kalyvas, I. Kandarakis, R. Speller, G. Nikiforidis. Dual energy subtraction method for breast calcification imaging, *Nucl. Instr. Meth. Phys. Res. A*, 848, pp. 31-38, 2017, <http://dx.doi.org/10.1016/j.nima.2016.12.034>
- 13)

[38] A. Petropoulou, N. Kalyvas, I. Kandarakis, **I. Valais** and G.S. Panayiotakis: "The influence of software filtering in digital mammography image quality" *JINST* 4 P06016, **2009**, doi:[10.1088/1748-0221/4/06/P06016](https://doi.org/10.1088/1748-0221/4/06/P06016)
(: 2)

- 1) N. Kalyvas, **I. Valais**, S. David, C. Michail, G. Fountos, P. Liaparinos and I. Kandarakis (2014) Studying the Energy Dependence of Intrinsic Conversion Efficiency of Single Crystal Scintillators under X-ray Excitation, *Optics and Spectroscopy*, vol 116(5),pp. 805-809, 2014
- 2) K. Psichis, N. Kalyvas, I. Kandarakis and G.S. Panayiotakis. An analytical approach to the light transport in columnar phosphors. *Detector Optical Gain, angular distribution and the CsI:TI paradigm*, *Physica Medica*. 2017, <http://dx.doi.org/10.1016/j.ejmp.2017.02.008>
- 3)

[39] **I. Valais**, S. David, C. Michail, D. Nikolopoulos, D. Vattis, I. Sianoudis, D. Cavouras, C.D. Nomicos, I. Kandarakis and G.S. Panayiotakis: Comparative study of luminescence properties of Lu₂SiO₅:Ce and YAlO₃:Ce single crystal scintillators for use in medical imaging. Poster and Oral presentation. 5th ESBME, 5-7 July, 2006, Patras, Greece.
(: 1)

- 1) Nikhare, G. N., Gedam, S. C. and Dhoble, S. J. (**2014**), Luminescence in Sr₄Al₁₄O₂₅:Ce³⁺aluminate phosphor. *Luminescence*. doi: 10.1002/bio.2708

[40] **Valais I. G.**, David S. L., Michail C. M., Nikolopoulos D. N., Cavouras D. A., Sianoudis I. A., Kourkoutas C. D., Kandarakis I. S. and Panayiotakis G. S., Investigation of luminescence emission properties of (Lu,Y)₂SiO₅:Ce (LYSO:Ce) and (Lu,Y)AlO₃:Ce (LuYAP:Ce) single crystal scintillators under x-ray exposure for use in medical imaging, *IEEE Nuclear Science Symp. Conf. Record*, 2006 Vol. 2, pp. 1187.
(: 1)

- 1) Luminescent properties of Ce:Gd₃(Al,Ga,Mg,M)₅O₁₂ crystal (M = Zr, Hf), (**2014**) S. Kurosawa, K. Kamada, Y. Yokota and A. Yoshikawa, *Jpn. J. Appl. Phys.* 53 04EG14 doi:10.7567/JJAP.53.04EG14

[41] N. Efthimiou, N. Kalivas, G. Patatoukas, A. Konstantinidis, **I. Valais**, D. Nikolopoulos, A. Gaitanis, S. David, C. Michail, G. Loudos, D. Cavouras, G.S. Panayiotakis, I. Kandarakis: Investigation of the effect of the scintillator material on the overall X-ray detection system performance by application of analytical models. *Nucl Inst. Meth. Res. A*, 571, pp. 270-273, 2007
(: 2)

- 1) Micro-sized cadmium tungstate as a high-performance anode material for lithium-ion batteries J. zhang, J. Pan, L. Shao, J. Shu, M. Zhou, J. Pan, *Journal of Alloys and Compounds* (**2014**), doi: <http://dx.doi.org/10.1016/j.jallcom.2014.06.119>
- 2) M. Saleh, K.G. Lynn, J.S. McCloy, Evaluation of undoped ZnS single crystal materials for x-ray imaging applications, *Proc. of SPIE* Vol. 10179 1017904-1, (**2017**) doi: 10.1117/12.2262187
- 3)

[42] Christos M. Michail, Nektarios E. Kalyvas, **Ioannis G. Valais**, Ioannis P. Fudos, George P. Fountos, Nikos Dimitropoulos, Grigorios Koulouras, Dionisis Kandris, Maria Samarakou, and Ioannis S. Kandarakis, Figure of Image Quality and Information Capacity in Digital Mammography, Biomed Research International, vol. 2014, ID: 634856, **2014** <http://dx.doi.org/10.1155/2014/634856>

(: 6)

- 1) N. Martini, I. Kandarakis, V. Koukou, C. Michail, G. Nikiforidis, P. Sotiropoulou and G. Fountos. Pencil Beam Spectral Measurements of Ce, Ho, Yb, and Ba Powders for Potential Use in Medical Applications, J. Spectro. Vol. **2015**, Article ID 563763, 8 pages <http://dx.doi.org/10.1155/2015/563763>
- 2) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 3) M. Borg, The Use Of A Figure-Of-Merit (Fom) For Optimization In Digital Mammography: An Exploratory Study in Malta.PhD Thesis, September 2015, Department of Medical Physics and Biomedical Engineering, UCL, UK.
- 4) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 5) V. Koukou, N. Martini, G. Fountos, C. Michail, P. Sotiropoulou, A. Bakas, N. Kalyvas, I. Kandarakis, R. Speller, G. Nikiforidis. Dual energy subtraction method for breast calcification imaging, Nucl. Instr. Meth. Phys. Res. A, 848, pp. 31-38, **2017**, <http://dx.doi.org/10.1016/j.nima.2016.12.034>
- 6) J. Wang, R.M. Nishikawa, and Y. Yang, Quantitative comparison of clusteredmicrocalcifications in for-presentation andfor-processing mammograms in full-fielddigital mammography Med. Phys., (2017), doi: 10.1002/mp.12316
- 7)

[43] C. Michail, **I. Valais**, I. Seferis, N. Kalyvas, S. David, G. Fountos, and I. Kandarakis. Measurement of the luminescence properties of $\text{Gd}_2\text{O}_2\text{S:Pr,Ce,F}$ powder scintillators under X-ray radiation, Rad Meas. 70, pp.59-64, 2014 doi: 10.1016/j.radmeas.2014.09.008.

(: 9)

- 1) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of $(\text{Lu,Gd})_2\text{SiO}_5:\text{Ce}$ (LGSO:Ce) crystals under X-ray radiation, Rad Meas., 80 (2015), pp. 1-9, 2015 [doi:10.1016/j.radmeas.2015.06.008](http://dx.doi.org/10.1016/j.radmeas.2015.06.008)
- 2) C. Michail. Image Quality Assessment of a CMOS/ $\text{Gd}_2\text{O}_2\text{S:Pr,Ce,F}$ X-ray Sensor, Journal of Sensors, vol. 2015, Article ID 874637, 6 pages, 2015. doi:10.1155/2015/874637
- 3) S L David, I G Valais, C M Michail and I S Kandarakis. X-ray Luminescence Efficiency of GAGG:Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems, 2015 J. Phys.: Conf. Ser. 637, 012004, doi:10.1088/1742-6596/637/1/012004
- 4) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 5) T. Yanagida, M. Koshimizu, G. Okada, T. Kojima, J. Osada, N. Kawaguchi (2016), Comparative study of nondoped and Eu-doped SrI_2 scintillator. Opt. Mater..1-6, 2016. <http://dx.doi.org/10.1016/j.optmat.2016.05.030>
- 6) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 7) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, Rad Meas. 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>

- 8) S. Kara, L. Bouhdjer, M. Sebais, O. Halimi, B. Boudine. Elaboration and characterization of a KCl single crystal doped with Er³⁺. Optik Vol. 127, 20 (2016) 9264–9268, <http://dx.doi.org/10.1016/j.jleo.2016.07.006>
- 9) S. Kara, L. Bouhdjer, M. Sebais, O. Halimi, B. Boudine. Elaboration and characterization of a KCl single crystal doped with Er³⁺. Optik Vol. 127, 20 (2016) 9264–9268
- 10) G. Wu, H. Qin, S.i Feng, X. Tan, Z. Luo, Y. Liu, H. Shao, J. Jiang, H. Jiang. Ultrafine Gd₂O₂S:Pr powders prepared via urea precipitation method using SO₂/SO₄²⁻ as sulfuration agent—A comparative study. Powder Tech 305 (2017) pp.382–388, <http://dx.doi.org/10.1016/j.powtec.2016.10.014>
- 11)

[44] I. Valais, I. Kandarakis, D. Nikolopoulos, C. Michail, S. David, G. Loudos, D. Cavouras and G.S. Panayiotakis: Luminescence properties of (Lu,Y)₂SiO₅:Ce and Gd₂SiO₅:Ce single crystal scintillators under x-ray excitation for use in medical imaging systems. IEEE Transactions on Nuclear Science., vol. 54 (1), Feb. 2007.

(: 1)

- 1) C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and I. Valais. Luminescence Efficiency of (Lu,Gd)2SiO₅:Ce (LGSO:Ce) crystals under X-ray radiation, Rad Meas., 80 (2015), pp. 1-9, 2015 [doi:10.1016/j.radmeas.2015.06.008](http://dx.doi.org/10.1016/j.radmeas.2015.06.008)

[45] I. Seferis, C. Michail, I. Valais, J. Zeler, P. Liaparinos, G. Fountos, N. Kalyvas, S. David, F. Stromatia, E. Zych, I. Kandarakis and G. Panayiotakis (2013) Light emission efficiency and imaging performance of Lu₂O₃:Eu nanophosphor under X-ray radiography conditions: Comparison with Gd₂O₂S:Eu, J Lumin. 151, pp. 229-234, Mar.2014. <http://dx.doi.org/10.1016/j.jlumin.2014.02.017>

(: 7)

- 1) C. Michail. Image Quality Assessment of a CMOS/Gd₂O₂S:Pr,Ce,F X-ray Sensor, Journal of Sensors, vol. 2015, Article ID 874637, 6 pages, 2015. doi:10.1155/2015/874637
- 2) I Valais, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 3) J. Duana, Y. Liua, X. Pana, Y. Gua, X. Zhengb, W. Lic, W. Wangc, C. Wangd, J. Yua (2016), Transparency, photoluminescence and X-ray luminescence study of Eu³⁺ doped mayenite glass, Mat. Letters, Vol.173, pp. 102-106, [doi:10.1016/j.matlet.2016.03.039](http://dx.doi.org/10.1016/j.matlet.2016.03.039)
- 4) I. E. Seferis, J. Zeler, C. Michail, I. Valais, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in poly-energetic X-ray imaging applications, Appl. Phys. A, (2016), 122:526, DOI: 10.1007/s00339-016-0081-0
- 5) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 6) C. Michail, I. Valais, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, Rad Meas. 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 7) P. Liaparinos, N. Kalyvas, E. Katsiotis and I. Kandarakis. Investigating the particle packing of powder phosphors for imaging instrumentation technology: an examination of Gd₂O₂S:Tb phosphor, 2016 JINST 11 P10001, doi:10.1088/1748-0221/11/10/P10001
- 8)

[46] C. Michail, I. Valais, I. Seferis, N. Kalyvas, S. David, G. Fountos and I. Kandarakis, [Measurement of the Luminescence properties of Gd₂O₂S:Pr,Ce,F Powder Scintillators under X-ray radiation](#), (2015) *Radiat Meas.*74, pp.39-46, 2015 <http://dx.doi.org/10.1016/j.radmeas.2015.02.007>
(: 11)

- 1) C. Michail. Image Quality Assessment of a CMOS/Gd₂O₂S:Pr,Ce,F X-ray Sensor, *Journal of Sensors*, vol. 2015, Article ID 874637, 6 pages, 2015. doi:10.1155/2015/874637
- 2) **I Valais**, C Michail, D Nikolopoulos, C Fountzoula, A Bakas, P Yannakopoulos, G Fountos, G Panayiotakis and I Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, *Journal of Physics: Conference Series* 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031
- 3) D. Kurková, L. Judas (2016), X-ray tube spectra measurement and correction using a CdTe detector and an analytic response matrix for photon energies up to 160 keV. *Rad. Meas.* doi: 10.1016/j.radmeas.2015.12.008
- 4) I. E. Seferis, J. Zeler, C. M. Michail, **I. G. Valais**, G. P. Fountos, N. I. Kalyvas, A. Bakas, I. S. Kandarakis and E. Zych, Preparation and imaging performance of nanoparticulated LuPO₄:Eu semitransparent films under x-ray radiation. *Proc. SPIE* 9668, SPIE Micro+Nano Materials, Devices, and Systems, 96682H (December 22, 2015); doi:10.1117/12.2202535
- 5) I. E. Seferis, J. Zeler, C. Michail, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in poly-energetic X-ray imaging applications, *Appl. Phys. A*, (2016), 122:526, DOI: 10.1007/s00339-016-0081-0
- 6) Scott, C.C., Parsafar, A., El-Falou, A., Levine, P.M., Karim, K.S., (2015) High dose efficiency, ultra-high resolution amorphous selenium/CMOS hybrid digital X-ray imager, 2015 IEEE International Electron Devices Meeting (IEDM), pp. 30.6.1-4, [10.1109/IEDM.2015.7409803](http://dx.doi.org/10.1109/IEDM.2015.7409803)
- 7) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Rad Meas.*, 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 8) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, *Rad Meas.* 2016 <http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
- 9) Saengkaew, P., Sanorpim, S., Jitpukdee, M. et al. Impact of precursor purity on optical properties and radiation detection of CsI:TI scintillators, *Appl. Phys. A* (2016) 122: 729. doi:10.1007/s00339-016-0254-x
- 10) A. Koyama, K. Shimazoe, H. Takahashi, R. Hamasaki, T. Orita, Y. Onuki, W. Otani, T. Takeshita, I. Kurachi, T. Miyoshi, I. Nakamura and Y. Arai, Development of Pixelated Linear Avalanche Integration Detector Using Silicon on Insulator Technology. *Proceedings of International Symposium on Radiation Detectors and Their Uses (ISRD2016)*, JPS Conf. Proc. 11, 030006 (2016), DOI: <http://dx.doi.org/10.7566/JPSCP.11.030006>
- 11) S.M. Arnab and M.Z. Kabir (2017), Impact of Lubberts Effect on Amorphous Selenium Indirect Conversion Avalanche Detector for Medical X-ray Imaging. *IEEE TRPMS*, Accepted for Publication, DOI 10.1109/TRPMS.2017.2692752
- 12) C. Zhao, and J. Kanicki (2017), Task-Based Modeling of an 5k Ultra-HighResolution Medical Imaging System for Digital Breast Tomosynthesis. *IEEE TRPMS*, Accepted for Publication, DOI 10.1109/TMI.2017.2695982.
- 13) (: 2)

[47] I. E. Seferis, S. L. David, C. M. Michail, A. Bakas, N. I. Kalivas, G. P. Fountos, G. S. Panayiotakis, K. Kourkoutas, I. S. Kandarakis and I. G. Valais, Light emission efficiency of Gd₃Al₂Ga₃O₁₂:Ce (GAGG:Ce) single crystal under X-ray radiographic conditions, [XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings](#) Volume 41, 2014, pp 455-458.

- 1) M. Khoshakhlagh, J.P. Islamian, S.M. Abedi, B. Mahmoudian. Development of Scintillators in Nuclear Medicine W.J. Nuc. Med., Review Article, vol. 14(3), 2015, pp. 156-9, doi:10.4103/1450-1147.163241

- 2) S L David, I G Valais, C M Michail and I S Kandarakis. X-ray Luminescence Efficiency of GAGG:Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems, 2015 J. Phys.: Conf. Ser. 637, 012004, doi:10.1088/1742-6596/637/1/012004
 3)

[48] N. Kalyvas, **I. Valais**, S. David, C. Michail, G. Fountos, P. Liaparinos and I. Kandarakis (2014) Studying the Energy Dependence of Intrinsic Conversion Efficiency of Single Crystal Scintillators under X-ray Excitation, Optics and Spectroscopy, vol 116(5),pp. 805-809, 2014. DOI: 10.1134/S0030400X14050117
 (: 1)

- 1) S L David, I G Valais, C M Michail and I S Kandarakis. X-ray Luminescence Efficiency of GAGG:Ce Single Crystal Scintillators for use in Tomographic Medical Imaging Systems, 2015 J. Phys.: Conf. Ser. 637, 012004, doi:10.1088/1742-6596/637/1/012004

[49] G E Karpetas, C M Michail, G P Fountos, N I Kalyvas, **I G Valais**, I S Kandarakis and G S Panayiotakis (2014), A Novel Method for the Image Quality assessment of PET Scanners by Monte Carlo simulations: Effect of the scintillator, Journal of Physics: Conference Series 490 (2014) 012139, doi:10.1088/1742-6596/490/1/012139
 (: 3)

- 1) G E Karpetas, C M Michail, G P Fountos, **I G Valais**, D. Nikolopoulos, I S Kandarakis and G S Panayiotakis (2015), Influence of Iterative Reconstruction Algorithms on PET Image Resolution, Journal of Physics: Conference Series 637 (2015) 012011, doi:10.1088/1742-6596/637/1/012011
 2) C. M. Michail, G. E. Karpetas, G. P. Fountos, **I. G. Valais**, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, Journal of Physics: Conference Series 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019
 3) C. M. Michail, G. E. Karpetas, G. P. Fountos, N. Kalyvas, N. Martini, V. Koukou, **I. G. Valais** and I.S. Kandarakis (2015), Medical Imaging Image Quality Assessment with Monte Carlo Methods, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012096, doi:10.1088/1742-6596/633/1/012096
 4)

[50] Modeling indirect detectors for performance optimization of a digital mammographic detector for dual energy applications, N. Martini, V. Koukou, N. Kalyvas, P. Sotiropoulou, C. Michail, **I. Valais**, A. Bakas, I. Kandarakis, G. Nikiforidis and G. Fountos, IC-MSQUARE 2014, Journal of Physics: Conference Series 574 (2015) 012075, doi:10.1088/1742-6596/574/1/012075.
 (: 3)

- 1) C. M. Michail, G. E. Karpetas, G. P. Fountos, **I. G. Valais**, D. Nikolopoulos, I.S. Kandarakis and G. S. Panayiotakis (2015), Assessment of the Contrast to Noise Ratio in PET Scanners with Monte Carlo Methods, Journal of Physics: Conference Series 637 (2015) 012019, doi:10.1088/1742-6596/637/1/012019
 2) N Kalyvas, N Martini, V Koukou, C Michail, P Sotiropoulou, I Valais, I Kandarakis and G Fountos (2015), A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012095, doi:10.1088/1742-6596/633/1/012095
 3) V. Koukou, N. Martini, G. Fountos, C. Michail, P. Sotiropoulou, A. Bakas, N. Kalyvas, I. Kandarakis, R. Speller, G. Nikiforidis. Dual energy subtraction method for breast calcification imaging, Nucl. Instr. Meth. Phys. Res. A, 848, pp. 31-38, 2017, <http://dx.doi.org/10.1016/j.nima.2016.12.034>
 4)

[51] A.S. Skouroliakou, I. Seferis, I. Sianoudis, **I. Valais**, A.F. Fragopoulou, L.H. Margaritis (2014), Infrared Thermography Imaging: Evaluating surface emissivity and skin thermal response to IR heating, e-Journal of Science & Technology, (e-JST) 9(4):9-14
 (: 1)

- 1) I. Stathopoulos, K. Skouroliakou, C. and **I. Valais**, (2015), Dynamic Infrared Thermography Study of Blood Flow Relative to Lower Limb Position, Journal of Physics: Conference Series 637 (2015) 012027, doi:10.1088/1742-6596/637/1/012027

[52] Sotiropoulou P, Fountos G, Martini N, Koukou V, C Michail C, **Valais I**, Kandarakis I and Nikiforidis G 2015 Phys Medica doi:10.1016/j.ejmp.2015.01.019

(: 2)

- 1) N Kalyvas, N Martini, V Koukou, C Michail, P Sotiropoulou, I Valais, I Kandarakis and G Fountos (2015), A theoretical investigation of spectra utilization for a CMOS based indirect detector for dual energy applications, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012095, doi:10.1088/1742-6596/633/1/012095
- 2) N Martini, V Koukou, C Michail, P Sotiropoulou, N Kalyvas, I Kandarakis, G Nikiforidis and G Fountos (2015), Modeling of the Calcium/Phosphorus Mass ratio for Breast Imaging , 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012094, doi:10.1088/1742-6596/633/1/012094
- 3)

[53] P. Sotiropoulou, G. Fountos, N. Martini, V. Koukou, C. Michail, I. Valais, I. Kandarakis and G. Nikiforidis, X-ray spectra for bone quality assessment using energy dispersive counting and imaging detectors with dual energy method, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 463-466

(: 1)

- 1) P Sotiropoulou, V Koukou, N Martini, C Michail, E Kounadi, I Kandarakis, G Nikiforidis and G Fountos (2015), Estimation of bone Calcium-to-Phosphorous mass ratio using dual-energy nonlinear polynomial functions, 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012126, doi:10.1088/1742-6596/633/1/012126
- 2)

[54] V. Koukou, N. Martini, G. Fountos, P. Sotiropoulou, C. Michail, I. Valais, E. Kounadi, I. Kandarakis and G. Nikiforidis, Calcification Detection Optimization in Dual Energy Mammography: Influence of the X-ray spectra, XIII Mediterranean Conference on Medical and Biological Engineering and Computing 2013 IFMBE Proceedings Volume 41, 2014, pp 459-462.

(: 2)

- 1) N Martini, V Koukou, C Michail, P Sotiropoulou, N Kalyvas, I Kandarakis, G Nikiforidis and G Fountos (2015), Modeling of the Calcium/Phosphorus Mass ratio for Breast Imaging , 4th IC-MSquare 2015, Journal of Physics: Conference Series 633 (2015) 012094, doi:10.1088/1742-6596/633/1/012094
- 2) T.C. Lewis, B.K. Patel and V.J. Pizzitola, Navigating contrast-enhanced digital mammography, Appl Radiol. 2017, 46 (3), pp21-28, <http://applie radiology.com/articles/navigating-contrast-enhanced-digital-mammography>
- 3)

[55] N. Kalyvas, I. Valais, C. Michail, G. Fountos, I. Kandarakis, D. Cavouras. A theoretical study of CsI:Tl columnar scintillator image quality parameters by analytical modeling, Nucl. Inst. Meth. Res. A, vol 779, pp. 18-24, 2015. <http://dx.doi.org/10.1016/j.nima.2015.01.027>

(: 4)

- 1) P Monnin, H Bosmans, F R Verdun and N W Marshall (2016), A comprehensive model for quantum noise characterization in digital mammography, 2016 Phys. Med. Biol. 61(5) pp. 2083-2108, doi:10.1088/0031-9155/61/5/2083
- 2) J. C. Larsson, U. Lundström, and H. M. Hertz (2016), Characterization of scintillator-based detectors for few-ten-keV high-spatialresolution x-ray imaging, Med. Phys. 43(6), 2731-2740, 2016. <http://dx.doi.org/10.1118/1.4948687>
- 3) C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel IEC 62220-1-1:2015 International Standard, Rad Meas. 2016 <http://dx.doi.org/>

[10.1016/j.radmeas.2016.04.005](https://doi.org/10.1016/j.radmeas.2016.04.005)

- 4) K. Psichis, N. Kalyvas, I. Kandarakis and G.S. Panayiotakis. An analytical approach to the light transport in columnar phosphors. Detector Optical Gain, angular distribution and the CsI:TI paradigm, *Physica Medica*. 2017, <http://dx.doi.org/10.1016/j.ejmp.2017.02.008>
- 5)

[56] David, S., Michail, C., Valais, I., Nikolopoulos, D., Kalivas, N., Kalatzis, I., Karatopis, A., (...), Kandarakis, I. Luminescence efficiency of Lu₂SiO₅:Ce (LSO) powder scintillator for X-ray medical radiography applications **2007 IEEE Nuclear Science Symposium Conference Record** 2, art. no. 4179208, pp. 1178-1182

(1)

- 1) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18
- 2)

[57] Nikolopoulos D, Valais I, Michail C, Chatzisavvas N, Yannakopoulos P, Malaxianakis B (2014) Modelling biograph 2 PET/CT scanner with GATE. *Phys Med* 30 (S1), e94. doi:[10.1016/j.ejmp.2014.07.269](https://doi.org/10.1016/j.ejmp.2014.07.269)

(1)

- 1) P. H. Yannakopoulos, D. Nikolopoulos , E. Petraki, D. Tseles Digital Radiation Sensors and Nanosensory Systems, Chapter in Nuclear Radiation Nanosensors and Nanosensory Systems, series NATO Science for Peace and Security Series B: Physics and Biophysics, pp. 9-18

[58] S. David, C. Michail, I. Seferis, I. Valais, G. Fountos, P. Liaparinos, I. Kandarakis, N. Kalyvas, J. Lumin. 169(Part B), 706 (2016)

(3)

- 1) I. E. Seferis, J. Zeler, C. Michail, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in poly-energetic X-ray imaging applications, *Appl. Phys. A*, (2016), 122:526, DOI: 10.1007/s00339-016-0081-0
- 2) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. *Rad Meas.*, 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 3) X. Wang, J.G. Li, M.S. Molokeev, X. Wang, W.Liu, Q. Zhu, H. Tanaka, K. Suzuta, B-N. Kim and Y. Sakka. Hydrothermal crystallization of a Ln₂(OH)₄SO₄·nH₂O layered compound for a wide range of Ln (Ln = La-Dy), thermolysis, and facile transformation into oxysulfate and oxysulfide phosphors, *RSC Adv.* 7, 2017, 13331-13339, DOI: [10.1039/C7RA00645D](https://doi.org/10.1039/C7RA00645D)

4)

[59] D. Nikolopoulos, C. Michail, I. Valais, P. Yannakopoulos, S. Kottou, G. Karpetas and G.S. Panayiotakis. GATE Simulation of the Biograph 2 PET/CT Scanner, *J Nucl Med Radiat Ther* (2014), vol. 6:1, <http://dx.doi.org/10.4172/2155-9619.1000201>

(2)

- 1) L Fan, D Lin, Y Shi, J Zhang, J Xie, F Lei, L Zhang (2016). Effects of Air Annealing on Luminescent Properties of Cerium-Doped Lutetium Oxyorthosilicate Scintillation Ceramics, *IEEE Trans. Nucl. Sci.*, vol. 63(2), pp. 480-485, DOI: [10.1109/TNS.2015.2511066](https://doi.org/10.1109/TNS.2015.2511066)
- 2) L. Fan, M. Jiang, D. Lin, Y. Shi, Y. Wu, L. Pi, J. Fang, F. Lei, L. Zhang, Y. Zhong, J. Zhang, J. Xie. Grain orientation control of cerium doped lutetium oxyorthosilicate ceramics in a strong magnetic field, *Materials Letters* 198 (2017) 85–88, <http://www.sciencedirect.com/science/article/pii/S0167577X17305402>
- 3)

[60] C. Michail, S. David, A. Bakas, N. Kalyvas, G. Fountos, I. Kandarakis and **I. Valais**. Luminescence Efficiency of (Lu,Gd)2SiO5:Ce (LGSO:Ce) crystals under X-ray radiation, Rad Meas., 80 (2015), pp. 1-9, 2015 doi:[10.1016/j.radmeas.2015.06.008](https://doi.org/10.1016/j.radmeas.2015.06.008)

(3)

- 1) T. Yanagida, M. Koshimizu, G. Okada, T. Kojima, J. Osada, N. Kawaguchi (2016), Comparative study of nondoped and Eu-doped SrI₂ scintillator. Opt. Mater..1-6, 2016 <http://dx.doi.org/10.1016/j.optmat.2016.05.030>.
- 2) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 3) I. Valais, C. Michail, C. Fountzoula, D. Tseles, P. Yannakopoulos, D. Nikolopoulos, A. Bakas, G. Fountos, G. Saatsakis, I. Sianoudis, I. Kandarakis and G. Panayiotakis. On the response of alloyed ZnCdSeS Quantum Dot films, Res. Phys., 7, pp. 1734-36, 2017, doi: <http://dx.doi.org/10.1016/j.rinp.2017.05.011>
- 4)

[61] I. E. Seferis, J. Zeler, C. Michail, **I. Valais**, G. Fountos, N. Kalyvas, A. Bakas, I. Kandarakis, E. Zych. On the response of semitransparent nanoparticulated films of LuPO₄:Eu in poly-energetic X-ray imaging applications, Appl. Phys. A, (2016), 122:526, DOI: 10.1007/s00339-016-0081-0

(1)

- 1) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>

2)

[62] I. Valais, C. Michail, D. Nikolopoulos, C. Fountzoula, A. Bakas, P. Yannakopoulos, G. Fountos, G. Panayiotakis and I. Kandarakis (2015), Effect of the Concentration on the X-ray Luminescence Efficiency of a Cadmium Selenide/Zinc Sulfide (CdSe/ZnS) Quantum Dot Nanoparticle Solution, Journal of Physics: Conference Series 637 (2015) 012031, doi:10.1088/1742-6596/637/1/012031

(2)

- 1) D. Nikolopoulos, I. Valais, C. Michail, A. Bakas, C. Fountzoula, D. Cantzos, D. Bhattacharyya, I. Sianoudis, G. Fountos, P. Yannakopoulos, G. Panayiotakis and I. Kandarakis. Radioluminescence properties of the CdSe/ZnS Quantum Dot nanocrystals with analysis of long-memory trends. Rad Meas., 92 (2016), pp. 19-31, 2016, <http://dx.doi.org/10.1016/j.radmeas.2016.06.004>
- 2) I. Valais, C. Michail, C. Fountzoula, D. Tseles, P. Yannakopoulos, D. Nikolopoulos, A. Bakas, G. Fountos, G. Saatsakis, I. Sianoudis, I. Kandarakis and G. Panayiotakis. On the response of alloyed ZnCdSeS Quantum Dot films, Res. Phys., 7, 1734-36, 2017, doi: <http://dx.doi.org/10.1016/j.rinp.2017.05.011>

[63] I. Stathopoulos, K. Skouroliakou, C. and **I. Valais**, (2015), Dynamic Infrared Thermography Study of Blood Flow Relative to Lower Limb Position, Journal of Physics: Conference Series 637 (2015) 012027, doi:10.1088/1742-6596/637/1/012027

(1)

- 1) M. Asrar, A. Al-Habaibeh, and M. Houda. Innovative algorithm to evaluate the capabilities of visual, near infrared, and infrared technologies for the detection of veins for intravenous cannulation. Appl. Opt., Vol. 55, Issue 34, pp. D67-D75 (2016), <https://doi.org/10.1364/AO.55.000D67>
- 2)

[64] C. Michail, **I. Valais**, N. Martini, V. Koukou, N. Kalyvas, A. Bakas, I. Kandarakis and G. Fountos. Determination of the detective quantum efficiency (DQE) of CMOS/CsI imaging detectors following the novel

IEC 62220-1-1:2015 International Standard, Rad Meas. 94 (2016), pp. 8-17,
<http://dx.doi.org/10.1016/j.radmeas.2016.04.005>
(3)

- 1) V. Koukou, N. Martini, G. Fountos, C. Michail, P. Sotiropoulou, A. Bakas, N. Kalyvas, I. Kandarakis, R. Speller, G. Nikiforidis. Dual energy subtraction method for breast calcification imaging, Nucl. Instr. Meth. Phys. Res. A, 848, pp. 31-38, 2017, <http://dx.doi.org/10.1016/j.nima.2016.12.034>
 - 2) GE Karpetas, CM Michail, GP Fountos, NI Kalyvas, IG Valais, IS Kandarakis and GS Panayiotakis. Detective quantum efficiency (DQE) in PET scanners: A simulation study, Appl. Rad. Isot., Vol.125, 2017 pp. 154-162
 - 3) V. Koukou, N. Martin, G. Fountos, C. Michail, A. Bakas, G. Oikonomou, I. Kandarakis, G. Nikiforidis. Application of a Dual Energy X-ray imaging method on breast specimen, Results in Physics (2017), doi: <http://dx.doi.org/10.1016/j.rinp.2017.04.034>
 - 4)

[65] A comparative investigation of Ce³⁺ doped single crystal scintillators covering radiotherapy and PET/CT imaging conditions Valais, I.G., Michail, C.M., David, S.L., Toutountzis, A.E., Fountos, G.P., Paschalidis, T.V., Kandarakis, I.S., Panayiotakis, G.S. 2008 *IEEE Nuclear Science Symposium Conference Record*, art. no. 4774335, pp. 4887-4890

(- 1)

- 1) Q. Guo, C. Mou, L. He, W. Luo, S. Huang, G-D. Peng. SiO₂ glass-cladding YAP:Ce scintillating fiber for remote radiation dosimeter, IEEE Photonics Technology Letters, Vol PP, issue 99, DOI: [10.1109/LPT.2016.2639288](https://doi.org/10.1109/LPT.2016.2639288),

[66] CM Michail, GE Karpetas, GP Fountos, NI Kalyvas, **IG Valais**, C Fountzoula, A Zanglis, IS Kandarakis, GS Panayiotakis. A novel method for the optimization of positron emission tomography scanners imaging performance, Hell. J. Nucl. Med. 2016 Sept-Dec. pp. 231-240.

Scanners may
(1)

- 1) GE Karpetas, CM Michail, GP Fountos, NI Kalyvas, **IG Valais**, IS Kandarakis and GS Panayiotakis. Detective quantum efficiency (DQE) in PET scanners: A simulation study, Appl. Rad. Isot., Vol.125, 2017 pp. 154-162.

VII.

μ	1993 -	1993:	$\mu\mu$	\dots	μ	μ	μ
μ	"						
μ	1995 -	1996.	μ	μ	\dots	μ	$\mu \mu$
μ			\dots	μ			
μ	1996 -	1997.	μ	μ	\dots	μ	$\mu \mu$
μ			\dots	μ			
μ	1997 -	1998.	μ	μ	\dots	μ	$\mu \mu$
μ			\dots	μ			
μ	1998 -	1999.	μ	μ	\dots	μ	$\mu \mu$
μ			\dots	μ			

1999 -	2000.	μ	μ	μ	μ	$\mu \mu$
μ
μ	15 - 16, 2000.	.	μ	.	μ	μ
μ
μ	2000 -	μ	2009..	μ	μ	$\mu \mu$
μ	.	.	.	μ	μ	.
μ	2009 -	μ	2013.	μ	$\mu \mu$	$\mu \mu$
μ	$\mu \mu$	&
μ	2013 -	μ	.	$\mu \mu$	Laser	$\mu \mu$
μ	.	.	,	&	.	&
μ						

VIII. _____

1993-94.	$\mu\mu$	μ	μ	μ	μ	μ
	.	:	«	»,	300	,
2008-09.	$\mu\mu$.	μ	.	$\mu \mu$	« »

2009-10.	$\mu\mu$.	μ	.	$\mu \mu$	« »

2010-11.	$\mu\mu$.	μ	.	$\mu \mu$	« »

2011-12.	$\mu\mu$.	μ	.	$\mu \mu$	« »

2011-12.		μ	μ	.	$\mu \mu$	$\mu\mu$

2011-12.		μ	μ	.	μ	$\mu\mu$

2012-13.	$\mu\mu$.	μ	.	$\mu \mu$	« »

2012-13.		μ	μ	.	$\mu \mu$	$\mu\mu$

2012-13.		μ	μ	.	μ	$\mu\mu$

2013-14.		μ	μ	.	$\mu \mu$	$\mu\mu$

2013-14.		μ	μ	.	μ	$\mu\mu$

X-1

μμ	μ	μ	μ	μ	μ	μ	μ	μ	μ	μ	μ
1.	μ	.	μ	μ	μ	,	μ	μ	μ	μ	μ
2.	μ	(1)	μ	7/17-2-2010.	μ	μ	μ	,	μ	μ	μ
3.	«	2010.	&	μ	»	μ	μ	μ	μ	μ	9/27-05-
3.	μ	.	μ	23/08-06-2011.	μ	μ	μ	,	μ	μ	μ

x-2

X-3

2006-2010 μ μ μ μ LEONARDO DA VINCI, ERASMUS MUNDUS, LLP
ERASMUS etc. μ μ μ μ 28/06-09-2006 & 11/17-03-2010.

X.

(REVIEWER)

1. World Journal of Radiology
<http://www.wjgnet.com/1949-8470/edboard.htm>
 2. Medical Instrumentation Journal,
<http://www.hoajonline.com/medicalinstrumentation/editorialboard>
 3. Journal Nuclear Medicine, Radiology & Radiation Therapy
<http://www.heraldopenaccess.us/journals/Nuclear-Medicine-Radiology-&-Radiation-Therapy/editorial-board.php>
 4. Physica Medica
<http://www.reviewerreco...ognition/index?key=A002F298890F30D8FD26C4EE1E4AF71819EDEDF55FFB6ADC>

X .

 μ

. 1990 -	. 1990:	DIOPHAR A.E.	μ μ Service
		$\mu\mu$	368,152 33
		1) μ μ	,
		2)	μ ,
		3)	
		4)	
. 1990 -	. 1991:	DIOPHAR A.E.	μ μ Service
			:
		1) μ μ	,
		2)	μ
		3)	
. 1992 -	. 1993:	DIOPHAR A.E.	μ μ Service
			μ :
		1)	(camera),
		2) Y	(U.S.),
		3)	(CT),
		4)	,
		5)	(-R).
. 1993 -	. 1994:		μ μ
			μ
. 1994 -	. 1998:	DIOPHAR A.E.	μ μ Service
			μ :
		1)	(camera),
		2) Y	(U.S.),
		3)	(CT)
		4)	(MRI),
		5)	(LASER),
		6)	,
		7)	,
		8)	(-R).
. 1998 -	. 2001:	Service	μ μ μ μ
			DIOPHAR A.E.: μ
		1)	(camera),
		2)	(Laser)
		3)	
. 2001 -	. 2009:	μ	μ μ μ , μ
		μ	μ , μ μ , μ
			μ
2009	2014:	μ	μ μ , μ
		μ	μ
2014	μ	:	μ μ , μ
			, μ

μ μ μ μ

X - 1.

3 - 13.11.1992	Elscint / , .	camera	μ
	Elscint.		
5 - 25.02.1993	Elscint / , .	camera, CT	MRI Elscint.
3 - 08.11.1993	Trimedyne / , U.S.A.		Laser Trimedyne.
13 - 18.05.1995	xter / , .	μ	μ
	Baxter.		
20 - 31.08.1995	Elscint / , .	camera, CT	MRI Elscint.
28.4 - 23.5.1996	Elscint / , .	camera, CT	RI Elscint.
14.2 - 21.2.1998	Trimedyne / , U.S.A.	μ	Laser
	Trimedyne.		
5.9 - 20.9.1998	Elscint / , .	μ	camera, Elscint.
18.4 - 25.4.1999	Picker GmbH.	μ	'camera, Picker.
10.7 - 10.8.1999	Picker International Inc/ Cleveland, Ohio, U.S.A.	μ	'camera, Picker.
22 - 23.09.1999	xter / , .	μ	μ
	Baxter.		
01.06 - 05.06.1999	Diophar A.E.- ALTHIN-Sweden		μ μ
	μ System1000 & TINA	Althin	35
15 - 16.02.2000	Diophar A.E.- Picker International - Picker EMO	μ	μ
	Picker.		
01 - 09.06.2000	Picker International Inc/ Cleveland, Ohio, U.S.A.	μ	'camera, Picker.
08.07 - 16.10.2000	Diophar A.E.- AMACON		
	μ	80	.
05.02 - 10.02.2003	Diophar A.E.- BAXTER S.A.		

Baxter

X -2.

	μ	μ	:	$\mu\mu$	
1)	μ	-	/	-	25/4/93
2)	μ	.	.	-	18/7/95
3)	μ	-	.	-	25/12/95
4)	μ	μ	/ μ	-	15/1/96
5)	μ	-	/	-	10/8/96
6)	μ	-	/	-	19/2/97
7)	μ	-	/	-	25/2/97
8)	μ	μ	/ μ	-	3/10/97
9)	μ	-	/	-	27/11/97
10)	μ	-	/	-	2/12/97
11)	μ	μ	/ μ	-	29/12/97
12)	μ	-	/	-	10/1/98
A	T	μ	-	-	
13)	Laser	-	-	-	15/3/98
14)	μ	-	/	-	25/10/98
15)	μ	-	/	-	6/5/99
16)	μ	-	/	μ	- 14/5/99
17)	-	-	μ	-	5/10/99
18)	μ	-	/	-	18/11/99
19)	μ	-	/	-	25/1/2000
20)	μ	-	/	-	21/2/2000
21)	13-17/7/00,	μ	-	, μ , /	

XI .

: ().

XIV. /

μ μ Visual Basic C++ . μ μ
AutoCAD, OS2 Warp , UNIX
EAGLE, ISIS Proteus,
μ μ

XV.